

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP111D	411.1	412.0	0.04	<1
WKP111D	412.0	413.0	0.02	<1
WKP111D	413.0	414.0	0.01	<1
WKP111D	414.0	415.0	0.01	<1
WKP111D	415.0	416.0	0.08	<1
WKP111D	416.0	417.0	0.08	1
WKP111D	417.0	418.0	0.09	2
WKP111D	418.0	419.0	0.03	<1
WKP111D	419.0	420.0	0.05	<1
WKP111D	420.0	421.2	0.14	1
WKP111D	421.2	422.1	0.26	3
WKP111D	422.1	422.9	0.09	1
WKP111D	422.9	424.2	0.36	5
WKP111D	424.2	425.1	0.08	1
WKP111D	425.1	426.0	0.03	<1
WKP111D	426.0	427.0	0.02	<1
WKP111D	427.0	428.0	0.03	<1
WKP111D	428.0	429.1	0.03	<1
WKP111D	429.1	430.0	0.06	<1
WKP111D	430.0	431.1	0.18	2
WKP111D	431.1	432.0	0.08	<1
WKP111D	432.0	433.0	0.16	1
WKP111D	433.0	434.0	0.08	<1
WKP111D	434.0	435.0	0.13	2
WKP111D	435.0	436.0	0.11	1
WKP111D	436.0	437.0	0.29	3
WKP111D	437.0	438.0	0.07	<1
WKP111D	438.0	439.0	0.09	1
WKP111D	439.0	440.0	0.11	<1
WKP111D	440.0	441.0	0.31	<1
WKP111D	441.0	442.0	0.10	<1
WKP111D	442.0	443.0	0.03	<1
WKP111D	443.0	444.0	0.02	<1
WKP111D	444.0	445.0	0.03	<1
WKP111D	445.0	446.0	0.05	<1
WKP111D	446.0	447.0	0.06	<1
WKP111D	447.0	448.0	0.11	<1
WKP111D	448.0	449.0	0.09	<1
WKP111D	449.0	450.0	0.20	<1
WKP111D	450.0	451.0	0.10	<1
WKP111D	451.0	452.0	0.20	<1
WKP111D	452.0	453.0	0.10	<1
WKP111D	453.0	454.0	0.20	1
WKP111D	454.0	455.3	0.18	<1
WKP111D	455.3	456.0	0.27	1
WKP111D	456.0	456.7	0.34	<1
WKP111D	456.7	457.7	2.92	2
WKP111D	457.7	458.4	0.86	2
WKP111D	458.4	459.0	6.47	5

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP111D	459.0	459.7	3.23	3
WKP111D	459.7	460.2	4.61	5
WKP111D	460.2	461.1	2.32	3
WKP111D	461.1	462.0	1.73	7
WKP111D	462.0	463.0	3.24	5
WKP111D	463.0	463.6	1.14	2
WKP111D	463.6	464.5	1.80	3
WKP111D	464.5	465.0	3.20	4
WKP111D	465.0	466.1	5.40	5
WKP111D	466.1	466.9	1.48	1
WKP111D	466.9	467.5	0.52	2
WKP111D	467.5	468.6	0.21	<1
WKP111D	468.6	469.6	0.22	<1
WKP111D	469.6	470.2	0.20	<1
WKP111D	470.2	471.0	0.20	<1
WKP111D	471.0	472.0	0.16	<1
WKP111D	472.0	473.0	0.23	1
WKP111D	473.0	474.0	0.10	<1
WKP111D	474.0	475.0	0.19	<1
WKP111D	475.0	476.0	0.08	<1
WKP111D	476.0	477.0	0.07	<1
WKP111D	477.0	478.0	0.06	<1
WKP111D	478.0	479.0	0.10	<1
WKP111D	479.0	480.0	0.13	<1
WKP111D	480.0	481.0	0.12	<1
WKP111D	481.0	482.0	0.11	1
WKP111D	482.0	483.0	0.13	<1
WKP111D	483.0	484.0	0.09	<1
WKP111D	484.0	485.0	0.23	<1
WKP111D	485.0	486.0	0.17	<1
WKP111D	486.0	487.0	0.04	<1
WKP111D	487.0	488.0	0.07	<1
WKP111D	488.0	489.0	0.04	<1
WKP111D	489.0	490.0	0.04	<1
WKP111D	490.0	491.0	0.07	<1
WKP111D	491.0	492.0	0.18	<1
WKP111D	492.0	493.0	0.10	<1
WKP111D	493.0	494.0	0.09	<1
WKP111D	494.0	495.0	0.26	<1
WKP111D	495.0	496.0	0.09	<1
WKP111D	496.0	497.0	0.04	<1
WKP111D	497.0	497.6	0.05	<1
WKP111D	497.6	498.5	0.04	<1
WKP111D	498.5	498.8	0.09	3
WKP111D	499.3	499.7	251	147
WKP111D	499.7	500.7	0.06	1
WKP111D	500.7	501.6	0.14	2
WKP111D	501.6	502.7	0.07	<1
WKP111D	502.7	503.6	0.11	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP111D	503.6	504.2	0.09	<1
WKP111D	504.2	505.0	0.05	<1
WKP111D	505.0	506.1	0.07	<1
WKP111D	506.1	507.0	0.04	<1
WKP111D	507.0	508.0	0.09	<1
WKP111D	508.0	509.0	0.08	<1
WKP111D	509.0	510.0	0.07	<1
WKP111D	510.0	511.0	0.06	<1
WKP111D	511.0	512.0	0.07	<1
WKP111D	512.0	513.0	0.08	<1
WKP111D	513.0	514.0	0.07	<1
WKP111D	514.0	515.1	0.08	<1
WKP111D	515.1	516.0	0.11	<1
WKP111D	516.0	516.4	0.13	2
WKP111D	516.4	517.0	0.12	<1
WKP111D	517.0	517.4	0.14	<1
WKP111D	517.6	518.6	0.19	<1
WKP111D	518.6	519.2	0.20	<1
WKP111D	519.2	520.1	0.50	1
WKP111D	520.1	521.2	0.41	6
WKP111D	521.2	521.7	0.27	2
WKP111D	521.7	522.0	0.48	1
WKP111D	522.0	523.0	0.29	<1
WKP111D	523.0	523.8	9.31	5
WKP111D	523.8	524.9	18.8	13
WKP111D	525.1	526.1	11.1	9
WKP111D	526.3	527.3	7.58	9
WKP111D	527.5	528.0	0.29	12
WKP111D	528.0	529.0	1.68	10
WKP111D	529.0	530.1	28.1	16
WKP111D	530.1	531.1	12.1	13
WKP111D	531.1	531.8	10.8	6
WKP111D	531.8	532.8	0.63	<1
WKP111D	532.8	533.2	1.92	3
WKP111D	533.2	534.0	0.39	1
WKP111D	534.0	535.3	0.46	<1
WKP111D	535.3	535.6	2.01	2
WKP111D	535.6	536.2	0.44	11
WKP111D	536.2	537.1	0.43	<1
WKP111D	537.1	538.0	0.55	1
WKP111D	538.0	539.0	0.44	<1
WKP111D	539.0	540.0	0.50	2
WKP111D	540.0	541.0	0.25	<1
WKP111D	541.0	542.0	7.41	7
WKP111D	542.0	543.0	0.30	2
WKP111D	543.0	544.0	0.18	1
WKP111D	544.0	545.0	0.60	2
WKP111D	545.0	546.0	0.46	<1
WKP111D	546.0	547.0	0.15	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP111D	547.0	548.0	0.08	<1
WKP111D	548.0	549.0	0.36	1
WKP111D	549.0	550.0	0.72	<1
WKP111D	550.0	551.0	0.26	1
WKP111D	551.0	552.0	0.40	<1
WKP111D	552.0	553.0	0.78	3
WKP111D	553.0	554.0	1.59	1
WKP111D	554.0	554.6	0.51	<1
WKP113A	194.0	194.7	0.38	<1
WKP113A	194.7	195.0	7.42	16
WKP113A	195.0	195.3	0.18	<1
WKP113A	197.4	198.1	0.35	2
WKP113A	198.1	198.4	1.18	34
WKP113A	198.4	199.0	0.33	<1
WKP113A	226.0	226.5	0.10	1
WKP113A	226.5	227.2	8.66	15
WKP113A	227.2	228.0	0.08	<1
WKP113A	235.0	235.7	0.05	<1
WKP113A	235.7	236.0	1.63	4
WKP113A	236.0	237.1	0.06	<1
WKP113A	237.1	237.5	8.76	16
WKP113A	237.5	238.0	0.12	<1
WKP113A	238.0	238.7	1.52	3
WKP113A	238.7	239.5	0.07	<1
WKP113A	247.0	248.1	0.12	<1
WKP113A	248.1	248.4	0.73	2
WKP113A	248.4	249.0	0.07	<1
WKP113A	292.0	292.4	0.50	<1
WKP113A	292.4	293.3	1.38	1
WKP113A	293.3	294.0	2.21	1
WKP113A	303.7	304.3	0.03	<1
WKP113A	304.3	305.0	24.6	20
WKP113A	305.0	305.6	4.10	4
WKP113A	307.0	307.5	0.15	<1
WKP113A	307.5	308.0	4.02	3
WKP113A	308.0	309.0	0.20	<1
WKP113A	312.0	312.6	0.04	<1
WKP113A	312.6	312.9	0.39	<1
WKP113A	312.9	314.0	0.23	<1
WKP113A	314.0	315.0	0.03	<1
WKP113A	315.0	316.0	0.03	<1
WKP113A	316.0	316.8	0.29	<1
WKP113A	316.8	318.0	2.43	1
WKP113A	320.0	320.8	0.03	<1
WKP113A	320.8	321.1	0.27	10
WKP113A	321.1	322.0	0.16	<1
WKP113A	322.0	323.0	0.15	<1
WKP113A	323.0	323.3	0.64	2
WKP113A	323.3	324.0	0.06	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP113A	324.0	325.0	0.14	<1
WKP113A	338.0	338.6	0.11	<1
WKP113A	338.6	339.0	0.10	1
WKP113A	339.0	340.0	0.17	<1
WKP113A	346.0	346.6	0.14	<1
WKP113A	346.6	347.2	0.27	<1
WKP113A	347.2	348.3	0.16	<1
WKP113A	348.3	349.0	0.05	<1
WKP113A	368.0	369.2	0.05	<1
WKP113A	369.2	370.0	0.13	<1
WKP113A	370.0	371.0	0.03	<1
WKP113A	386.3	387.5	0.03	<1
WKP113A	387.5	387.8	0.23	2
WKP113A	387.8	389.0	0.05	<1
WKP113A	406.8	408.0	0.39	2
WKP113A	408.0	409.0	0.19	<1
WKP113A	409.0	410.0	0.11	<1
WKP113A	410.0	411.0	0.12	<1
WKP113A	411.0	411.3	0.12	<1
WKP113A	411.3	412.0	0.15	<1
WKP113A	412.0	412.9	0.15	<1
WKP113A	412.9	413.2	0.14	<1
WKP113A	413.2	414.0	0.17	<1
WKP113A	414.0	415.0	0.18	<1
WKP113A	415.0	416.0	0.07	<1
WKP113A	416.0	417.2	0.04	<1
WKP113A	417.2	418.0	0.03	<1
WKP113A	418.0	419.0	0.07	<1
WKP113A	419.0	420.0	0.11	<1
WKP113A	420.0	421.0	0.15	<1
WKP113A	421.0	422.1	0.20	<1
WKP113A	422.1	423.0	0.14	<1
WKP113A	423.0	424.0	0.11	<1
WKP113A	424.0	425.1	0.17	<1
WKP113A	425.1	426.0	0.08	<1
WKP113A	426.0	427.0	0.11	<1
WKP113A	427.0	428.0	0.06	<1
WKP113A	428.0	429.0	0.10	<1
WKP113A	429.0	430.0	0.07	<1
WKP113A	430.0	431.0	0.10	<1
WKP113A	431.0	432.0	0.14	<1
WKP113A	432.0	433.0	0.06	<1
WKP113A	433.0	434.0	0.08	<1
WKP113A	434.0	435.0	0.19	<1
WKP113A	435.0	436.0	0.14	<1
WKP113A	436.0	437.0	0.21	<1
WKP113A	437.0	438.0	0.29	<1
WKP113A	438.0	439.0	0.46	<1
WKP113A	439.0	440.0	0.67	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP113A	440.0	441.0	0.36	<1
WKP113A	441.0	442.0	0.33	<1
WKP113A	442.0	443.0	0.58	<1
WKP113A	443.0	444.0	0.21	<1
WKP113A	444.0	445.0	0.27	<1
WKP113A	445.0	446.0	0.04	<1
WKP113A	446.0	447.0	0.17	<1
WKP113A	447.0	448.0	0.25	<1
WKP113A	448.0	449.0	0.31	<1
WKP113A	449.0	450.2	0.12	<1
WKP113A	450.2	451.4	0.14	<1
WKP113A	451.4	451.8	0.23	3
WKP113A	451.8	452.8	0.43	1
WKP113A	452.8	454.0	0.23	<1
WKP113A	454.0	455.0	0.35	<1
WKP113A	455.0	456.0	0.13	<1
WKP113A	456.0	457.0	0.14	<1
WKP113A	457.0	458.0	0.25	<1
WKP113A	458.0	459.0	0.30	<1
WKP113A	459.0	460.0	0.11	<1
WKP113A	460.0	461.0	0.16	<1
WKP113A	461.0	462.0	0.28	<1
WKP113A	462.0	462.3	2.09	2
WKP113A	462.3	463.3	0.26	<1
WKP113A	463.3	463.7	0.22	2
WKP113A	463.7	464.0	0.14	3
WKP113A	464.0	464.3	0.15	<1
WKP113A	464.3	464.7	0.41	1
WKP113A	464.7	465.2	0.17	4
WKP113A	465.2	465.8	0.15	5
WKP113A	465.8	466.8	1.55	9
WKP113A	466.8	467.2	0.66	2
WKP113A	467.2	468.0	0.28	<1
WKP113A	468.0	468.3	3.71	3
WKP113A	468.3	469.3	0.31	<1
WKP113A	469.3	469.8	1.85	4
WKP113A	469.8	470.3	0.22	<1
WKP113A	470.3	471.0	0.68	<1
WKP113A	471.0	471.9	0.37	<1
WKP113A	471.9	472.7	5.89	4
WKP113A	472.7	473.5	0.74	7
WKP113A	473.5	474.1	0.94	4
WKP113A	474.1	474.9	38.2	31
WKP113A	474.9	475.9	69.9	53
WKP113A	475.9	477.1	5.83	12
WKP113A	477.1	478.3	6.19	7
WKP113A	478.3	478.8	20.2	41
WKP113A	478.8	479.6	19.0	16
WKP113A	479.6	480.4	0.65	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP113A	480.4	481.0	1.10	1
WKP113A	481.0	482.0	0.74	<1
WKP113A	482.0	483.1	0.37	<1
WKP113A	483.1	484.2	0.44	<1
WKP113A	484.2	485.5	0.75	<1
WKP113A	485.5	485.9	0.55	<1
WKP113A	485.9	486.2	0.80	<1
WKP113A	486.2	487.4	0.52	1
WKP113A	487.4	487.7	0.66	5
WKP113A	487.7	488.7	0.60	2
WKP113A	488.7	490.0	0.30	2
WKP113A	490.0	491.2	0.42	2
WKP113A	491.2	492.3	0.44	2
WKP113A	492.3	493.5	0.68	2
WKP113A	493.5	494.5	0.96	2
WKP113A	494.5	495.7	0.78	2
WKP113A	495.7	496.7	0.57	1
WKP113A	496.7	497.0	5.77	29
WKP113A	497.0	498.2	0.54	<1
WKP113A	498.2	499.4	0.76	<1
WKP113A	499.4	500.5	0.64	<1
WKP113B	226.0	226.4	0.09	2
WKP113B	226.4	227.4	12.90	19
WKP113B	227.4	228.0	0.05	1
WKP113B	238.2	238.6	0.09	1
WKP113B	238.6	239.1	2.93	8
WKP113B	239.1	240.0	0.04	<1
WKP113B	292.9	293.2	0.03	<1
WKP113B	293.2	293.6	0.09	<1
WKP113B	293.6	294.0	0.10	1
WKP113B	303.0	303.2	0.40	<1
WKP113B	303.2	304.3	0.08	1
WKP113B	304.3	304.6	0.03	<1
WKP113B	304.6	305.3	0.04	<1
WKP113B	305.3	306.0	0.02	<1
WKP113B	306.0	307.0	0.03	<1
WKP113B	307.0	307.3	0.04	<1
WKP113B	307.3	308.0	0.03	<1
WKP113B	311.0	311.9	0.05	<1
WKP113B	311.9	312.5	37.70	25
WKP113B	312.5	313.0	0.06	<1
WKP113B	313.0	313.6	0.11	<1
WKP113B	313.6	314.0	0.25	2
WKP113B	314.0	315.0	0.16	<1
WKP113B	319.0	319.9	0.05	<1
WKP113B	319.9	320.2	0.06	1
WKP113B	320.2	321.0	0.37	<1
WKP113B	321.0	322.0	0.16	<1
WKP113B	322.0	323.0	0.11	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP113B	323.0	323.5	0.05	<1
WKP113B	323.5	323.8	2.25	3
WKP113B	323.8	324.8	0.09	<1
WKP113B	324.8	325.2	0.47	<1
WKP113B	325.2	326.0	0.84	<1
WKP113B	327.6	327.9	0.20	<1
WKP113B	327.9	328.4	0.13	2
WKP113B	328.4	329.0	0.09	1
WKP113B	329.0	330.0	0.12	1
WKP113B	330.0	331.0	0.56	1
WKP113B	331.0	332.0	0.10	<1
WKP113B	339.0	340.0	0.15	<1
WKP113B	340.0	341.0	0.31	<1
WKP113B	341.0	342.0	0.04	<1
WKP113B	359.0	359.7	0.09	<1
WKP113B	359.7	360.4	0.10	<1
WKP113B	360.4	361.0	0.06	<1
WKP113B	404.0	405.2	0.18	1
WKP113B	405.2	405.7	0.34	3
WKP113B	405.7	406.5	0.15	<1
WKP113B	406.5	407.0	0.21	2
WKP113B	407.0	408.0	0.10	<1
WKP113B	408.0	409.0	0.33	<1
WKP113B	409.0	410.0	0.14	1
WKP113B	410.0	411.0	0.07	<1
WKP113B	411.0	412.0	0.06	<1
WKP113B	412.0	413.0	0.06	<1
WKP113B	413.0	414.0	0.04	<1
WKP113B	414.0	415.0	0.04	<1
WKP113B	415.0	416.0	0.08	<1
WKP113B	416.0	417.0	0.04	<1
WKP113B	417.0	418.0	0.04	<1
WKP113B	418.0	419.0	0.04	<1
WKP113B	419.0	420.0	0.05	<1
WKP113B	420.0	421.0	0.03	1
WKP113B	421.0	422.0	0.03	<1
WKP113B	422.0	423.0	0.02	<1
WKP113B	423.0	424.0	0.13	1
WKP113B	424.0	425.0	0.05	<1
WKP113B	425.0	426.0	0.07	1
WKP113B	426.0	427.0	0.03	<1
WKP113B	427.0	428.0	0.08	<1
WKP113B	428.0	428.9	0.08	<1
WKP113B	428.9	429.6	0.56	1
WKP113B	429.6	430.6	0.04	<1
WKP113B	430.6	431.0	0.05	<1
WKP113B	431.0	431.9	0.07	<1
WKP113B	431.9	432.4	0.59	1
WKP113B	432.4	433.0	0.05	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP113B	433.0	434.0	0.06	<1
WKP113B	434.0	435.0	0.09	<1
WKP113B	435.0	436.2	0.07	<1
WKP113B	436.2	436.5	0.06	<1
WKP113B	436.5	437.0	0.04	<1
WKP113B	437.0	438.0	0.06	<1
WKP113B	438.0	439.0	0.08	<1
WKP113B	439.0	440.0	0.10	<1
WKP113B	440.0	441.0	0.19	1
WKP113B	441.0	442.0	0.18	1
WKP113B	442.0	443.0	0.22	1
WKP113B	443.0	444.0	0.20	<1
WKP113B	444.0	445.0	0.25	1
WKP113B	445.0	446.0	0.19	1
WKP113B	446.0	446.3	0.12	3
WKP113B	446.3	447.0	0.20	1
WKP113B	447.0	448.0	0.08	<1
WKP113B	448.0	449.0	0.09	1
WKP113B	449.0	450.0	0.11	<1
WKP113B	450.0	451.0	0.08	<1
WKP113B	451.0	452.0	0.11	1
WKP113B	452.0	453.0	0.35	2
WKP113B	453.0	454.0	0.04	<1
WKP113B	454.0	455.0	0.09	<1
WKP113B	455.0	456.0	0.27	<1
WKP113B	456.0	457.0	0.09	<1
WKP113B	457.0	458.0	0.09	<1
WKP113B	458.0	459.0	0.07	<1
WKP113B	459.0	460.0	0.10	<1
WKP113B	460.0	461.1	0.11	<1
WKP113B	461.1	461.4	0.18	2
WKP113B	461.4	462.0	0.05	1
WKP113B	462.0	463.0	0.18	<1
WKP113B	463.0	463.5	0.06	<1
WKP113B	463.5	463.9	0.06	<1
WKP113B	463.9	465.0	0.06	<1
WKP113B	465.0	466.0	0.07	<1
WKP113B	466.0	467.0	0.14	<1
WKP113B	467.0	468.0	0.09	<1
WKP113B	468.0	469.0	0.26	1
WKP113B	469.0	470.0	0.36	2
WKP113B	470.0	471.1	0.42	2
WKP113B	471.1	472.1	0.50	<1
WKP113B	472.1	472.8	0.17	3
WKP113B	472.8	473.3	1.03	<1
WKP113B	473.3	474.1	1.04	<1
WKP113B	474.1	474.4	0.26	2
WKP113B	474.7	475.6	0.44	4
WKP113B	475.6	476.1	0.76	1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP113B	476.1	476.5	0.32	4
WKP113B	476.5	477.5	0.39	1
WKP113B	477.5	478.4	0.45	<1
WKP113B	478.4	479.0	9.13	7
WKP113B	479.0	479.4	1.41	<1
WKP113B	479.4	480.5	13.2	8
WKP113B	480.5	481.5	11.3	5
WKP113B	481.5	482.5	0.99	1
WKP113B	482.5	483.7	10.4	7
WKP113B	483.7	484.2	7.55	8
WKP113B	484.2	485.1	0.27	7
WKP113B	485.1	486.0	11.6	9
WKP113B	486.0	486.7	4.65	4
WKP113B	486.7	487.5	4.87	4
WKP113B	487.5	488.1	0.74	1
WKP113B	488.1	488.4	2.04	4
WKP113B	488.4	488.8	1.00	4
WKP113B	488.8	489.1	0.34	<1
WKP113B	489.1	490.0	0.75	1
WKP113B	490.0	490.5	0.47	<1
WKP113B	490.5	490.8	0.57	<1
WKP113B	490.8	492.0	0.45	1
WKP113B	492.0	492.7	0.39	2
WKP113B	492.7	493.5	0.88	2
WKP113B	493.5	494.0	0.57	3
WKP113B	494.0	495.0	0.40	2
WKP113B	495.0	496.0	0.64	1
WKP113B	496.0	497.1	0.50	2
WKP113B	497.1	497.9	3.51	3
WKP113B	497.9	498.2	0.42	1
WKP113B	498.2	498.5	1.23	<1
WKP113B	498.5	499.0	0.21	1
WKP113B	499.0	500.0	0.15	<1
WKP113B	500.0	501.0	0.14	1
WKP113B	501.0	502.0	0.27	2
WKP113B	502.0	503.0	0.69	4
WKP113B	503.0	504.0	0.12	<1
WKP113B	504.0	504.6	0.15	<1
WKP113B	504.6	505.4	0.96	8
WKP113B	505.4	506.0	0.12	1
WKP113B	506.0	507.1	0.21	2
WKP113B	507.1	507.7	0.07	<1
WKP113B	507.7	508.5	4.23	18
WKP113B	508.5	509.6	0.12	1
WKP113B	509.6	510.2	0.44	6
WKP113B	510.2	511.0	0.14	2
WKP113B	511.0	512.0	0.18	2
WKP113B	512.0	513.0	0.25	5
WKP113B	513.0	514.0	0.06	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP118C	331.1	331.4	0.08	<1
WKP118C	331.4	332.4	0.05	<1
WKP118C	332.4	332.7	0.06	<1
WKP118C	332.7	333.0	0.08	<1
WKP118C	333.0	334.0	0.05	<1
WKP118C	340.4	341.4	0.06	<1
WKP118C	341.4	341.9	0.18	1
WKP118C	341.9	343.0	0.02	<1
WKP118C	345.1	346.3	0.44	1
WKP118C	346.3	346.6	0.29	2
WKP118C	346.6	347.4	0.83	2
WKP118C	347.4	348.1	0.19	2
WKP118C	348.1	349.0	0.04	<1
WKP118C	351.5	352.5	0.11	<1
WKP118C	352.5	353.0	0.26	1
WKP118C	353.0	354.0	0.17	<1
WKP118C	356.0	357.1	0.06	<1
WKP118C	357.1	357.6	0.53	2
WKP118C	357.6	358.6	0.55	<1
WKP118C	364.0	364.8	0.11	<1
WKP118C	364.8	365.1	0.12	<1
WKP118C	365.1	366.2	0.43	<1
WKP118C	366.2	366.6	0.53	3
WKP118C	366.6	367.6	0.08	1
WKP118C	371.7	372.5	0.28	<1
WKP118C	372.5	373.1	0.04	<1
WKP118C	373.1	374.0	0.19	<1
WKP118C	375.5	376.5	0.04	<1
WKP118C	376.5	376.9	0.21	<1
WKP118C	376.9	378.1	0.82	1
WKP118C	379.0	380.1	0.22	1
WKP118C	380.1	380.7	0.33	2
WKP118C	380.7	381.9	0.12	<1
WKP118C	386.9	387.2	0.11	<1
WKP118C	387.2	387.6	0.32	1
WKP118C	387.6	388.5	0.14	<1
WKP118C	401.4	402.4	0.07	<1
WKP118C	402.4	402.9	1.23	2
WKP118C	402.9	404.0	0.06	<1
WKP118C	406.9	408.0	0.06	<1
WKP118C	408.0	408.6	0.05	<1
WKP118C	408.6	409.5	0.08	<1
WKP118C	409.5	410.7	0.05	<1
WKP118C	410.7	411.8	0.05	<1
WKP118C	411.8	412.1	0.11	<1
WKP118C	412.1	412.8	0.08	<1
WKP118C	416.7	417.6	0.20	<1
WKP118C	417.6	417.9	32.0	95
WKP118C	417.9	419.1	0.16	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP118C	420.7	421.7	0.97	4
WKP118C	421.7	422.0	2.10	3
WKP118C	422.0	423.0	0.11	<1
WKP118C	423.0	423.3	0.70	2
WKP118C	423.3	424.5	0.37	<1
WKP118C	424.5	425.7	0.10	<1
WKP118C	425.7	426.0	2.37	2
WKP118C	426.0	427.0	0.17	<1
WKP118C	427.0	428.0	0.05	<1
WKP118C	428.0	429.0	0.06	<1
WKP118C	429.0	430.0	0.07	<1
WKP118C	430.0	431.0	0.08	<1
WKP118C	431.0	432.0	0.11	<1
WKP118C	432.0	433.2	0.30	<1
WKP118C	433.2	433.5	4.36	4
WKP118C	433.5	434.7	0.05	<1
WKP118C	434.7	435.9	0.06	<1
WKP118C	435.9	437.0	0.06	<1
WKP118C	437.0	438.0	0.77	<1
WKP118C	438.0	439.0	0.17	<1
WKP118C	439.0	440.0	0.19	<1
WKP118C	440.0	441.2	0.05	<1
WKP118C	441.2	442.4	0.12	<1
WKP118C	442.4	442.7	0.37	<1
WKP118C	442.7	443.9	0.11	<1
WKP118C	443.9	445.0	0.12	<1
WKP118C	445.0	446.0	0.12	<1
WKP118C	446.0	447.0	0.17	<1
WKP118C	447.0	447.7	0.27	<1
WKP118C	447.7	448.0	0.29	<1
WKP118C	448.0	448.5	0.39	<1
WKP118C	448.5	449.3	0.25	<1
WKP118C	449.3	450.5	0.19	<1
WKP118C	450.5	451.7	0.16	<1
WKP118C	451.7	452.5	0.26	<1
WKP118C	452.5	453.7	0.06	<1
WKP118C	453.7	454.8	0.14	<1
WKP118C	454.8	455.7	0.06	<1
WKP118C	455.7	456.1	0.97	2
WKP118C	456.1	457.3	0.04	<1
WKP118C	457.3	457.7	0.10	<1
WKP118C	457.7	458.9	0.22	<1
WKP118C	458.9	460.0	0.10	<1
WKP118C	460.0	461.0	0.08	<1
WKP118C	461.0	462.0	0.09	<1
WKP118C	462.0	463.0	0.08	<1
WKP118C	463.0	464.0	0.05	<1
WKP118C	464.0	465.0	0.06	<1
WKP118C	465.0	466.0	0.06	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP118C	466.0	467.0	0.04	<1
WKP118C	467.0	468.0	0.23	<1
WKP118C	468.0	469.0	0.15	<1
WKP118C	469.0	470.0	0.04	<1
WKP118C	470.0	470.6	0.05	<1
WKP118C	470.6	471.6	0.05	<1
WKP118C	471.6	472.7	0.07	<1
WKP118C	472.7	473.2	0.09	<1
WKP118C	473.2	473.8	0.14	<1
WKP118C	473.8	474.2	2.96	4
WKP118C	474.2	474.7	0.12	<1
WKP118C	474.7	475.6	8.23	8
WKP118C	475.6	476.6	52.7	56
WKP118C	476.6	477.5	76.2	155
WKP118C	477.5	477.9	149.0	193
WKP118C	477.9	478.3	55.4	170
WKP118C	478.3	479.3	0.95	<1
WKP118C	479.3	480.4	0.57	1
WKP118C	480.4	481.4	0.10	<1
WKP118C	481.4	481.7	0.13	<1
WKP118C	481.7	482.0	0.11	<1
WKP118C	482.0	482.3	0.05	<1
WKP118C	482.3	483.0	0.08	<1
WKP118C	483.0	484.2	0.09	<1
WKP118C	484.2	484.9	0.12	<1
WKP118C	484.9	485.7	0.10	<1
WKP118C	485.7	486.0	0.09	<1
WKP118C	486.0	487.2	0.11	<1
WKP118C	487.2	487.8	0.11	<1
WKP118C	487.8	488.6	0.38	<1
WKP118C	489.2	489.6	13.40	13
WKP118C	489.9	491.1	0.16	<1
WKP118C	491.1	492.0	0.13	<1
WKP118C	492.0	492.9	0.75	<1
WKP118C	492.9	493.2	6.48	5
WKP118C	493.2	494.0	0.06	<1
WKP118C	494.0	495.0	0.02	<1
WKP118C	495.0	496.0	0.11	<1
WKP118C	496.0	497.0	0.17	<1
WKP118C	497.0	498.0	0.62	<1
WKP118C	498.0	499.2	0.04	<1
WKP118C	499.4	500.4	0.04	<1
WKP118C	500.4	500.7	0.99	2
WKP118C	500.7	501.8	0.02	<1
WKP118C	501.8	503.0	0.09	<1
WKP118C	503.0	504.2	0.11	<1
WKP118C	504.2	505.4	0.08	<1
WKP118C	505.4	506.6	0.04	<1
WKP118C	506.8	508.0	0.05	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP118C	508.0	509.0	0.03	<1
WKP118C	509.0	510.0	0.18	<1
WKP118C	510.0	510.3	0.55	<1
WKP118C	510.3	511.2	0.06	<1
WKP118C	511.2	512.0	0.03	<1
WKP118C	512.0	513.0	0.02	<1
WKP118C	513.0	514.0	0.03	<1
WKP118C	514.0	515.0	0.32	<1
WKP118C	515.0	516.0	0.07	<1
WKP118C	516.0	517.1	0.07	1
WKP118C	517.1	517.7	0.08	<1
WKP118C	517.7	518.8	0.02	<1
WKP118C	518.8	520.0	0.20	<1
WKP118C	520.0	521.0	0.29	<1
WKP118C	521.0	522.0	0.17	<1
WKP118C	522.0	523.0	0.12	<1
WKP118C	523.0	524.1	0.10	<1
WKP118C	524.1	525.0	0.12	<1
WKP118C	525.0	526.0	0.04	<1
WKP118C	526.0	526.6	0.02	<1
WKP118C	526.6	527.0	0.17	<1
WKP118C	527.0	528.0	0.06	<1
WKP118C	528.0	529.0	0.04	<1
WKP118C	529.0	530.0	0.07	<1
WKP118C	530.0	530.8	0.17	<1
WKP118C	530.8	531.4	0.32	<1
WKP118C	531.4	532.5	0.28	1
WKP118C	532.5	533.3	4.74	7
WKP118C	533.3	533.9	0.78	2
WKP118C	533.9	534.4	0.12	<1
WKP118C	534.4	535.4	251.0	337
WKP118C	535.4	536.1	49.3	72
WKP118C	536.4	536.7	33.9	98
WKP118C	537.0	538.1	7.1	7
WKP118C	538.1	538.9	24.8	22
WKP118C	538.9	540.2	39.5	42
WKP118C	540.2	540.7	30.5	15
WKP118C	540.7	541.1	1.18	2
WKP118C	541.1	542.0	0.39	1
WKP118C	542.0	542.7	0.49	1
WKP118C	542.7	543.0	2.97	3
WKP118C	543.0	543.6	0.67	<1
WKP118C	543.6	544.2	0.53	1
WKP118C	544.2	544.9	0.51	<1
WKP118C	544.9	545.2	0.58	1
WKP118C	545.2	546.0	0.49	<1
WKP118C	546.0	546.4	0.52	1
WKP118C	546.4	547.2	0.72	<1
WKP118C	547.2	548.0	0.24	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP118C	548.0	548.7	0.18	<1
WKP118C	548.7	549.0	0.43	<1
WKP118C	549.0	549.7	0.43	<1
WKP118C	549.7	550.0	0.44	<1
WKP118C	550.0	550.5	0.51	1
WKP118C	550.5	550.8	0.32	1
WKP118C	550.8	551.7	0.53	<1
WKP118C	551.7	552.0	0.56	1
WKP118C	552.0	553.0	0.37	<1
WKP118C	553.0	554.1	0.48	1
WKP118C	554.1	555.0	0.54	<1
WKP118C	555.0	556.0	0.77	2
WKP118C	556.0	557.0	0.43	1
WKP118C	557.0	558.0	0.33	<1
WKP118C	558.0	559.2	0.35	<1
WKP118C	559.2	560.0	0.26	1
WKP118C	560.0	561.2	0.23	<1
WKP118C	561.2	562.2	0.27	<1
WKP118C	562.2	563.3	0.13	<1
WKP118C	563.3	563.9	0.09	<1
WKP118C	563.9	565.0	0.13	<1
WKP118C	565.0	566.0	0.16	<1
WKP118C	566.0	567.0	0.35	<1
WKP118C	567.0	567.4	0.39	<1
WKP118C	567.4	568.0	0.53	<1
WKP118C	568.0	568.4	0.95	6
WKP118C	568.4	569.1	0.21	<1
WKP118C	569.1	570.0	0.28	<1
WKP118C	570.0	571.2	1.21	2
WKP118C	571.2	572.0	0.48	<1
WKP118C	572.0	573.0	0.57	<1
WKP118C	573.0	574.2	0.27	<1
WKP118C	574.2	575.0	0.18	<1
WKP118C	575.0	576.0	0.23	<1
WKP118C	576.0	577.1	0.25	<1
WKP118C	577.1	578.0	0.42	<1
WKP118C	578.0	578.7	0.37	<1
WKP122	12.0	12.7	0.09	<1
WKP122	12.7	13.3	4.86	9
WKP122	13.3	14.0	0.07	<1
WKP122	36.0	37.0	0.23	<1
WKP122	37.0	38.0	1.18	2
WKP122	38.0	39.0	0.06	1
WKP122	51.5	52.3	0.05	1
WKP122	52.3	52.9	0.04	1
WKP122	52.9	53.2	0.15	<1
WKP122	53.2	54.0	0.04	1
WKP122	60.2	60.8	0.04	<1
WKP122	60.8	61.1	0.36	1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP122	61.1	62.0	0.06	<1
WKP122	66.4	67.4	0.04	<1
WKP122	67.4	67.7	0.10	2
WKP122	67.7	68.7	0.02	<1
WKP122	81.3	82.2	0.07	<1
WKP122	82.2	82.5	3.12	13
WKP122	82.5	83.4	0.63	2
WKP122	84.6	85.5	0.18	<1
WKP122	85.5	85.8	0.15	<1
WKP122	85.8	86.6	0.10	<1
WKP122	89.9	90.9	0.09	<1
WKP122	90.9	91.3	0.27	<1
WKP122	91.3	92.3	0.10	<1
WKP122	92.3	92.6	0.45	<1
WKP122	92.6	93.6	0.20	<1
WKP122	93.6	94.0	0.09	<1
WKP122	109.5	110.4	0.06	<1
WKP122	110.4	110.7	0.13	<1
WKP122	110.7	111.7	0.07	<1
WKP122	111.7	112.2	0.06	<1
WKP122	112.2	113.1	1.71	2
WKP122	113.1	113.5	0.03	<1
WKP122	113.5	114.0	0.06	<1
WKP122	129.0	129.7	0.25	<1
WKP122	129.7	130.0	0.86	3
WKP122	130.0	131.0	0.12	<1
WKP122	134.0	135.0	0.06	2
WKP122	135.0	135.3	5.10	10
WKP122	135.3	136.0	0.93	2
WKP122	136.0	137.0	1.82	2
WKP122	143.1	144.3	0.15	<1
WKP122	144.3	145.5	0.16	<1
WKP122	145.5	145.8	0.13	1
WKP122	145.8	146.7	0.12	<1
WKP122	146.7	147.3	6.36	6
WKP122	147.3	148.1	0.11	<1
WKP122	149.0	149.8	0.12	<1
WKP122	149.8	150.1	1.08	1
WKP122	150.1	151.2	0.16	<1
WKP122	151.6	152.8	0.08	<1
WKP122	152.8	153.6	0.27	2
WKP122	153.6	154.5	0.20	1
WKP122	154.5	155.6	0.23	2
WKP122	161.0	162.2	0.05	1
WKP122	162.2	162.5	0.03	<1
WKP122	162.5	163.7	0.12	<1
WKP122	172.0	173.2	0.17	2
WKP122	173.2	174.4	1.89	2
WKP122	174.4	174.7	0.19	1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP122	174.7	175.5	0.11	1
WKP122	175.5	176.7	0.28	1
WKP122	176.7	177.9	0.05	1
WKP122	177.9	179.0	0.28	2
WKP122	179.0	180.0	0.06	<1
WKP122	180.0	181.2	0.05	1
WKP122	181.2	182.2	0.06	1
WKP122	182.2	182.5	6.42	42
WKP122	182.5	183.7	0.08	<1
WKP122	183.7	184.0	0.24	2
WKP122	184.0	185.0	0.06	<1
WKP122	185.0	186.0	0.04	<1
WKP122	186.0	187.0	0.03	<1
WKP122	187.0	188.0	0.11	<1
WKP122	188.0	189.0	0.03	1
WKP122	189.1	190.0	0.02	<1
WKP122	190.0	191.0	0.03	<1
WKP122	191.0	191.9	0.05	<1
WKP122	191.9	192.6	4.41	3
WKP122	192.6	193.3	0.07	<1
WKP122	193.3	193.6	0.08	<1
WKP122	193.6	193.9	0.13	<1
WKP122	193.9	194.5	0.07	<1
WKP122	194.5	195.4	0.11	2
WKP122	195.4	195.7	35.2	20
WKP122	195.7	196.1	0.17	<1
WKP122	196.1	196.5	0.14	<1
WKP122	196.5	197.4	0.06	<1
WKP122	197.4	198.6	0.15	<1
WKP122	198.6	198.9	3.22	6
WKP122	198.9	199.8	2.43	4
WKP122	199.8	201.0	3.59	3
WKP122	201.0	202.2	0.20	1
WKP122	202.2	203.4	0.17	<1
WKP122	203.4	204.6	0.44	1
WKP122	204.6	205.8	0.11	<1
WKP122	205.8	207.0	0.12	<1
WKP122	207.0	207.3	0.22	<1
WKP122	207.3	208.5	0.05	<1
WKP122	208.5	209.7	0.05	<1
WKP122	209.7	210.9	0.15	<1
WKP122	210.9	212.0	0.21	1
WKP122	212.0	212.7	0.06	<1
WKP122	212.7	213.5	0.07	<1
WKP122	213.5	213.8	2.34	6
WKP122	213.8	214.2	0.23	1
WKP122	214.2	215.4	0.07	6
WKP122	215.4	216.6	0.09	<1
WKP122	216.6	217.8	0.06	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP122	217.8	218.2	1.12	2
WKP122	218.2	219.3	0.04	2
WKP122	219.3	219.6	0.29	5
WKP122	219.6	220.5	0.09	8
WKP122	220.5	221.0	0.09	2
WKP122	221.0	221.4	0.64	2
WKP122	221.4	221.7	0.68	2
WKP122	221.7	222.9	0.13	1
WKP122	222.9	224.0	0.24	<1
WKP122	224.0	225.1	0.33	<1
WKP122	225.1	226.3	0.15	<1
WKP122	226.3	226.7	0.68	6
WKP122	226.7	227.4	0.13	<1
WKP122	227.4	227.7	0.49	2
WKP122	227.7	228.1	0.27	2
WKP122	228.1	229.2	0.11	1
WKP122	229.2	230.0	0.07	<1
WKP122	230.0	231.0	0.07	<1
WKP122	231.0	232.0	0.28	1
WKP122	232.0	232.6	0.55	5
WKP122	232.6	233.2	0.20	<1
WKP122	233.2	233.5	0.99	<1
WKP122	233.5	234.4	0.13	<1
WKP122	234.4	235.0	0.73	3
WKP122	235.0	236.0	0.09	<1
WKP122	236.0	237.0	0.12	<1
WKP122	237.0	237.7	0.07	<1
WKP122	237.7	238.3	0.06	<1
WKP122	238.3	238.6	0.08	<1
WKP122	238.6	238.9	0.04	<1
WKP122	238.9	239.6	2.38	8
WKP122	239.6	240.5	1.19	5
WKP122	240.5	241.5	0.58	<1
WKP122	241.5	242.7	0.16	<1
WKP122	242.7	243.9	0.15	<1
WKP122	243.9	245.1	0.03	<1
WKP122	245.1	246.0	0.04	<1
WKP122	246.0	247.0	0.03	<1
WKP122	247.0	248.0	0.04	<1
WKP122	248.0	249.2	0.05	<1
WKP122	249.2	249.5	0.10	<1
WKP122	249.5	250.3	0.09	<1
WKP122	250.3	250.6	1.31	10
WKP122	250.6	251.7	0.31	<1
WKP122	251.7	252.9	0.20	<1
WKP122	252.9	254.1	0.24	<1
WKP122	254.1	255.0	0.09	1
WKP122	255.0	256.1	0.14	1
WKP122	256.1	256.6	3.19	8

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP122	256.6	257.4	0.16	<1
WKP122	257.4	258.2	7.67	36
WKP122	258.2	258.6	0.55	3
WKP122	258.6	259.0	0.73	3
WKP122	259.0	260.0	0.24	<1
WKP122	260.0	261.1	0.08	<1
WKP122	261.1	262.3	0.10	1
WKP122	262.3	263.4	0.13	1
WKP122	263.4	263.9	0.83	6
WKP122	263.9	264.5	0.47	2
WKP122	264.5	265.2	0.23	<1
WKP122	265.2	266.3	0.27	1
WKP122	266.3	267.2	1.42	5
WKP122	267.2	267.6	0.50	3
WKP122	267.6	267.9	0.65	7
WKP122	267.9	269.0	0.26	<1
WKP122	269.0	270.1	0.13	1
WKP122	270.1	271.2	0.22	<1
WKP122	271.2	271.5	1.01	6
WKP122	271.5	272.1	0.14	1
WKP122	272.1	272.8	5.59	30
WKP122	272.8	274.0	0.11	<1
WKP122	274.0	275.1	0.80	6
WKP122	275.1	275.6	0.56	2
WKP122	275.6	276.8	0.11	<1
WKP122	276.8	278.0	0.58	1
WKP122	278.0	279.0	0.17	<1
WKP122	279.0	280.0	0.14	<1
WKP122	280.0	281.0	0.07	<1
WKP122	281.0	282.0	0.05	<1
WKP122	282.0	283.0	0.24	<1
WKP122	283.0	284.0	0.08	<1
WKP122	284.0	285.0	0.31	1
WKP122	285.0	286.0	0.12	<1
WKP122	286.0	286.8	0.19	2
WKP122	286.8	287.7	2.47	5
WKP122	287.7	288.9	0.13	<1
WKP122	288.9	290.0	0.15	<1
WKP122	290.0	291.0	0.23	1
WKP122	291.0	292.0	0.14	1
WKP122	292.0	293.0	0.25	1
WKP122	293.0	294.0	0.36	4
WKP122	294.0	295.0	0.08	<1
WKP122	295.0	296.0	0.14	<1
WKP122	296.0	297.0	0.08	<1
WKP122	297.0	297.4	14.3	14
WKP122	297.4	298.5	0.22	<1
WKP122	298.5	298.8	0.17	2
WKP122	298.8	300.0	0.10	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP122	300.0	300.9	0.14	<1
WKP122	300.9	301.7	0.09	<1
WKP122	301.7	302.2	0.24	<1
WKP122	302.2	303.1	0.12	<1
WKP122	303.1	303.9	0.16	1
WKP122	303.9	305.0	0.12	<1
WKP122	305.0	306.0	0.26	<1
WKP122	306.0	306.6	0.26	2
WKP122	306.6	307.5	13.7	31
WKP122	307.5	308.3	14.3	37
WKP122	308.3	309.2	0.90	4
WKP122	309.2	310.4	0.45	2
WKP122	310.4	311.3	0.10	<1
WKP122	311.3	311.6	0.52	5
WKP122	311.6	312.0	0.10	<1
WKP122	312.0	312.5	0.13	<1
WKP122	312.5	313.7	0.09	<1
WKP122	313.7	314.0	0.18	3
WKP122	314.0	315.0	0.10	<1
WKP122	315.0	316.0	0.18	1
WKP122	316.0	316.5	0.22	<1
WKP122	316.6	317.8	0.23	1
WKP122	317.8	318.1	0.17	1
WKP122	318.1	319.0	0.06	<1
WKP122	319.0	320.0	0.16	<1
WKP122	320.0	321.0	0.39	3
WKP122	321.0	322.2	0.20	1
WKP122	322.2	322.5	0.89	5
WKP122	322.5	322.9	0.22	<1
WKP122	322.9	323.3	0.19	<1
WKP122	323.3	324.5	0.19	1
WKP122	324.5	325.7	0.13	<1
WKP122	325.7	326.9	0.09	<1
WKP122	326.9	327.9	0.10	<1
WKP122	327.9	329.1	0.29	3
WKP122	329.1	330.0	0.17	<1
WKP122	330.0	331.0	0.23	1
WKP122	331.0	332.0	0.27	5
WKP122	332.0	333.0	0.15	<1
WKP122	333.0	334.0	0.51	1
WKP122	334.0	335.0	0.39	1
WKP122	335.0	336.0	0.26	1
WKP122	336.0	337.1	0.30	2
WKP122	337.1	338.3	0.36	1
WKP122	338.3	338.6	6.34	5
WKP122	338.6	339.8	0.39	1
WKP122	339.8	341.0	0.18	<1
WKP122	341.0	342.0	0.29	2
WKP122	342.0	343.0	0.97	3

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP122	343.0	344.0	0.35	2
WKP122	344.0	345.0	0.24	4
WKP122	345.0	345.5	0.28	2
WKP122	345.5	345.9	1.04	12
WKP122	345.9	347.0	0.31	2
WKP122	347.0	348.0	0.36	2
WKP122	348.0	349.0	0.23	1
WKP122	349.0	350.0	0.23	1
WKP122	350.0	351.0	0.16	2
WKP122	351.0	351.9	0.25	2
WKP122	351.9	352.9	0.55	2
WKP122	352.9	354.0	0.49	2
WKP122	354.0	355.0	0.29	2
WKP122	355.0	356.0	0.44	2
WKP122	356.0	357.0	0.32	2
WKP122	357.0	358.0	0.65	3
WKP122	358.0	359.0	0.66	3
WKP122	359.0	360.0	0.51	2
WKP122	360.0	361.0	1.14	3
WKP122	361.0	362.0	0.88	3
WKP122	362.0	363.0	0.23	1
WKP122	363.0	364.0	0.30	<1
WKP122	364.0	365.0	0.40	2
WKP122	365.0	366.0	0.33	2
WKP122	366.0	366.3	0.54	5
WKP122	366.3	367.5	0.35	2
WKP122	367.5	368.6	0.46	2
WKP122	368.6	369.4	0.60	4
WKP122	369.4	369.7	1.61	9
WKP122	369.7	370.5	0.57	3
WKP122	370.5	371.1	0.79	3
WKP122	371.1	371.4	5.38	9
WKP122	371.4	372.0	8.30	19
WKP122	372.0	373.2	2.41	4
WKP122	373.2	374.4	0.71	3
WKP122	374.4	374.7	1.64	8
WKP122	374.7	375.5	0.92	2
WKP122	375.5	375.9	1.92	1
WKP122	375.9	377.0	0.37	2
WKP122	377.0	378.0	0.34	2
WKP122	378.0	379.0	<0.01	3
WKP122	379.0	380.0	0.61	2
WKP122	380.0	380.8	0.64	2
WKP122	380.8	381.1	1.26	2
WKP122	381.1	382.0	0.52	1
WKP122	382.0	383.0	<0.01	2
WKP122	383.0	384.0	0.46	2
WKP122	384.0	385.2	0.40	3
WKP122	385.2	385.6	2.10	8

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP122	385.6	386.3	0.26	1
WKP122	386.3	387.0	0.62	2
WKP122	387.0	387.3	4.42	6
WKP122	387.3	388.0	1.68	2
WKP122	388.0	388.6	2.47	3
WKP122	388.6	389.8	9.10	9
WKP122	389.8	390.8	0.86	2
WKP122	391.4	391.5	0.39	2
WKP122	391.5	391.9	0.42	4
WKP122	391.9	392.5	2.80	13
WKP122	392.5	392.9	0.34	1
WKP122	392.9	393.2	1.08	5
WKP122	393.2	393.8	5.06	19
WKP122	393.8	395.0	0.23	<1
WKP122	395.0	396.0	0.65	1
WKP122	396.0	397.2	0.68	2
WKP122	397.2	397.8	0.46	1
WKP122	397.8	399.0	0.44	1
WKP122	399.0	400.2	0.32	<1
WKP122	400.2	400.5	3.41	10
WKP123	37.0	38.0	0.04	<1
WKP123	38.0	39.0	0.07	<1
WKP123	39.0	40.0	0.91	1
WKP123	40.0	40.6	0.42	<1
WKP123	40.6	41.6	0.03	<1
WKP123	53.5	53.9	0.31	1
WKP123	61.2	62.2	0.06	<1
WKP123	62.2	62.5	0.14	2
WKP123	62.5	63.5	0.04	<1
WKP123	67.1	68.1	0.03	<1
WKP123	68.1	69.1	0.06	<1
WKP123	69.1	70.0	0.07	<1
WKP123	70.0	70.7	0.17	<1
WKP123	70.7	71.0	0.58	1
WKP123	71.0	72.0	0.07	<1
WKP123	77.0	77.6	0.03	<1
WKP123	77.6	78.1	0.05	1
WKP123	78.1	79.0	0.06	<1
WKP123	80.3	81.3	0.06	<1
WKP123	81.3	81.7	0.13	<1
WKP123	81.7	82.7	0.06	<1
WKP123	82.7	83.3	0.04	1
WKP123	83.3	83.6	0.74	2
WKP123	83.6	84.6	0.04	<1
WKP123	84.6	85.5	0.05	<1
WKP123	85.5	86.1	0.03	<1
WKP123	86.1	86.9	0.08	<1
WKP123	87.3	87.9	0.15	<1
WKP123	87.9	88.6	3.19	5

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP123	88.6	89.1	7.92	16
WKP123	89.1	90.1	0.13	<1
WKP123	90.1	90.5	5.22	4
WKP123	90.5	91.5	0.07	<1
WKP123	91.5	92.0	0.11	<1
WKP123	92.0	93.0	0.18	<1
WKP123	93.0	93.3	0.26	<1
WKP123	93.3	94.0	0.23	<1
WKP123	109.0	110.2	0.20	<1
WKP123	110.2	110.5	0.86	2
WKP123	110.5	111.7	1.21	3
WKP123	111.7	112.4	0.08	<1
WKP123	112.4	113.0	0.13	<1
WKP123	113.0	114.2	0.06	<1
WKP123	118.8	120.0	0.04	<1
WKP123	120.0	120.4	1.80	4
WKP123	120.4	121.6	0.07	<1
WKP123	125.8	127.0	0.48	<1
WKP123	127.0	127.6	9.91	7
WKP123	127.6	128.8	0.59	2
WKP123	128.8	129.4	0.14	1
WKP123	129.4	129.9	0.59	<1
WKP123	138.0	138.4	0.36	<1
WKP123	138.4	139.3	0.17	<1
WKP123	139.3	139.6	0.28	<1
WKP123	139.6	140.8	1.88	1
WKP123	140.8	141.7	2.03	2
WKP123	141.7	142.9	0.25	<1
WKP123	142.9	143.2	1.20	2
WKP123	143.2	144.4	0.32	<1
WKP123	146.8	148.0	0.15	<1
WKP123	148.0	148.4	0.67	3
WKP123	148.4	149.6	0.20	<1
WKP123	149.6	150.1	0.21	<1
WKP123	150.1	151.3	0.26	<1
WKP123	151.3	151.6	2.31	1
WKP123	151.6	152.8	0.17	<1
WKP123	155.6	156.1	0.07	<1
WKP123	157.0	157.8	0.76	4
WKP123	157.8	158.3	0.14	1
WKP123	158.3	159.4	0.19	<1
WKP123	170.0	171.0	0.04	<1
WKP123	171.0	172.0	0.04	<1
WKP123	172.0	173.0	0.03	<1
WKP123	173.0	174.0	0.04	<1
WKP123	174.0	175.0	0.57	<1
WKP123	175.0	176.1	0.78	4
WKP123	176.1	176.4	1.14	3
WKP123	176.4	177.5	0.08	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP123	177.5	177.8	0.45	2
WKP123	177.8	179.0	0.07	<1
WKP123	179.0	180.0	0.09	<1
WKP123	180.0	181.0	0.06	<1
WKP123	181.0	182.0	0.12	<1
WKP123	182.0	182.8	0.47	4
WKP123	182.8	183.1	6.59	5
WKP123	183.1	184.0	0.23	1
WKP123	184.0	185.0	0.08	<1
WKP123	185.0	186.0	0.18	<1
WKP123	186.0	187.2	0.09	<1
WKP123	187.2	187.5	1.09	15
WKP123	187.5	188.1	0.74	1
WKP123	188.1	189.3	0.42	2
WKP123	189.3	189.6	0.27	1
WKP123	189.6	190.4	0.10	<1
WKP123	190.4	190.9	0.26	2
WKP123	190.9	192.0	0.12	1
WKP123	192.0	193.0	0.55	<1
WKP123	193.0	193.8	0.76	1
WKP123	193.8	194.9	0.73	1
WKP123	194.9	195.5	0.15	<1
WKP123	195.5	196.1	0.36	<1
WKP123	196.1	196.4	0.49	<1
WKP123	196.4	196.7	0.37	<1
WKP123	196.7	197.2	0.19	<1
WKP123	197.2	198.0	0.44	<1
WKP123	198.0	198.6	0.43	<1
WKP123	198.6	199.8	1.28	3
WKP123	199.8	200.2	0.14	<1
WKP123	200.2	201.0	0.38	2
WKP123	201.0	201.5	0.30	<1
WKP123	201.5	201.9	1.53	4
WKP123	201.9	203.1	0.20	<1
WKP123	203.1	204.3	0.12	<1
WKP123	204.3	204.6	1.80	5
WKP123	204.6	205.8	0.11	<1
WKP123	205.8	207.0	0.10	<1
WKP123	207.0	208.0	0.22	<1
WKP123	208.0	209.0	0.18	<1
WKP123	209.0	210.0	0.23	<1
WKP123	210.0	211.0	0.19	<1
WKP123	211.0	212.0	0.21	<1
WKP123	212.0	212.5	0.20	<1
WKP123	212.5	213.0	0.17	<1
WKP123	213.0	214.1	0.16	<1
WKP123	214.1	215.0	0.09	<1
WKP123	215.0	215.6	0.10	<1
WKP123	215.6	216.0	1.93	5

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP123	216.0	216.5	0.07	<1
WKP123	216.5	216.9	0.43	2
WKP123	216.9	217.7	0.12	<1
WKP123	217.7	218.0	0.21	1
WKP123	218.0	219.1	0.25	<1
WKP123	219.1	220.3	0.10	<1
WKP123	220.3	220.6	0.21	<1
WKP123	220.6	221.4	0.18	<1
WKP123	221.4	222.6	0.11	<1
WKP123	222.6	223.0	0.34	2
WKP123	223.0	224.0	0.15	<1
WKP123	224.0	225.0	0.23	<1
WKP123	225.0	226.2	0.18	<1
WKP123	226.2	227.4	0.24	1
WKP123	227.4	227.7	0.84	5
WKP123	227.7	228.6	0.18	<1
WKP123	228.6	229.0	1.22	5
WKP123	229.0	229.8	0.45	<1
WKP123	229.8	230.2	0.77	2
WKP123	230.2	230.6	3.50	7
WKP123	230.6	231.5	0.56	<1
WKP123	231.5	232.0	0.67	2
WKP123	232.0	232.5	0.55	1
WKP123	232.5	233.0	0.19	<1
WKP123	233.0	233.8	0.22	<1
WKP123	233.8	235.0	0.16	<1
WKP123	235.0	236.1	0.30	<1
WKP123	236.1	236.5	0.22	<1
WKP123	236.5	237.0	0.19	<1
WKP123	237.0	238.2	0.19	<1
WKP123	238.2	239.4	0.23	<1
WKP123	239.4	240.0	0.97	3
WKP123	240.0	241.0	0.19	<1
WKP123	241.0	242.0	0.37	2
WKP123	242.0	242.3	0.78	2
WKP123	242.3	242.8	0.27	<1
WKP123	242.8	243.6	0.53	1
WKP123	243.6	244.4	0.88	5
WKP123	244.4	245.3	0.19	<1
WKP123	245.3	245.6	0.12	<1
WKP123	245.6	246.8	0.11	<1
WKP123	246.8	247.3	0.14	<1
WKP123	247.3	248.0	0.10	<1
WKP123	248.0	249.0	0.11	<1
WKP123	249.0	250.0	0.36	<1
WKP123	250.0	250.3	0.19	1
WKP123	250.3	251.2	0.20	<1
WKP123	251.2	251.5	0.30	<1
WKP123	251.5	252.0	0.31	1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP123	252.0	253.0	0.41	<1
WKP123	253.0	254.0	0.23	<1
WKP123	254.0	255.0	0.19	<1
WKP123	255.0	256.0	0.08	<1
WKP123	256.0	256.3	0.10	<1
WKP123	256.7	257.0	1.41	2
WKP123	257.0	258.1	3.57	19
WKP123	258.1	259.1	3.31	20
WKP123	259.1	260.0	0.15	<1
WKP123	260.0	261.0	0.15	<1
WKP123	261.0	262.0	0.11	<1
WKP123	262.0	262.7	0.11	<1
WKP123	262.8	263.1	0.88	4
WKP123	263.1	263.9	0.19	<1
WKP123	263.9	264.2	0.16	1
WKP123	264.2	265.0	0.18	<1
WKP123	265.0	266.2	0.26	<1
WKP123	266.2	267.0	0.14	<1
WKP123	267.0	267.6	0.17	<1
WKP123	267.6	267.9	0.49	2
WKP123	267.9	268.7	0.56	<1
WKP123	268.7	269.9	0.22	<1
WKP123	269.9	270.4	0.14	<1
WKP123	270.4	271.5	1.45	11
WKP123	271.5	272.4	0.21	<1
WKP123	272.4	273.6	0.23	<1
WKP123	273.6	273.9	0.64	3
WKP123	273.9	274.8	0.30	<1
WKP123	274.8	275.9	0.30	1
WKP123	275.9	276.2	0.22	<1
WKP123	276.2	277.0	0.19	<1
WKP123	277.0	278.0	0.11	<1
WKP123	278.0	278.7	0.20	1
WKP123	278.7	279.0	0.44	2
WKP123	279.0	280.0	0.18	1
WKP123	280.0	280.7	0.31	1
WKP123	280.7	281.0	0.09	<1
WKP123	281.0	282.1	0.14	<1
WKP123	282.1	282.5	0.15	<1
WKP123	282.5	282.8	0.86	2
WKP123	282.8	284.0	0.14	<1
WKP123	284.0	285.0	0.17	1
WKP123	285.0	286.0	0.24	1
WKP123	286.0	287.0	0.10	<1
WKP123	287.0	288.0	0.28	1
WKP123	288.0	288.4	0.23	<1
WKP123	288.4	289.1	2.09	3
WKP123	289.1	290.0	0.23	<1
WKP123	290.0	291.0	0.08	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP123	291.0	292.0	0.07	<1
WKP123	292.0	293.0	0.07	<1
WKP123	293.0	294.0	0.09	<1
WKP123	294.0	294.7	0.24	1
WKP123	294.7	295.0	0.42	<1
WKP123	295.0	296.0	0.07	<1
WKP123	296.0	296.5	0.12	<1
WKP123	296.5	297.0	0.29	1
WKP123	297.0	297.5	0.07	<1
WKP123	297.5	298.1	0.39	4
WKP123	298.1	299.1	0.13	<1
WKP123	299.1	299.5	0.97	9
WKP123	299.5	300.5	0.16	<1
WKP123	300.5	301.7	0.15	<1
WKP123	301.7	302.0	0.37	<1
WKP123	302.0	303.0	0.06	<1
WKP123	303.0	303.4	0.29	<1
WKP123	303.4	303.7	0.56	<1
WKP123	303.7	304.9	0.14	<1
WKP123	304.9	305.6	0.06	<1
WKP123	305.6	306.1	0.36	3
WKP123	306.1	307.3	0.19	<1
WKP123	307.3	308.2	15.8	29
WKP123	308.6	309.8	7.40	20
WKP123	309.8	310.4	7.54	57
WKP123	310.4	311.0	0.43	2
WKP123	311.0	311.5	0.37	1
WKP123	311.5	312.6	3.53	18
WKP123	312.6	313.1	2.17	4
WKP123	313.1	314.0	0.20	<1
WKP123	314.0	315.0	0.36	<1
WKP123	315.0	316.0	0.21	<1
WKP123	316.0	317.0	0.19	<1
WKP123	317.0	318.0	0.30	1
WKP123	318.0	318.3	0.53	1
WKP123	318.3	318.9	0.74	4
WKP123	318.9	320.0	0.35	<1
WKP123	320.0	321.0	0.41	<1
WKP123	321.0	322.0	0.29	<1
WKP123	322.0	323.0	0.15	<1
WKP123	323.0	324.1	0.15	<1
WKP123	324.1	324.4	0.26	3
WKP123	324.4	325.0	0.16	1
WKP123	325.0	326.0	0.27	1
WKP123	326.0	326.8	0.23	2
WKP123	326.8	327.1	0.59	13
WKP123	327.1	328.0	0.37	2
WKP123	328.0	329.0	0.29	2
WKP123	329.0	329.3	0.59	2

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP123	329.3	330.0	0.31	1
WKP123	330.0	331.0	0.29	2
WKP123	331.0	332.0	0.33	2
WKP123	332.0	333.0	0.32	3
WKP123	333.0	334.0	0.27	2
WKP123	334.0	334.4	0.25	<1
WKP123	334.4	334.7	0.75	3
WKP123	334.7	335.0	0.25	1
WKP123	335.0	336.2	0.25	2
WKP123	336.2	336.6	1.78	16
WKP123	336.6	337.0	0.26	1
WKP123	337.0	338.0	0.41	<1
WKP123	338.0	339.0	0.58	2
WKP123	339.0	340.0	0.23	<1
WKP123	340.0	340.8	0.14	<1
WKP124	166.0	166.7	<0.01	<1
WKP124	166.7	167.4	0.01	<1
WKP124	167.4	168.0	<0.01	<1
WKP124	171.6	172.4	0.01	<1
WKP124	172.4	173.2	0.01	<1
WKP124	173.2	174.0	0.02	<1
WKP124	181.7	182.6	2.02	2
WKP124	182.6	182.9	0.83	1
WKP124	182.9	183.9	0.04	1
WKP124A	192.1	193.3	0.11	<1
WKP124A	193.3	193.6	0.03	<1
WKP124A	193.6	194.8	0.04	<1
WKP124A	370.5	371.5	0.05	<1
WKP124A	371.5	372.6	0.10	<1
WKP124A	372.6	373.4	0.06	<1
WKP124A	389.0	389.9	0.53	1
WKP124A	389.9	390.2	24.30	48
WKP124A	390.2	391.4	0.42	1
WKP124A	396.3	397.5	0.07	<1
WKP124A	397.5	398.7	0.09	1
WKP124A	398.7	399.9	0.25	<1
WKP124A	399.9	401.1	0.19	<1
WKP124A	401.1	402.0	0.05	<1
WKP124A	402.0	403.0	0.04	<1
WKP124A	403.0	404.0	0.03	<1
WKP124A	404.0	405.1	0.31	<1
WKP124A	405.1	405.7	7.35	5
WKP124A	405.7	406.9	0.02	<1
WKP124A	406.9	408.0	<0.01	<1
WKP124A	408.0	409.0	<0.01	<1
WKP124A	409.0	410.0	0.02	<1
WKP124A	410.0	411.0	0.09	<1
WKP124A	411.0	412.0	0.01	<1
WKP124A	412.0	412.8	0.01	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP124A	412.8	413.2	0.02	<1
WKP124A	413.4	414.0	0.03	<1
WKP124A	414.0	415.1	0.83	2
WKP124A	415.1	416.0	0.03	<1
WKP124A	416.0	417.0	0.05	2
WKP124A	417.0	418.0	0.02	<1
WKP124A	418.0	419.0	0.02	<1
WKP124A	419.0	420.0	0.02	<1
WKP124A	420.0	421.0	0.01	<1
WKP124A	421.0	422.0	0.02	<1
WKP124A	422.0	423.0	0.02	<1
WKP124A	423.0	424.0	0.07	1
WKP124A	424.0	425.2	0.16	<1
WKP124A	425.2	425.9	0.50	<1
WKP124A	425.9	426.4	0.18	1
WKP124A	426.4	427.6	0.10	<1
WKP124A	427.6	428.8	0.64	2
WKP124A	428.8	429.6	0.26	<1
WKP124A	429.6	430.0	5.31	6
WKP124A	430.0	430.3	2.33	3
WKP124A	430.3	430.8	4.97	10
WKP124A	430.8	431.1	7.76	22
WKP124A	431.1	432.0	0.17	<1
WKP124A	432.0	433.0	0.03	<1
WKP124A	433.0	434.1	0.05	<1
WKP124A	434.1	435.3	0.07	<1
WKP124A	435.3	435.7	22.90	18
WKP124A	435.7	436.3	23.20	19
WKP124A	436.3	437.1	0.12	<1
WKP124A	437.1	438.3	0.24	<1
WKP124A	438.3	439.0	0.47	3
WKP124A	439.0	439.6	0.16	<1
WKP124A	439.6	440.1	0.80	2
WKP124A	440.1	440.7	0.41	1
WKP124A	440.7	441.0	0.14	1
WKP124A	441.0	442.0	0.04	<1
WKP124A	442.0	442.5	3.39	6
WKP124A	442.5	443.7	0.23	<1
WKP124A	443.7	444.3	0.07	<1
WKP124A	444.3	444.6	0.37	5
WKP124A	444.6	445.6	0.07	<1
WKP124A	445.6	446.1	0.15	1
WKP124A	446.1	446.4	0.15	<1
WKP124A	446.4	447.6	0.09	<1
WKP124A	447.6	448.0	0.14	<1
WKP124A	448.0	448.8	0.04	<1
WKP124A	448.8	449.2	0.76	1
WKP124A	449.2	450.0	0.19	1
WKP124A	450.0	451.0	0.24	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP124A	451.0	452.0	0.21	<1
WKP124A	452.0	453.0	0.13	1
WKP124A	453.0	454.0	0.32	<1
WKP124A	454.0	455.0	0.27	<1
WKP124A	455.0	455.7	0.12	<1
WKP124A	455.7	456.0	0.25	<1
WKP124A	456.0	457.0	0.18	<1
WKP124A	457.0	458.0	0.15	5
WKP124A	458.0	459.0	0.15	<1
WKP124A	459.0	460.0	0.11	<1
WKP124A	460.0	460.3	0.34	<1
WKP124A	460.3	461.0	0.08	<1
WKP124A	461.0	462.0	0.08	<1
WKP124A	462.0	463.0	0.06	<1
WKP124A	463.0	464.0	0.27	<1
WKP124A	464.0	464.9	0.08	<1
WKP124A	464.9	466.1	0.07	<1
WKP124A	466.1	466.4	0.20	<1
WKP124A	466.4	467.0	0.08	<1
WKP124A	467.0	468.0	0.16	<1
WKP124A	468.0	469.0	0.09	<1
WKP124A	469.0	470.0	0.10	<1
WKP124A	470.0	471.2	0.10	<1
WKP124A	471.2	472.4	0.11	<1
WKP124A	472.4	473.4	0.43	<1
WKP124A	473.4	473.9	1.39	1
WKP124A	473.9	474.4	0.53	1
WKP124A	474.4	475.0	0.37	3
WKP124A	475.0	476.0	0.21	2
WKP124A	476.0	477.0	0.06	<1
WKP124A	477.0	478.2	0.13	<1
WKP124A	478.2	479.4	0.13	1
WKP124A	479.4	480.0	0.51	1
WKP124A	480.0	480.8	0.28	<1
WKP124A	480.8	482.0	0.10	<1
WKP124A	482.0	483.0	0.19	<1
WKP124A	483.0	483.4	0.02	1
WKP124A	483.4	483.8	0.53	9
WKP124A	483.8	484.7	0.07	<1
WKP124A	484.7	485.4	0.02	<1
WKP124A	485.4	485.7	0.70	1
WKP124A	485.7	486.9	0.10	<1
WKP124A	486.9	488.0	0.20	1
WKP124A	488.0	488.6	0.16	2
WKP124A	488.6	489.0	0.09	1
WKP124A	489.0	489.6	0.08	<1
WKP124A	489.6	490.2	0.19	1
WKP124A	490.2	491.0	0.22	<1
WKP124A	491.0	492.1	0.35	1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP124A	492.1	493.0	0.06	<1
WKP124A	493.0	494.0	0.03	<1
WKP124A	494.0	495.0	0.05	<1
WKP124A	495.0	496.0	0.07	<1
WKP124A	496.0	496.8	0.23	1
WKP124A	496.8	497.4	0.16	<1
WKP124A	497.4	497.8	0.21	<1
WKP124A	497.8	499.0	0.18	<1
WKP124A	499.0	500.0	0.26	<1
WKP124A	500.0	500.9	0.14	<1
WKP124A	501.1	502.1	0.14	<1
WKP124A	502.1	503.0	0.11	<1
WKP124A	503.0	504.0	0.12	<1
WKP124A	504.0	505.0	0.10	<1
WKP124A	505.0	506.0	0.14	<1
WKP124A	506.0	507.0	0.10	<1
WKP124A	507.0	508.0	0.08	<1
WKP124A	508.0	509.0	0.08	<1
WKP124A	509.0	510.0	0.05	<1
WKP124A	510.0	511.0	0.06	<1
WKP124A	511.0	512.0	0.13	<1
WKP124A	512.0	513.1	0.24	<1
WKP124A	513.1	513.4	0.28	<1
WKP124A	513.4	513.7	0.22	<1
WKP124A	513.7	514.9	9.72	7
WKP124A	514.9	515.8	29.9	21
WKP124A	515.8	516.5	45.4	32
WKP124A	516.5	517.1	15.7	14
WKP124A	517.1	517.8	60.9	37
WKP124A	517.8	518.4	28.3	49
WKP124A	518.4	518.9	112.0	314
WKP124A	518.9	519.6	0.40	2
WKP124A	519.6	519.9	0.23	<1
WKP124A	519.9	520.5	25.2	19
WKP124A	520.5	521.7	0.24	<1
WKP124A	521.7	522.0	0.23	<1
WKP124A	522.0	523.0	0.49	2
WKP124A	523.0	524.0	0.37	<1
WKP124A	524.0	525.0	0.35	<1
WKP124A	525.0	526.0	0.34	1
WKP124A	526.0	527.0	0.36	<1
WKP124A	527.0	528.0	0.32	<1
WKP124A	528.0	529.0	0.35	<1
WKP124A	529.0	529.5	0.45	<1
WKP124A	529.5	530.0	0.38	<1
WKP124A	530.0	531.0	0.55	1
WKP124A	531.2	532.0	0.45	1
WKP124A	532.0	532.7	0.33	<1
WKP124A	532.7	533.0	1.46	3

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP124A	533.0	533.5	0.38	1
WKP124A	533.5	533.9	1.27	2
WKP124A	533.9	535.1	0.32	<1
WKP124A	535.1	535.4	0.53	<1
WKP124A	535.4	536.0	0.30	<1
WKP124A	536.0	537.0	0.48	<1
WKP124A	537.0	537.3	0.29	<1
WKP124A	537.3	537.6	0.41	<1
WKP124A	537.6	538.7	0.59	<1
WKP124A	538.7	539.0	0.70	<1
WKP124A	539.0	540.0	0.41	<1
WKP124A	540.0	541.0	0.50	<1
WKP124A	541.0	542.0	0.42	<1
WKP124A	542.0	542.3	0.42	<1
WKP124A	542.3	543.0	0.28	<1
WKP124A	543.0	544.0	0.45	<1
WKP124A	544.0	545.0	0.52	<1
WKP124A	545.0	546.0	0.19	<1
WKP124A	546.0	547.0	0.24	<1
WKP124A	547.0	548.0	0.27	<1
WKP124A	548.0	549.0	0.36	<1
WKP124A	549.0	550.0	0.29	1
WKP124A	550.0	550.8	0.55	<1
WKP124A	550.8	551.3	0.62	<1
WKP124A	551.3	552.1	0.70	1
WKP124A	552.1	553.0	0.64	<1
WKP124A	553.0	554.1	0.74	1
WKP124A	554.1	554.6	0.91	2
WKP124A	554.6	556.0	0.52	1
WKP124A	556.0	557.0	0.50	<1
WKP124A	557.0	558.0	0.47	<1
WKP124A	558.0	559.0	0.47	1
WKP124A	559.0	560.0	0.47	<1
WKP124A	560.0	561.0	0.40	<1
WKP124A	561.0	562.0	0.29	<1
WKP124A	562.0	563.0	0.16	2
WKP124A	563.0	564.0	0.37	1
WKP124A	564.0	565.0	0.56	1
WKP124A	565.0	565.8	0.66	2
WKP125	7.2	8.2	0.11	<1
WKP125	8.2	8.7	1.32	<1
WKP125	8.7	9.5	0.12	<1
WKP125	12.2	13.2	0.09	<1
WKP125	13.2	13.6	3.88	6
WKP125	13.6	14.6	0.17	<1
WKP125	67.6	68.6	0.22	<1
WKP125	68.6	69.0	0.13	1
WKP125	69.0	70.0	0.06	<1
WKP125	130.3	131.5	0.16	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP125	131.5	131.9	10.9	7
WKP125	131.9	133.0	0.46	1
WKP125	133.0	133.4	5.19	10
WKP125	133.4	134.1	0.40	1
WKP125	137.8	139.0	0.38	2
WKP125	139.0	139.8	8.15	8
WKP125	139.8	140.7	0.17	<1
WKP125	169.9	171.1	0.71	<1
WKP125	171.1	172.0	0.19	<1
WKP125	172.0	173.0	0.17	<1
WKP125	173.0	174.0	0.29	<1
WKP125	174.0	175.0	0.08	<1
WKP125	175.0	176.0	0.56	1
WKP125	176.0	176.6	0.26	<1
WKP125	176.6	177.3	0.79	1
WKP125	177.3	178.0	0.85	<1
WKP125	178.0	179.0	1.09	1
WKP125	179.0	180.0	0.77	2
WKP125	180.0	180.3	0.22	2
WKP125	180.3	181.0	0.16	<1
WKP125	181.0	182.2	0.12	<1
WKP125	182.2	182.5	18.5	176
WKP125	182.5	183.0	0.16	<1
WKP125	183.0	184.0	0.38	2
WKP125	184.0	184.3	1.30	3
WKP125	184.3	185.5	0.46	<1
WKP125	185.5	185.8	0.08	<1
WKP125	185.8	186.7	0.15	<1
WKP125	186.7	187.3	0.17	<1
WKP125	187.3	188.0	0.17	<1
WKP125	188.0	189.0	0.53	<1
WKP125	189.0	190.0	0.64	<1
WKP125	190.0	191.0	0.19	<1
WKP125	191.0	192.0	0.61	<1
WKP125	192.0	193.0	0.57	<1
WKP125	193.0	194.0	0.27	<1
WKP125	194.0	195.0	0.73	<1
WKP125	195.0	196.2	0.45	<1
WKP125	196.2	196.5	1.73	4
WKP125	196.5	197.0	0.62	<1
WKP125	197.0	198.0	0.47	<1
WKP125	198.0	198.6	0.32	<1
WKP125	198.6	199.0	1.43	<1
WKP125	199.0	200.0	0.81	1
WKP125	200.0	200.5	0.66	1
WKP125	200.5	200.8	8.07	6
WKP125	200.8	202.0	0.50	<1
WKP125	202.0	203.1	0.27	1
WKP125	203.1	203.5	2.96	11

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP125	203.5	204.6	0.31	1
WKP125	204.6	205.8	0.75	1
WKP125	205.8	207.0	0.22	<1
WKP125	207.0	208.0	0.44	<1
WKP125	208.0	209.0	0.39	<1
WKP125	209.0	210.0	0.24	<1
WKP125	210.0	211.2	0.47	<1
WKP125	211.2	211.6	0.32	<1
WKP125	211.6	212.8	0.37	2
WKP125	212.8	214.0	0.25	<1
WKP125	214.0	214.4	0.44	<1
WKP125	214.4	214.7	2.33	16
WKP125	214.7	215.1	0.31	<1
WKP125	215.1	216.0	0.18	<1
WKP125	216.0	217.0	0.36	<1
WKP125	217.0	218.0	1.13	3
WKP125	218.0	219.0	0.30	<1
WKP125	219.0	219.7	0.18	<1
WKP125	219.7	220.0	11.6	17
WKP125	220.0	220.5	0.46	1
WKP125	220.5	221.0	0.18	<1
WKP125	221.0	222.0	0.50	1
WKP125	222.0	223.0	0.21	<1
WKP125	223.0	223.9	0.46	3
WKP125	223.9	224.2	2.47	9
WKP125	224.2	225.0	0.40	1
WKP125	225.0	225.9	0.18	<1
WKP125	225.9	226.3	4.17	10
WKP125	226.3	227.5	0.26	<1
WKP125	227.5	227.9	0.52	1
WKP125	227.9	229.0	0.23	<1
WKP125	229.0	230.0	0.27	<1
WKP125	230.0	231.0	0.10	<1
WKP125	231.0	232.1	0.07	<1
WKP125	232.1	233.3	0.13	<1
WKP125	233.3	233.6	0.13	<1
WKP125	233.6	234.2	0.43	<1
WKP125	234.2	235.0	0.10	<1
WKP125	235.0	236.0	0.13	<1
WKP125	236.0	237.0	0.07	<1
WKP125	237.0	238.2	0.07	<1
WKP125	238.2	238.8	0.12	1
WKP125	238.8	240.0	0.08	<1
WKP125	240.0	241.0	0.16	<1
WKP125	241.0	242.0	0.48	<1
WKP125	242.0	243.0	0.36	<1
WKP125	243.0	244.0	0.26	<1
WKP125	244.0	245.0	0.30	<1
WKP125	245.0	245.7	0.18	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP125	245.7	246.2	1.74	8
WKP125	246.2	246.6	0.26	1
WKP125	246.6	246.9	0.26	2
WKP125	246.9	247.4	6.04	7
WKP125	247.4	247.7	0.19	<1
WKP125	247.7	248.2	0.25	<1
WKP125	248.2	248.5	5.93	9
WKP125	248.5	249.7	0.27	<1
WKP125	249.7	250.9	0.17	<1
WKP125	250.9	251.3	0.17	<1
WKP125	251.3	251.6	0.45	1
WKP125	251.6	252.6	0.19	<1
WKP125	252.6	253.8	0.19	<1
WKP125	253.8	254.1	0.35	<1
WKP125	254.1	255.3	0.22	<1
WKP125	255.3	255.6	5.08	8
WKP125	255.6	256.0	0.86	6
WKP125	256.0	257.0	0.11	<1
WKP125	257.0	258.0	0.27	1
WKP125	258.0	258.7	0.18	<1
WKP125	258.7	259.1	0.96	2
WKP125	259.1	259.8	0.16	<1
WKP125	259.8	260.6	2.23	1
WKP125	260.6	261.8	0.18	<1
WKP125	261.8	263.0	0.24	<1
WKP125	263.0	263.9	0.20	<1
WKP125	263.9	264.2	0.18	1
WKP125	264.2	264.7	0.19	<1
WKP125	264.7	265.2	0.18	3
WKP125	265.2	265.9	0.14	1
WKP125	265.9	266.2	1.37	5
WKP125	266.2	267.0	0.37	<1
WKP125	267.0	268.0	0.14	<1
WKP125	268.0	269.0	0.15	<1
WKP125	269.0	270.0	0.15	<1
WKP125	270.0	271.1	0.19	<1
WKP125	271.1	271.6	1.35	10
WKP125	271.6	272.8	0.22	1
WKP125	272.8	273.1	0.18	1
WKP125	273.1	274.0	0.17	<1
WKP125	274.0	274.3	0.19	<1
WKP125	274.3	275.2	0.16	<1
WKP125	275.2	275.6	0.38	1
WKP125	275.6	276.0	0.21	2
WKP125	276.0	276.3	0.24	1
WKP125	276.3	277.0	0.19	<1
WKP125	277.0	278.1	0.12	<1
WKP125	278.1	279.3	0.18	1
WKP125	279.3	279.6	0.53	5

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP125	279.6	280.3	0.20	<1
WKP125	280.3	281.1	0.22	1
WKP125	281.1	282.3	0.55	2
WKP125	282.3	282.6	1.09	6
WKP125	282.6	283.7	0.23	<1
WKP125	283.7	284.4	0.29	1
WKP125	284.4	284.8	55.1	66
WKP125	284.8	285.8	0.28	1
WKP125	285.8	286.6	0.45	<1
WKP125	286.6	287.1	0.27	<1
WKP125	287.1	287.4	0.46	5
WKP125	287.4	288.2	0.23	<1
WKP125	288.2	289.2	0.58	<1
WKP125	289.2	289.9	6.43	24
WKP125	289.9	291.0	0.21	2
WKP125	291.0	292.0	0.43	4
WKP125	292.0	293.0	0.24	3
WKP125	293.0	294.0	0.23	2
WKP125	294.0	295.1	0.14	<1
WKP125	295.1	296.3	0.10	1
WKP125	296.3	297.5	0.17	2
WKP125	297.5	297.8	0.17	9
WKP125	297.8	298.9	0.18	1
WKP125	298.9	299.2	2.26	29
WKP125	299.2	300.0	0.16	1
WKP125	300.0	301.0	0.20	2
WKP125	301.0	302.0	0.27	2
WKP125	302.0	303.0	0.33	2
WKP125	303.0	304.0	0.14	<1
WKP125	304.0	305.0	0.34	2
WKP125	305.0	306.0	0.13	1
WKP125	306.0	307.0	0.07	<1
WKP125	307.0	308.0	0.20	<1
WKP125	308.0	309.0	0.20	2
WKP125	309.0	310.0	0.26	2
WKP125	310.0	311.0	0.14	<1
WKP125	311.0	312.0	0.25	<1
WKP125	312.0	313.1	0.28	1
WKP125	313.1	313.4	0.40	1
WKP125	313.4	314.0	0.22	<1
WKP125	314.0	314.3	0.74	2
WKP125	314.3	315.2	0.34	<1
WKP125	315.2	316.4	0.25	<1
WKP125	316.4	316.7	0.61	4
WKP125	316.7	317.8	0.21	<1
WKP125	317.8	319.0	0.34	1
WKP125	319.0	320.0	0.32	1
WKP125	320.0	320.9	0.28	<1
WKP125	320.9	321.5	34.2	56

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP125	321.5	322.2	1.34	5
WKP125	322.2	323.1	0.33	2
WKP125	323.1	323.4	0.58	6
WKP125	323.4	324.5	0.21	1
WKP125	324.5	325.2	0.25	2
WKP125	325.2	325.6	0.41	3
WKP125	325.6	326.8	0.26	1
WKP125	326.8	328.0	0.27	2
WKP125	328.0	329.0	0.23	1
WKP125	329.0	330.0	0.24	<1
WKP125	330.0	330.7	1.00	3
WKP125	330.7	331.0	5.15	10
WKP125	331.0	332.0	0.68	2
WKP125	332.0	333.0	0.17	2
WKP125	333.0	334.0	0.15	1
WKP125	334.0	334.7	0.13	1
WKP125	334.7	335.4	0.32	2
WKP125	335.4	336.4	0.24	2
WKP125	336.4	336.8	0.64	2
WKP125	336.8	337.2	0.44	2
WKP125	337.2	338.0	0.36	1
WKP125	338.0	339.0	0.23	2
WKP126	42.5	43.5	0.04	<1
WKP126	43.5	44.0	0.24	3
WKP126	44.0	45.0	0.11	<1
WKP126	54.0	55.0	0.26	1
WKP126	55.0	55.4	2.75	3
WKP126	55.4	56.3	0.34	<1
WKP126	56.3	56.8	0.20	1
WKP126	56.8	57.7	0.04	<1
WKP126	68.4	69.4	0.06	<1
WKP126	69.4	70.4	0.06	<1
WKP126	70.4	70.9	0.06	<1
WKP126	70.9	71.9	1.59	3
WKP126	76.9	77.7	0.35	<1
WKP126	77.7	78.1	1.68	7
WKP126	78.1	78.9	0.22	1
WKP126	81.4	82.3	0.05	<1
WKP126	82.3	82.6	0.22	<1
WKP126	82.6	83.6	0.06	<1
WKP126	86.0	86.9	0.02	<1
WKP126	86.9	87.2	0.52	6
WKP126	87.2	88.2	0.07	<1
WKP126	92.0	93.0	0.13	<1
WKP126	93.0	93.3	1.79	3
WKP126	93.3	94.2	0.11	1
WKP126	98.2	99.3	0.12	<1
WKP126	99.3	99.7	0.37	1
WKP126	99.7	100.7	0.12	1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP126	104.8	105.8	0.09	<1
WKP126	105.8	106.3	0.34	4
WKP126	106.3	107.0	0.09	1
WKP126	109.7	110.6	0.13	1
WKP126	110.6	110.9	0.97	2
WKP126	110.9	111.7	0.18	<1
WKP126	112.1	113.1	0.18	<1
WKP126	113.1	113.5	4.07	11
WKP126	113.5	113.9	0.44	1
WKP126	113.9	114.3	0.60	1
WKP126	114.3	115.1	0.11	<1
WKP126	115.1	116.3	0.79	<1
WKP126	116.3	116.9	0.67	<1
WKP126	116.9	117.5	0.09	<1
WKP126	117.5	118.7	0.58	3
WKP126	118.7	119.0	0.10	2
WKP126	119.0	119.5	0.24	2
WKP126	119.5	120.2	0.19	1
WKP126	120.2	121.2	0.18	2
WKP126	121.2	122.4	0.07	<1
WKP126	122.4	123.0	0.32	<1
WKP126	123.0	124.0	0.54	<1
WKP126	124.0	125.0	0.19	<1
WKP126	125.0	126.0	0.26	<1
WKP126	126.0	126.9	21.6	9
WKP126	126.9	127.9	0.45	1
WKP126	127.9	128.2	1.31	3
WKP126	128.2	129.4	0.46	1
WKP126	129.4	130.6	0.30	<1
WKP126	130.6	131.6	0.30	<1
WKP126	131.6	131.9	0.20	2
WKP126	131.9	132.3	0.24	1
WKP126	132.3	132.8	0.07	<1
WKP126	132.8	133.1	0.13	1
WKP126	133.1	134.2	0.25	1
WKP126	134.2	134.5	0.53	<1
WKP126	134.5	135.7	0.21	<1
WKP126	135.7	136.0	0.28	<1
WKP126	136.0	136.3	0.08	<1
WKP126	136.3	137.0	0.12	<1
WKP126	137.0	137.7	0.09	<1
WKP126	137.7	138.0	0.18	<1
WKP126	138.0	138.3	0.06	<1
WKP126	138.3	138.6	0.06	<1
WKP126	138.6	139.8	0.53	<1
WKP126	139.8	140.6	0.64	<1
WKP126	140.6	141.1	4.68	6
WKP126	141.1	141.5	1.05	<1
WKP126	141.5	142.0	2.11	1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP126	142.0	143.0	0.34	<1
WKP126	143.0	144.0	0.26	<1
WKP126	144.0	145.0	0.21	<1
WKP126	145.0	146.0	0.21	<1
WKP126	146.0	147.0	0.11	<1
WKP126	147.0	148.0	0.21	<1
WKP126	148.0	149.0	0.28	1
WKP126	149.0	150.0	0.17	<1
WKP126	150.0	151.0	0.88	1
WKP126	151.0	152.1	0.15	<1
WKP126	152.1	153.3	0.12	<1
WKP126	153.3	154.0	1.86	4
WKP126	154.0	154.9	0.30	<1
WKP126	154.9	155.9	0.12	<1
WKP126	155.9	157.0	0.22	<1
WKP126	157.0	158.0	0.19	<1
WKP126	158.0	158.7	0.13	<1
WKP126	158.7	159.1	0.49	1
WKP126	159.1	160.0	0.32	<1
WKP126	160.0	161.0	0.34	<1
WKP126	161.0	162.2	1.98	4
WKP126	162.2	162.6	0.52	<1
WKP126	162.6	163.8	0.84	<1
WKP126	163.8	165.0	0.87	<1
WKP126	165.0	166.0	0.78	1
WKP126	166.0	166.3	0.35	1
WKP126	166.3	167.0	0.11	<1
WKP126	167.0	168.0	0.17	<1
WKP126	168.0	169.0	0.60	<1
WKP126	169.0	170.0	0.25	<1
WKP126	170.0	170.9	0.08	<1
WKP126	170.9	171.2	0.30	<1
WKP126	171.2	171.8	1.89	1
WKP126	171.8	172.1	1.78	15
WKP126	172.1	173.0	0.26	<1
WKP126	173.0	173.5	0.39	<1
WKP126	173.5	173.8	2.41	2
WKP126	173.8	174.6	0.31	<1
WKP126	174.6	175.1	0.83	2
WKP126	175.1	175.6	0.15	<1
WKP126	175.6	176.0	0.07	<1
WKP126	176.0	177.0	0.18	<1
WKP126	177.0	178.0	0.15	<1
WKP126	178.0	179.0	0.16	<1
WKP126	179.0	180.0	1.03	2
WKP126	180.0	181.0	0.05	<1
WKP126	181.0	182.0	0.05	<1
WKP126	182.0	183.0	0.36	<1
WKP126	183.0	183.5	0.28	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP126	183.5	184.2	1.78	2
WKP126	184.2	184.5	1.47	3
WKP126	184.5	185.3	0.23	1
WKP126	185.3	185.6	0.10	<1
WKP126	185.6	185.9	0.37	<1
WKP126	185.9	186.2	0.69	2
WKP126	186.2	187.2	0.22	<1
WKP126	187.2	187.5	0.82	2
WKP126	187.5	188.6	0.16	<1
WKP126	188.6	188.9	0.51	2
WKP126	188.9	189.5	0.08	<1
WKP126	189.5	189.8	0.11	1
WKP126	189.8	191.0	0.18	<1
WKP126	191.0	191.6	0.36	1
WKP126	191.6	192.8	0.15	<1
WKP126	192.8	193.7	0.49	<1
WKP126	193.7	194.0	3.54	10
WKP126	194.0	195.0	0.21	<1
WKP126	195.0	195.3	0.67	2
WKP126	195.3	196.0	1.16	<1
WKP126	196.0	197.0	0.42	<1
WKP126	197.0	198.0	0.12	<1
WKP126	198.0	199.0	0.14	<1
WKP126	199.0	200.0	0.14	<1
WKP126	200.0	201.2	0.54	<1
WKP126	201.2	201.8	0.16	<1
WKP126	201.8	202.1	0.85	2
WKP126	202.1	203.0	0.18	<1
WKP126	203.0	204.0	0.14	<1
WKP126	204.0	205.0	0.22	1
WKP126	205.0	206.0	0.12	<1
WKP126	206.0	207.0	0.14	<1
WKP126	207.0	207.9	0.17	<1
WKP126	207.9	208.8	0.66	1
WKP126	208.8	209.1	0.83	2
WKP126	209.1	209.5	0.22	<1
WKP126	209.5	210.0	0.61	<1
WKP126	210.0	211.0	0.19	<1
WKP126	211.0	211.3	2.11	14
WKP126	211.3	212.2	0.18	<1
WKP126	212.2	212.6	3.17	17
WKP126	212.6	213.0	0.13	<1
WKP126	213.0	213.3	0.25	2
WKP126	213.3	214.0	0.10	<1
WKP126	214.0	215.0	0.10	<1
WKP126	215.0	216.0	0.17	2
WKP126	216.0	217.0	0.13	<1
WKP126	217.0	217.3	0.60	5
WKP126	217.3	218.0	0.14	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP126	218.0	218.7	0.22	1
WKP126	218.7	219.3	0.51	2
WKP126	219.3	219.7	0.22	30
WKP126	219.7	220.4	0.45	2
WKP126	220.4	221.6	0.27	<1
WKP126	221.6	222.3	0.29	<1
WKP126	222.3	222.6	0.26	3
WKP126	222.6	223.3	0.24	<1
WKP126	223.3	224.5	0.14	<1
WKP126	224.5	224.8	3.44	28
WKP126	224.8	225.4	0.25	<1
WKP126	225.4	225.9	0.61	2
WKP126	225.9	226.2	0.14	<1
WKP126	226.2	226.6	2.79	18
WKP126	226.6	227.1	0.17	<1
WKP126	227.1	227.5	0.15	<1
WKP126	227.5	227.9	0.15	<1
WKP126	227.9	228.2	0.60	3
WKP126	228.2	229.1	0.23	<1
WKP126	229.1	229.4	0.72	3
WKP126	229.4	230.6	0.21	<1
WKP126	230.6	231.0	0.24	1
WKP126	231.0	231.4	0.30	1
WKP126	231.4	232.0	0.32	<1
WKP126	232.0	233.2	0.31	<1
WKP126	233.2	233.5	0.31	2
WKP126	233.5	234.1	0.23	<1
WKP126	234.1	234.7	0.08	<1
WKP126	234.7	235.9	0.12	<1
WKP126	236.1	236.7	0.31	2
WKP126	236.7	237.9	0.19	1
WKP126	237.9	238.2	0.18	<1
WKP126	238.2	238.6	1.68	8
WKP126	238.6	239.8	0.34	1
WKP126	239.8	241.0	0.58	1
WKP126	241.0	242.0	0.31	<1
WKP126	242.0	243.0	0.86	2
WKP126	243.0	243.5	0.31	<1
WKP126	243.5	243.8	0.57	4
WKP126	243.8	244.1	0.31	<1
WKP126	244.1	244.8	0.28	1
WKP126	244.8	245.1	0.61	3
WKP126	245.1	246.0	0.31	<1
WKP126	246.0	247.0	0.30	<1
WKP126	247.0	248.0	0.16	<1
WKP126	248.0	248.7	0.18	<1
WKP126	248.7	249.2	0.26	<1
WKP126	249.2	249.6	0.79	4
WKP126	249.6	250.6	0.35	1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP126	250.6	251.0	0.37	2
WKP126	251.0	251.8	0.62	1
WKP126	251.8	252.6	1.83	7
WKP126	252.6	253.8	0.40	1
WKP126	253.8	254.2	0.39	2
WKP126	254.2	254.6	0.91	5
WKP126	254.6	255.6	0.45	2
WKP126	255.6	256.0	0.66	2
WKP126	256.0	257.0	0.41	1
WKP126	257.0	257.5	0.20	<1
WKP126	257.5	257.8	0.21	1
WKP126	257.8	258.6	0.16	2
WKP126	258.6	259.8	0.18	<1
WKP126	259.8	261.0	0.30	<1
WKP126	261.0	261.9	0.23	<1
WKP126	261.9	262.5	0.10	1
WKP126	262.5	262.8	0.21	1
WKP126	262.8	263.1	0.36	2
WKP126	263.1	263.4	1.65	9
WKP126	263.4	264.6	0.18	2
WKP126	264.6	265.0	0.53	2
WKP126	265.0	266.1	0.11	2
WKP126	266.1	266.7	2.75	5
WKP126	266.7	267.9	0.13	2
WKP126	267.9	269.1	0.25	<1
WKP126	269.1	269.6	0.81	5
WKP126	269.6	270.8	0.22	1
WKP126	270.8	272.0	0.32	2
WKP126	272.0	273.2	0.21	1
WKP126	273.2	273.5	0.09	1
WKP126	273.5	274.3	1.29	11
WKP126	274.3	275.3	0.27	1
WKP126	275.3	276.0	0.17	<1
WKP126	276.0	277.0	0.18	2
WKP126	277.0	278.2	0.28	<1
WKP126	278.2	279.2	0.45	2
WKP126	279.2	279.5	0.19	<1
WKP126	279.5	280.0	0.24	<1
WKP126	280.0	281.0	0.20	1
WKP126	281.0	281.3	0.53	3
WKP126	281.3	282.0	0.14	<1
WKP126	282.0	283.0	0.19	<1
WKP126	283.0	283.5	0.48	2
WKP126	283.5	283.9	0.55	5
WKP126	283.9	284.3	0.20	5
WKP126	284.3	284.6	1.08	3
WKP126	284.6	285.2	4.26	20
WKP126	285.2	286.0	0.90	<1
WKP126	286.0	287.0	0.14	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP126	287.0	288.0	0.14	1
WKP126	288.0	289.0	0.18	1
WKP126	289.0	289.7	0.60	2
WKP126	289.7	290.0	1.75	13
WKP126	290.0	291.0	0.19	1
WKP126	291.0	292.0	0.18	2
WKP126	292.0	292.4	0.39	2
WKP126	292.4	292.9	0.34	2
WKP126	292.9	293.2	0.21	1
WKP126	293.2	293.5	0.41	3
WKP126	293.5	294.7	0.25	2
WKP126	294.7	295.1	0.69	3
WKP126	295.1	296.0	0.50	3
WKP126	296.0	297.0	0.39	4
WKP126	297.0	297.7	0.36	2
WKP126	297.7	298.0	1.05	7
WKP126	298.0	298.3	0.27	1
WKP126	298.3	299.1	2.81	7
WKP126	299.1	299.6	1.37	7
WKP126	299.6	300.1	0.19	<1
WKP126	300.1	300.5	0.56	6
WKP126	300.5	300.9	0.40	3
WKP126	300.9	302.0	0.20	1
WKP126	302.0	303.0	0.22	2
WKP126	303.0	304.0	0.21	<1
WKP126	304.0	305.0	0.20	1
WKP126	305.0	305.6	0.99	5
WKP126	305.6	306.8	0.43	2
WKP126	306.8	308.0	0.84	8
WKP126	308.0	309.1	0.40	1
WKP126	309.1	309.4	0.83	9
WKP126	309.4	310.0	0.29	3
WKP126	310.0	310.8	0.26	1
WKP127	84.1	85.1	0.08	<1
WKP127	85.1	85.4	0.08	<1
WKP127	85.4	86.3	0.05	<1
WKP127	86.3	86.8	0.09	<1
WKP127	86.8	87.8	0.10	<1
WKP127	95.0	96.0	0.13	<1
WKP127	96.0	96.3	2.66	2
WKP127	96.3	97.3	0.27	2
WKP127	106.0	106.6	0.10	<1
WKP127	106.6	107.1	0.13	1
WKP127	107.1	107.6	0.30	<1
WKP127	107.6	108.8	0.33	<1
WKP127	111.5	112.7	0.09	<1
WKP127	112.7	113.9	0.80	4
WKP127	113.9	114.8	0.06	<1
WKP127	114.8	115.4	0.97	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP127	115.4	116.6	0.25	<1
WKP127	117.8	118.9	0.39	2
WKP127	118.9	120.1	0.67	<1
WKP127	120.1	121.3	0.05	<1
WKP127	121.3	121.7	0.28	1
WKP127	121.7	122.1	16.30	13
WKP127	131.9	132.3	0.10	<1
WKP127	132.3	132.6	0.92	1
WKP127	132.6	133.5	0.13	<1
WKP127	145.0	146.0	6.43	6
WKP127	146.0	147.0	0.38	<1
WKP127	147.0	147.4	7.21	24
WKP127	147.4	148.6	0.58	<1
WKP127	148.6	149.0	0.90	2
WKP127	149.0	150.0	0.19	1
WKP127	150.0	151.2	0.22	<1
WKP127	151.2	151.6	0.47	1
WKP127	151.6	152.8	1.53	2
WKP127	168.0	169.1	1.71	1
WKP127	169.1	169.7	1.93	2
WKP127	169.7	170.8	0.12	2
WKP127	185.0	186.0	0.46	<1
WKP127	186.0	187.0	0.37	<1
WKP127	187.0	187.7	0.29	1
WKP127	187.7	188.4	0.43	2
WKP127	188.4	188.9	0.37	1
WKP127	188.9	190.0	0.28	1
WKP127	190.0	190.9	0.51	<1
WKP127	190.9	191.3	9.98	44
WKP127	191.3	192.1	0.35	<1
WKP127	192.1	192.9	0.26	<1
WKP127	192.9	193.9	4.37	22
WKP127	193.9	195.0	0.29	1
WKP127	201.0	202.1	0.42	<1
WKP127	202.1	202.4	0.19	1
WKP127	202.4	203.0	0.07	<1
WKP127	207.0	208.0	0.28	<1
WKP127	208.0	208.3	3.33	7
WKP127	208.3	209.5	0.51	<1
WKP127	220.0	221.0	0.45	<1
WKP127	221.0	222.0	0.41	<1
WKP127	222.0	223.0	0.12	<1
WKP127	223.0	224.0	0.14	<1
WKP127	224.0	225.0	0.19	<1
WKP127	225.0	226.0	0.26	<1
WKP127	226.0	227.0	0.15	<1
WKP127	227.0	228.0	0.12	1
WKP127	228.0	229.0	0.08	<1
WKP127	229.0	229.4	0.11	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP127	229.7	230.9	0.28	<1
WKP127	230.9	232.0	0.22	<1
WKP127	232.0	233.0	0.09	<1
WKP127	233.0	234.0	0.14	<1
WKP127	234.0	235.0	0.59	<1
WKP127	235.0	236.0	0.31	<1
WKP127	236.0	237.0	0.19	<1
WKP127	237.0	238.0	0.10	<1
WKP127	238.0	239.0	0.11	<1
WKP127	239.0	240.0	0.10	<1
WKP127	240.0	241.0	0.61	1
WKP127	241.0	242.0	0.10	1
WKP127	242.0	243.0	0.12	1
WKP127	243.0	244.0	0.12	<1
WKP127	244.0	245.0	0.18	<1
WKP127	245.0	245.8	0.20	1
WKP127	245.8	246.2	0.38	1
WKP127	246.2	246.7	0.70	2
WKP127	246.7	247.4	3.91	11
WKP127	247.4	248.6	0.60	2
WKP127	248.6	249.8	0.08	<1
WKP127	249.8	251.0	0.18	<1
WKP127	251.0	252.0	0.53	2
WKP127	252.0	253.0	0.24	<1
WKP127	253.0	254.0	0.18	<1
WKP127	254.0	255.0	0.28	<1
WKP127	255.0	256.0	0.24	<1
WKP127	256.0	257.0	0.17	<1
WKP127	257.0	258.0	0.12	1
WKP127	258.0	259.0	0.17	<1
WKP127	259.0	259.6	0.12	<1
WKP127	259.7	260.9	0.16	<1
WKP127	260.9	262.0	0.10	<1
WKP127	262.0	263.0	0.14	<1
WKP127	263.0	264.0	0.11	<1
WKP127	264.0	265.0	0.11	<1
WKP127	265.0	266.0	0.14	<1
WKP127	266.0	267.0	0.15	<1
WKP127	267.0	267.5	0.18	1
WKP127	267.5	267.8	0.40	2
WKP127	267.8	269.0	0.65	<1
WKP127	269.0	270.2	0.19	<1
WKP127	270.2	270.5	0.21	<1
WKP127	270.5	271.2	0.31	2
WKP127	271.2	272.4	0.21	<1
WKP127	272.4	272.7	0.25	<1
WKP127	272.7	273.1	0.44	2
WKP127	273.1	274.0	0.14	<1
WKP127	274.0	275.0	0.13	<1

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP127	275.0	275.6	0.15	<1
WKP127	275.6	276.0	1.34	7
WKP127	276.0	276.5	0.12	<1
WKP127	276.5	277.1	1.56	9
WKP127	277.1	277.5	0.27	2
WKP127	277.5	278.2	0.24	<1
WKP127	278.2	279.0	0.15	<1
WKP127	279.0	279.8	0.08	<1
WKP127	279.8	280.1	1.06	3
WKP127	280.1	281.0	0.10	<1
WKP127	281.0	281.8	0.20	<1
WKP127	281.8	282.1	0.86	1
WKP127	282.1	283.0	0.18	<1
WKP127	283.0	283.6	0.16	<1
WKP127	283.6	284.0	1.64	5
WKP127	284.0	284.3	0.13	<1
WKP127	284.4	285.2	0.17	1
WKP127	285.2	286.4	0.17	<1
WKP127	286.4	286.7	0.16	1
WKP127	286.7	287.9	0.19	<1
WKP127	287.9	289.0	0.20	<1
WKP127	289.0	289.3	0.29	2
WKP127	289.3	290.0	1.70	4
WKP127	290.0	291.0	0.18	<1
WKP127	291.0	292.0	0.28	<1
WKP127	292.0	293.0	0.23	<1
WKP127	293.0	294.0	0.19	<1
WKP127	294.0	295.0	0.29	<1
WKP127	295.0	296.0	0.28	<1
WKP127	296.0	297.0	0.24	<1
WKP127	297.0	298.1	0.28	<1
WKP127	298.1	299.3	0.22	<1
WKP127	299.3	299.7	0.65	<1
WKP127	299.7	300.9	0.24	1
WKP127	300.9	302.0	0.22	<1
WKP127	302.0	302.5	0.21	<1
WKP127	302.5	302.9	0.25	2
WKP127	302.9	303.2	0.29	<1
WKP127	303.2	304.0	0.65	1
WKP127	304.0	304.8	0.37	1
WKP127	304.8	305.1	0.88	2
WKP127	305.1	305.8	8.61	14
WKP127	305.8	307.0	0.23	2
WKP127	307.0	307.5	0.76	2
WKP127	307.5	307.8	1.41	5
WKP127	307.8	308.7	0.31	3
WKP127	308.7	309.7	0.26	1
WKP127	309.7	310.9	0.40	1
WKP127	310.9	312.0	0.54	3

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP127	312.0	313.0	0.13	<1
WKP127	313.0	313.3	0.38	4
WKP127	313.3	314.0	0.60	1
WKP127	314.0	315.0	0.24	2
WKP127	315.0	316.0	0.30	1
WKP127	316.0	316.9	4.89	12
WKP127	316.9	318.0	0.45	2
WKP127	318.0	319.0	0.25	2
WKP127	319.0	320.0	0.23	1
WKP127	320.0	320.7	0.67	4
WKP127	320.7	321.5	0.29	2
WKP127	321.5	322.7	0.20	2
WKP127	322.7	323.3	0.46	6
WKP127	323.3	324.0	0.47	4
WKP127	324.0	325.0	0.29	3
WKP127	325.0	326.1	0.29	2
WKP127	326.1	327.0	0.85	1
WKP127	327.0	328.0	0.35	2
WKP127	328.0	329.0	0.21	<1
WKP127	329.0	329.5	1.60	14
WKP127	329.5	330.2	0.17	<1
WKP127	330.2	330.6	0.36	1
WKP127	330.6	331.8	0.43	3
WKP127	331.8	333.0	0.51	<1
WKP127	333.0	333.4	0.32	3
WKP127	333.4	333.7	0.23	2
WKP127	333.7	334.0	0.13	<1
WKP127	334.0	335.2	0.14	<1
WKP127	335.2	336.4	0.24	<1
WKP127	336.4	336.7	0.31	3
WKP127	336.7	337.9	0.39	3
WKP127	337.9	339.0	0.22	<1
WKP127	339.0	340.0	0.39	1
WKP127	340.0	340.6	1.15	4
WKP127	340.6	340.9	2.34	3
WKP127	340.9	341.8	0.24	<1
WKP127	341.8	342.1	0.28	6
WKP127	342.2	343.0	0.65	7
WKP127	343.0	343.7	0.37	1
WKP127	343.7	344.0	0.40	4
WKP127	344.0	345.0	0.19	1
WKP127	345.0	346.0	0.51	<1
WKP127	346.0	347.0	0.17	<1
WKP127	347.0	348.2	0.25	2
WKP127	348.2	348.5	0.45	6
WKP127	348.5	349.7	0.18	<1
WKP127	349.7	350.9	0.14	<1
WKP127	350.9	352.0	0.11	1
WKP127	352.0	353.0	0.11	2

Hole ID	From (m)	To (m)	Au (g/t) FA	Ag (g/t)
WKP127	353.0	353.9	0.15	2
WKP127	353.9	355.0	0.63	5
WKP127	355.0	356.1	0.22	2
WKP127	356.1	357.3	1.97	3
WKP127	357.3	357.6	0.17	2
WKP127	357.6	358.2	0.43	1
WKP127	358.2	358.5	0.37	4
WKP127	358.5	359.0	0.17	2
WKP127	359.0	360.2	0.10	<1
WKP127	360.2	361.4	0.16	2
WKP127	361.4	361.8	1.05	5
WKP127	361.8	362.1	0.23	3
WKP127	362.1	363.0	0.07	1
WKP127	363.0	364.0	0.10	<1
WKP127	364.0	365.0	0.13	2
WKP127	365.0	365.6	0.11	<1
WKP127	365.6	366.3	23.2	37
WKP127	366.3	366.7	0.94	5
WKP127	366.7	367.7	2.12	21
WKP127	367.7	368.9	4.34	21
WKP127	368.9	369.4	0.51	10
WKP127	369.4	369.7	0.50	4
WKP127	369.7	370.0	0.23	2
WKP127	370.0	371.0	0.39	1
WKP127	371.0	372.0	0.27	2
WKP127	372.0	373.0	0.36	6
WKP127	373.0	374.0	0.10	<1
WKP127	374.0	375.0	0.17	<1
WKP127	375.0	375.3	0.32	<1
WKP127	375.3	376.0	0.19	1
WKP127	376.0	377.0	0.10	<1
WKP127	377.0	378.0	0.11	1
WKP127	378.0	379.0	0.18	2
WKP127	379.0	379.3	0.87	8
WKP127	379.3	379.7	0.10	<1