

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP-P03D	0	157	-48
WKP-P03D	30	155.6	-47.5
WKP-P03D	60	155.3	-48.6
WKP-P03D	90	154.9	-48.8
WKP-P03D	120	155.1	-48.8
WKP-P03D	150	156	-49.4
WKP-P03D	180	155.5	-49.3
WKP-P03D	210	154.5	-49.4
WKP-P03D	218	155.7	-49.6
WKP100	0	101.9	-23
WKP100	20	103.1	-25
WKP100	40	104.5	-24
WKP100	90	102.2	-24.1
WKP100	120	102.5	-23.9
WKP100	150	102.2	-23.7
WKP100	180	101.8	-24
WKP100	210	102.1	-23.6
WKP100	250	100.9	-23.5
WKP100	270	101.2	-23.3
WKP100	290	101.1	-23.3
WKP100	310	100.6	-24
WKP100	330	100.6	-24.3
WKP100	350	100.3	-24.3
WKP100	370	100	-24.7
WKP100	390	99.7	-24.7
WKP100	400	99.4	-25
WKP100	410	99.6	-25.2
WKP100	430	99.3	-25
WKP100	450	98.9	-24.9
WKP100	480	98.9	-25.4
WKP100	500	98.9	-25.5
WKP100	510	98.8	-25.3
WKP100	540	98.8	-26.2
WKP100	570	98.8	-26.5
WKP100	597	98.7	-27
WKP100	630	98.3	-27.4
WKP100	660	98.1	-27.9
WKP100	690	97.6	-28.9
WKP100	720	98.7	-29
WKP100	750	97.6	-29.8
WKP100	780	98.1	-29.9
WKP100	810	99.1	-29.6
WKP100	840	98.7	-29.1
WKP100	870	98.6	-28.4
WKP100	900	98.8	-27.5
WKP100	930	99.3	-27.3
WKP100	990	99.1	-27.3
WKP100	1020	98.9	-26.7

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP100	1050	98.9	-27
WKP100	1080	98.9	-27.4
WKP100	1110	99.3	-27.8
WKP100	1140	99.4	-28.6
WKP100	1176	98.7	-28.6
WKP100	1200	98.4	-28.3
WKP100	1230	98.3	-29.6
WKP100	1260	98.1	-30.7
WKP100	1308	98	-32.4
WKP104	0	133.9	-20
WKP104	30	136.5	-20.7
WKP104	60	136.8	-20.9
WKP104	90	136.6	-21.4
WKP104	120	135.4	-22.3
WKP104	121	135.4	-22.3
WKP104	150	135.2	-23.6
WKP104	180	134.2	-23.8
WKP104	210	133.7	-24
WKP104	240	134.1	-24.8
WKP104	270	133.6	-24.5
WKP104	300	133.8	-23.9
WKP104	330	133.8	-22.8
WKP104	360	134.1	-22.1
WKP104	390	134.3	-21.5
WKP104	420	134.6	-21
WKP104	450	136.5	-21
WKP108	0	100.2	-42
WKP108	20	101.9	-41.6
WKP108	40	101.2	-41.7
WKP108	60	100.7	-41.7
WKP108	96	99	-41.5
WKP108	120	99	-42.2
WKP108	150	98.9	-43.7
WKP108	160	98.9	-43.7
WKP108	180	99.1	-42
WKP108	210	98.6	-41.8
WKP108	240	98	-41.1
WKP108	270	97.2	-41.8
WKP108	300	97.3	-42.6
WKP108	330	96.6	-43.1
WKP108A	0	100.2	-44
WKP108A	20	102	-43
WKP108A	40	99.5	-42.5
WKP108B	0.17	100.11	-44.715
WKP108B	10.01	99.93	-43.235
WKP108B	20.05	99.6	-43.07
WKP108B	30.06	99.69	-42.47
WKP108B	40.03	100.03	-42.61

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP108B	50.05	100.33	-42.025
WKP108B	60.03	99.92	-40.11
WKP108B	70.1	99.12	-39.53
WKP108B	80.14	98.09	-39.125
WKP108B	90.02	97.76	-38.59
WKP108B	100.01	97.84	-38.535
WKP108B	110.03	97.73	-38.455
WKP108B	120.02	97.76	-38.615
WKP108B	130.02	97.96	-38.64
WKP108B	140.08	98.04	-38.505
WKP108B	150.03	97.86	-38.88
WKP108B	160.07	97.54	-38.75
WKP108B	170	97.6	-38.71
WKP108B	180.11	97.21	-38.285
WKP108B	190.08	97.27	-38.095
WKP108B	200	97.31	-37.91
WKP108B	210.08	97.11	-37.53
WKP108B	220.1	96.81	-37.355
WKP108B	230.05	96.53	-37.46
WKP108B	240.05	96.14	-37.495
WKP108B	250	96.08	-37.42
WKP108B	260	95.82	-37.195
WKP108B	270.07	95.61	-37.11
WKP108B	280.01	95.35	-37.215
WKP108B	290.03	95.13	-37.3
WKP108B	300.06	95.15	-36.975
WKP108B	310.02	94.97	-37.125
WKP108B	320.05	94.87	-37.045
WKP108B	330.06	94.72	-36.875
WKP108B	340.04	94.63	-36.57
WKP108B	350.11	94.45	-36.605
WKP108B	360.04	94.46	-36.28
WKP108B	370.03	94.35	-35.9
WKP108B	380.07	94.23	-35.705
WKP108B	390.05	94.23	-35.36
WKP108B	400.07	94.08	-35.125
WKP108B	410.06	93.94	-34.705
WKP108B	420.05	93.95	-34.225
WKP108B	430.08	93.98	-34.225
WKP108B	440.04	93.99	-34.315
WKP108B	450.01	94.09	-34.37
WKP108B	460.06	94.12	-34.42
WKP108B	470.05	93.81	-34.56
WKP108B	480	93.79	-34.64
WKP108B	490.01	93.56	-34.785
WKP108B	500.07	93.98	-34.87
WKP108B	510.08	93.66	-34.83
WKP108B	520.05	93.84	-34.94

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP108B	530	93.66	-35.095
WKP108B	540.07	93.67	-34.96
WKP108B	550.06	93.69	-35.035
WKP108B	560.03	93.79	-34.87
WKP108B	570.01	93.86	-34.5
WKP108B	580.06	93.89	-34.345
WKP108B	590.05	94	-34.21
WKP108B	600.09	94.02	-33.86
WKP108B	610.04	94.17	-33.52
WKP108B	620.09	94.24	-33.155
WKP108B	625.18	94.26	-32.935
WKP117	0	70	-45
WKP117	20	71.2	-45.5
WKP117	40	71.4	-45.5
WKP117	60	71	-47.3
WKP117	90	71.7	-46.9
WKP117	120	70.9	-47.3
WKP117	154	71.9	-47.7
WKP117	180	67.9	-48.6
WKP117	210	71.1	-48.7
WKP117	240	70.4	-49.2
WKP117	312	70.3	-50.3
WKP117	333	69.1	-49.7
WKP117	363	69.7	-50
WKP24	0	144.18	-54.8
WKP24	15	144.18	-54.8
WKP24	30	143.88	-55.1
WKP24	59.8	142.08	-55
WKP24	89.8	142.68	-56
WKP24	119.8	142.98	-56.3
WKP24	150	142.78	-56.8
WKP24	180	142.48	-56.9
WKP24	212	142.38	-56.8
WKP24	242	142.58	-56.9
WKP24	272	143.88	-56.8
WKP24	302	144.18	-57
WKP24	332	143.08	-57.5
WKP24	362	142.58	-57.5
WKP24	392	142.68	-57.8
WKP25	16	189.68	-65.2
WKP25	48	189.28	-65.3
WKP25	78	189.28	-65.7
WKP25	108	190.48	-65.8
WKP25	138	191.58	-65.2
WKP25	168	189.68	-65.2
WKP25	198	191.98	-65.4
WKP25	228	192.18	-65.3
WKP25	273	191.98	-65

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP26	12	117.18	-54.8
WKP26	27	118.38	-54.7
WKP26	62	117.05	-55
WKP26	92	116.75	-55.4
WKP26	122.7	116.45	-55.7
WKP26	152	116.75	-56.4
WKP26	182	117.25	-56.2
WKP26	215	117.15	-56.4
WKP26	245	117.55	-56.4
WKP26	275	116.85	-56.4
WKP26	305	116.85	-56.7
WKP26	335	117.55	-56.5
WKP26	365	117.35	-56.6
WKP26	395	116.75	-56.8
WKP26	425	117.15	-56.5
WKP26	455	117.45	-56.7
WKP26	485	117.05	-56.9
WKP26	515	116.65	-56.3
WKP26	550	117.15	-56
WKP27	0	85.38	-56
WKP27	12	85.38	-56.5
WKP27	18	86.58	-56.5
WKP27	30	84.98	-56.8
WKP27	60.6	84.88	-57
WKP27	92	85.18	-56.8
WKP27	122	84.48	-56.6
WKP27	152	83.68	-56.8
WKP27	182	84.28	-56.6
WKP27	218	84.28	-56.5
WKP27	248	84.58	-57.4
WKP27	278	85.38	-56.8
WKP27	326	83.88	-57.9
WKP27	356	85.88	-57.6
WKP27	386	84.38	-57.5
WKP27	416	85.78	-57.4
WKP27	446	83.98	-58.5
WKP27	476	84.58	-58.8
WKP27	494	84.78	-58.9
WKP28	0	130	-56
WKP28	12	133.05	-55.9
WKP28	30	131.35	-56.3
WKP28	60	132.15	-56.4
WKP28	95	130.85	-57.2
WKP28	122	132.35	-57.3
WKP28	152	132.25	-56.7
WKP28	180	133.45	-57
WKP28	212	133.55	-56.9
WKP28	242	131.05	-57.2

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP28	272	132.25	-56.8
WKP28	302.4	131.45	-57.1
WKP28	332	130.55	-57.1
WKP28	362	130.75	-57
WKP28	398	131.05	-57.4
WKP28	428	129.65	-58.9
WKP28	460.1	129.05	-59.4
WKP29	0	266.8	-35
WKP29	17.5	271.45	-35.4
WKP29	47.5	271.45	-36.3
WKP29	59.5	270.45	-35.5
WKP29	97	271.35	-36.2
WKP29	127.4	271.35	-36.9
WKP29	157.4	270.95	-37.5
WKP29	187.4	271.55	-38.2
WKP29	217.4	272.05	-37.6
WKP29	247.4	270.05	-38.3
WKP29	304.1	269.85	-38.7
WKP29	334	269.85	-39.4
WKP29	364	269.85	-40.7
WKP29	397.2	268.55	-42
WKP29	427.2	268.85	-42.1
WKP29	456.9	267.45	-42.4
WKP30	0	270.65	-48
WKP30	30	273.35	-48.8
WKP30	60	272.45	-49
WKP30	93.3	271.25	-50
WKP30	120.3	271.85	-50.5
WKP30	150.3	271.85	-51.4
WKP30	188	271.15	-52
WKP30	221.3	272.05	-53.2
WKP30	251.3	272.35	-53.9
WKP30	281.3	269.25	-54.7
WKP30	323	271.55	-55.2
WKP30	353.3	272.65	-55.1
WKP30	425	273.85	-55.9
WKP30	455	271.55	-55.8
WKP30	491	272.05	-55.4
WKP30	521	271.95	-55.2
WKP30	586	273.15	-55.3
WKP30	611	273.15	-54.4
WKP30	641	276.05	-54.3
WKP30	671	274.65	-53.4
WKP30	706.8	275.75	-53.2
WKP31	0	144.8	-68
WKP31	13	144.85	-68.1
WKP31	31	144.55	-68.4
WKP31	61	144.95	-68.4

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP31	91	145.45	-68.1
WKP31	122.6	142.95	-68.1
WKP31	152	142.85	-68.3
WKP31	182	143.35	-68.6
WKP31	212	143.15	-68.6
WKP31	242	143.35	-68.8
WKP31	272.6	143.25	-68.6
WKP31	302.6	142.35	-68.7
WKP31	332.6	143.25	-68.8
WKP31	392.6	141.15	-69.1
WKP31	422.6	142.75	-69.2
WKP31	452.4	145.35	-69.7
WKP31	482.4	145.95	-69.8
WKP31	512.4	146.55	-70
WKP31	542.4	147.25	-70.1
WKP31	598.3	147.25	-70.1
WKP32A	0	277.65	-44
WKP32A	11.9	277.55	-44
WKP32A	33.2	272.15	-43.8
WKP32A	87.6	269.75	-45
WKP32A	123.6	270.05	-44.1
WKP32A	182.1	268.55	-45.5
WKP32A	212.1	268.45	-46.1
WKP32A	245.1	268.65	-45.3
WKP32A	275.1	268.55	-44.9
WKP32A	304.4	268.85	-44.5
WKP32A	335.1	268.15	-44.7
WKP32A	365.1	267.45	-45.8
WKP32A	424.2	268.05	-47.6
WKP32A	458.1	267.85	-48.6
WKP32A	529.9	268.25	-50.9
WKP32A	562.9	269.25	-51.2
WKP32A	592.9	268.45	-51
WKP32A	622.9	267.55	-51.2
WKP32A	652.8	267.85	-51
WKP32A	682.9	267.95	-51.4
WKP32A	696.4	267.95	-51.4
WKP33	0	160.65	-61
WKP33	12.6	162.05	-61
WKP33	45.6	162.55	-61.9
WKP33	89.6	162.95	-61.6
WKP33	119.3	163.05	-61.7
WKP33	149.4	163.35	-61.7
WKP33	179.6	164.05	-61.4
WKP33	212.6	164.25	-61.4
WKP33	245.6	163.95	-61.7
WKP33	275.6	163.75	-61.9
WKP33	305.6	164.45	-61.5

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP33	334.8	164.55	-61.8
WKP33	368.6	164.65	-61.9
WKP33	404.6	165.45	-62.2
WKP33	428.6	166.55	-61.9
WKP34	0	121.65	-66
WKP34	12.6	123.35	-65.2
WKP34	18.7	123.25	-65.9
WKP34	62.7	123.95	-65.9
WKP34	92.9	124.05	-66
WKP34	122.7	123.25	-66.4
WKP34	152.5	123.15	-66.4
WKP34	182.7	122.35	-66.2
WKP34	212.5	122.45	-66.6
WKP34	253.7	122.95	-66.6
WKP34	284.4	123.45	-66.7
WKP34	314.4	122.95	-67.4
WKP34	332.4	123.05	-67.5
WKP36	0	245.65	-40
WKP36	66	247.95	-42.6
WKP36	90	246.75	-43.6
WKP36	120	247.35	-44
WKP36	153	246.55	-44.2
WKP36	184.5	246.55	-44.3
WKP36	214.5	244.85	-45.8
WKP36	244.3	245.65	-48
WKP36	274	244.35	-48.7
WKP36	304.5	244.55	-49
WKP36	334.5	244.85	-49.2
WKP36	364.5	245.15	-49.7
WKP36	397.5	243.35	-50.2
WKP36	424.5	244.35	-50.3
WKP36	454.6	243.75	-50.5
WKP36	490.6	244.05	-51.5
WKP36	523.6	244.55	-51.6
WKP36	553.6	245.25	-52.5
WKP36	580	246.25	-52.7
WKP36	610	246.35	-52.6
WKP36	640	248.15	-52.8
WKP36	673.2	248.45	-52.9
WKP36	700.2	247.55	-53.1
WKP43	0	116.9	-40
WKP43	30	116.1	-40.5
WKP43	60	117.7	-41.4
WKP43	90	116.8	-41.7
WKP43	120	116.2	-42
WKP43	150	115.6	-41.5
WKP43	180	115.8	-40.6
WKP43	210	115.2	-39.8

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP43	240	114.5	-38.6
WKP43	270	114.1	-38.6
WKP43	300	114.4	-38.5
WKP43	330	114.5	-38.5
WKP43	360	113.9	-38.5
WKP43	390	114.1	-38.2
WKP43	420	114.4	-38.5
WKP43	450	114.8	-38
WKP43	480	114.8	-37.7
WKP43	498.6	115.2	-37.7
WKP43A	0	116.9	-40
WKP43A	30	117.3	-41.3
WKP43A	60	117.3	-42.3
WKP43A	90	115.2	-42.1
WKP45	0	137	-40
WKP45	40	134.6	-41.4
WKP45	60	134.1	-41.7
WKP45	90	134.7	-42.9
WKP45	120	134.9	-42.4
WKP45	150	135.1	-41.5
WKP45	180	134.7	-40.2
WKP45	210	134.6	-40
WKP45	240	134.6	-39.8
WKP45	270	134.7	-39.6
WKP45	300	134.7	-39.4
WKP45	330	134.6	-39.4
WKP45	360	134	-39.4
WKP45	390	134.1	-39.1
WKP45	420	134.2	-39.1
WKP45	450	134.1	-38.8
WKP45	480	134.1	-38.6
WKP45	510	133.5	-38.3
WKP45A	0	137	-40
WKP45A	40	134.6	-41.4
WKP45A	60	134.1	-41.7
WKP45A	90	134.7	-42.9
WKP45A	120	134.9	-42.4
WKP45A	150	135.1	-41.5
WKP45A	180	134.7	-40.2
WKP45A	210	134.6	-40
WKP45A	240	134.6	-39.8
WKP45A	270	134.7	-39.6
WKP45A	300	134.7	-39.4
WKP45A	330	134.6	-39.4
WKP45A	360	134	-39.4
WKP46	0	131.9	-47
WKP46	30	134	-46.6
WKP46	60	134.3	-47.2

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP46	90	133.8	-48
WKP46	120	133.8	-48.2
WKP46	150	132.4	-48.4
WKP46	180	133	-48.5
WKP46	210	133	-48.5
WKP46	240	132.8	-48.3
WKP46	270	132.5	-47.7
WKP46	300	132.7	-47.5
WKP46	330	133.3	-47.6
WKP46	360	132.5	-47.5
WKP46	390	132.9	-47.4
WKP46	420	133.8	-46.9
WKP46	450	132.9	-46.4
WKP47	0	99.9	-40
WKP47	30	100.1	-40.8
WKP47	60	100.3	-41.5
WKP47	90	100.7	-41.5
WKP47	120	100.9	-39.9
WKP47	150	100.7	-37.9
WKP47	180	100.8	-37.6
WKP47	210	100.9	-37.4
WKP47	240	100.7	-37.5
WKP47	270	100.8	-36.7
WKP47	300	101	-36.2
WKP47	330	101.6	-36
WKP47	360	101.8	-35.3
WKP47	390	101.9	-35.1
WKP47	420	102	-34.6
WKP47	450	102.4	-34.4
WKP47	490	102.8	-34.4
WKP48	0	131.9	-30
WKP48	30	134.2	-31.1
WKP48	60	135.7	-31.8
WKP48	90	134.2	-32.3
WKP48	120	134.9	-33.3
WKP48	160	133.1	-35.2
WKP48A	0	131.9	-30
WKP48A	30	134.2	-31.1
WKP48A	60	135.7	-31.8
WKP48A	90	134.2	-32.3
WKP48A	120	134.9	-33.3
WKP48A	160	133.1	-35.2
WKP48A	190	133.3	-34.5
WKP48B	0	131.9	-30
WKP48B	30	134.2	-31.1
WKP48B	60	135.7	-31.8
WKP48B	90	134.2	-32.3
WKP48B	120	134.9	-33.3

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP48B	160	133.1	-35.2
WKP48B	190	133.3	-34.5
WKP48B	210	133.7	-35.2
WKP48B	240	132.9	-33.5
WKP48B	269	134.6	-33.2
WKP48B	270	134.6	-33.2
WKP48B	300	135.7	-32.6
WKP48B	330	135.5	-33.2
WKP48B	358	134.4	-33.8
WKP48B	390	134.7	-34.4
WKP48B	420	135.1	-34.5
WKP48B	443	134.9	-34.2
WKP49	0	119.9	-30
WKP49	30	120	-32.7
WKP49	60	120.3	-33
WKP49	90	120	-32.8
WKP49	120	119.9	-32.7
WKP49	150	118.9	-34.1
WKP49	180	118.4	-35.1
WKP49	210	118.6	-35.4
WKP49	240	118.2	-36.3
WKP49	270	117.2	-36.7
WKP49	300	116.8	-37.1
WKP49	330	118.7	-37.7
WKP49	360	118.6	-37.1
WKP51	0	265.9	-40.0
WKP51	30	266.2	-40.4
WKP51	60	265.4	-41.2
WKP51	90	265.4	-42.6
WKP51	120	265.1	-43.5
WKP51	150	265.2	-44.3
WKP51	190	264.9	-45.1
WKP51	210	264.9	-45.6
WKP51	270	265.1	-46.4
WKP51	300	264.9	-46.0
WKP51	330	265.4	-46.6
WKP51	360	265.7	-46.3
WKP51	390	265.7	-46.6
WKP51	408	265.8	-46.8
WKP68	0	118.0	-28.0
WKP68	30	117.7	-29.2
WKP68	60	116.7	-29.7
WKP68	90	117.2	-29.3
WKP68	120	117.2	-29.3
WKP68	150	116.6	-30.0
WKP68	180	117.3	-29.7
WKP68	210	117.6	-29.8
WKP68	240	116.7	-29.5

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP68	270	117.6	-28.5
WKP68	300	117.7	-27.3
WKP68	330	118.3	-26.3
WKP68	360	118.4	-25.5
WKP68	390	117.3	-24.9
WKP68	420	117.7	-24.1
WKP68	450	117.6	-23.2
WKP68	480	117.6	-22.8
WKP68	510	117.5	-21.6
WKP68	540	117.4	-21.1
WKP68	570	117.9	-19.6
WKP68	600	118.4	-18.3
WKP68	619	118.4	-17.2
WKP69	0	159.9	-30.0
WKP69	30	159.3	-33.4
WKP69	60	158.6	-33.7
WKP69	63.2	158.0	-33.7
WKP69	90	159.2	-34.1
WKP69	120	159.0	-34.7
WKP69	150	157.8	-34.9
WKP69	180	158.2	-35.6
WKP69	210	158.6	-34.8
WKP69	240	157.6	-34.6
WKP69	316	158.9	-33.6
WKP69	330	158.5	-33.9
WKP69	360	157.4	-33.4
WKP69	380	157.4	-33.4
WKP69	390	158.5	-32.7
WKP69	450	158.1	-33.9
WKP69	480	157.0	-34.4
WKP69	510	156.2	-34.0
WKP69	540	156.4	-33.9
WKP69	567	156.0	-33.9
WKP70	0	135.0	-24.0
WKP70	30	134.1	-26.8
WKP70	60	133.3	-26.4
WKP70	90	133.6	-26.4
WKP70	120	133.2	-26.8
WKP70	150	132.7	-26.8
WKP70	184	132.4	-28.2
WKP70	210	132.3	-29.3
WKP70	240	132.4	-30.1
WKP70	270	130.9	-30.8
WKP70	300	132.2	-30.3
WKP70	330	132.6	-29.8
WKP70	360	133.1	-29.5
WKP70	409	133.1	-29.4
WKP70	450	134.3	-28.4

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP70	480	134.4	-28.4
WKP70	510	134.1	-28.1
WKP70	540	133.0	-28.9
WKP70	550	133.0	-28.9
WKP70	560	133.1	-29.5
WKP70	570	133.2	-28.9
WKP70	600	132.7	-28.9
WKP70	630	131.8	-29.9
WKP70	660	132.5	-29.6
WKP70	678	131.7	-30.5