

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1217	0	179.03	-68.52
DDH1217	6.1	178.93	-68.33
DDH1217	12.19	178.75	-67.94
DDH1217	18.29	178.71	-67.94
DDH1217	24.38	178.43	-67.98
DDH1217	30.48	178.14	-67.96
DDH1217	36.58	177.95	-67.9
DDH1217	42.67	177.57	-67.84
DDH1217	48.77	177.21	-67.83
DDH1217	54.86	176.88	-67.57
DDH1217	60.96	176.58	-67.29
DDH1217	67.06	176.52	-67.08
DDH1217	73.15	176.14	-66.79
DDH1217	79.25	175.81	-66.59
DDH1217	85.34	175.66	-66.38
DDH1217	91.44	175.54	-66.39
DDH1217	97.54	175.29	-66.34
DDH1217	103.63	174.75	-66.24
DDH1217	109.73	174.53	-66.12
DDH1217	115.82	174.17	-66.01
DDH1217	121.92	174.13	-65.95
DDH1217	128.02	174.16	-65.94
DDH1217	134.11	174.11	-65.84
DDH1217	140.21	174.01	-65.77
DDH1217	146.3	174.11	-65.8
DDH1217	152.4	174.02	-65.66
DDH1217	158.5	174.04	-65.63
DDH1217	164.59	173.91	-65.6
DDH1217	170.69	173.82	-65.58
DDH1217	176.78	173.71	-65.59
DDH1217	182.88	173.61	-65.65
DDH1217	188.98	173.37	-65.68
DDH1217	195.07	173.24	-65.66
DDH1217	201.17	173.27	-65.61
DDH1217	207.26	173.17	-65.57
DDH1217	213.36	173.16	-65.53
DDH1217	219.46	172.96	-65.45
DDH1217	225.55	172.74	-65.36
DDH1217	231.65	172.34	-65.31
DDH1217	237.74	172.37	-65.23
DDH1217	243.84	172.24	-65.17
DDH1217	249.94	172.01	-65.09
DDH1217	256.03	171.98	-65.02
DDH1217	262.13	171.91	-64.98
DDH1217	268.22	171.86	-65.02

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1217	274.32	171.68	-65.07
DDH1217	280.42	171.74	-65.03
DDH1217	286.51	171.5	-65.09
DDH1217	292.61	171.39	-65.09
DDH1217	298.7	171.42	-65.12
DDH1217	304.8	171.31	-65.05
DDH1217	310.9	171.65	-65.01
DDH1217	316.99	171.61	-64.97
DDH1217	323.09	171.43	-64.91
DDH1217	329.18	171.16	-64.88
DDH1217	335.28	170.79	-64.77
DDH1217	341.38	170.56	-64.73
DDH1217	347.47	170.52	-64.7
DDH1217	353.57	170.08	-64.5
DDH1217	357.97	170.04	-64.4
DDH1218	0	183.01	-75.11
DDH1218	6.1	183.59	-74.95
DDH1218	12.19	183.74	-74.9
DDH1218	18.29	184.2	-74.94
DDH1218	24.38	184.62	-74.92
DDH1218	30.48	183.7	-74.88
DDH1218	36.58	183.66	-74.98
DDH1218	42.67	184.09	-75.05
DDH1218	48.77	184.19	-74.98
DDH1218	54.86	184.08	-74.96
DDH1218	60.96	184.15	-74.93
DDH1218	67.06	183.83	-74.83
DDH1218	73.15	183.46	-74.67
DDH1218	79.25	182.61	-74.45
DDH1218	85.34	182.27	-74.22
DDH1218	91.44	181.62	-74.05
DDH1218	97.54	181.15	-74.01
DDH1218	103.63	180.97	-73.9
DDH1218	109.73	181.05	-73.87
DDH1218	115.82	181.01	-73.81
DDH1218	121.92	180.93	-73.78
DDH1218	128.02	180.33	-73.77
DDH1218	134.11	180.39	-73.78
DDH1218	140.21	180.44	-73.81
DDH1218	146.3	180.65	-73.81
DDH1218	152.4	180.63	-73.73
DDH1218	158.5	180.41	-73.73
DDH1218	164.59	180.35	-73.7
DDH1218	170.69	180.13	-73.59
DDH1218	176.78	179.86	-73.42

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1218	182.88	179.46	-73.3
DDH1218	188.98	178.57	-73.18
DDH1218	195.07	177.92	-73.12
DDH1218	201.17	177.38	-73.13
DDH1218	207.26	176.64	-73.05
DDH1218	213.36	175.99	-72.9
DDH1218	219.46	175.68	-72.81
DDH1218	225.55	175.46	-72.69
DDH1218	231.65	175.38	-72.63
DDH1218	237.74	175.13	-72.56
DDH1218	243.84	175.1	-72.52
DDH1218	249.94	175.18	-72.52
DDH1218	256.03	175.37	-72.53
DDH1218	262.13	175	-72.48
DDH1218	268.22	175.07	-72.41
DDH1218	274.32	174.85	-72.38
DDH1218	280.42	174.69	-72.39
DDH1218	286.51	174.79	-72.25
DDH1218	292.61	174.48	-72.15
DDH1218	298.7	174.51	-72.11
DDH1218	304.8	174.2	-72.11
DDH1218	310.9	174.44	-72.07
DDH1218	316.99	174.46	-72.07
DDH1218	323.09	174.29	-72.08
DDH1218	329.18	174.6	-72.02
DDH1218	335.28	174.32	-71.99
DDH1218	341.38	174.58	-71.96
DDH1218	347.47	174.18	-71.88
DDH1218	353.57	174.08	-71.86
DDH1218	359.66	174.01	-71.81
DDH1218	365.76	173.88	-71.81
DDH1218	371.86	173.31	-71.77
DDH1218	377.95	172.53	-71.8
DDH1218	384.05	171.8	-71.77
DDH1218	390.14	171.37	-71.73
DDH1218	396.24	171.21	-71.66
DDH1218	402.34	171.16	-71.6
DDH1218	405.9	171.2	-71.57
DDH1219	0	193.24	-78.78
DDH1219	6.1	193.15	-78.63
DDH1219	12.19	193.91	-78.62
DDH1219	18.29	194.06	-78.72
DDH1219	24.38	194.06	-78.67
DDH1219	30.48	194.11	-78.76
DDH1219	36.58	194.09	-78.75

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1219	42.67	193.91	-78.77
DDH1219	48.77	193.55	-78.82
DDH1219	54.86	192.12	-78.83
DDH1219	60.96	191.56	-78.77
DDH1219	67.06	191.09	-78.69
DDH1219	73.15	190.18	-78.47
DDH1219	79.25	189.23	-78.3
DDH1219	85.34	188.88	-78.12
DDH1219	91.44	188.71	-78.03
DDH1219	97.54	188.6	-78.03
DDH1219	103.63	188.09	-77.93
DDH1219	109.73	187.8	-77.68
DDH1219	115.82	187.36	-77.51
DDH1219	121.92	187.55	-77.38
DDH1219	128.02	187.36	-77.27
DDH1219	134.11	187.53	-77.17
DDH1219	140.21	186.99	-77.11
DDH1219	146.3	186.9	-77.11
DDH1219	152.4	186.77	-77.03
DDH1219	158.5	186.57	-77.02
DDH1219	164.59	186.68	-76.98
DDH1219	170.69	186.52	-76.92
DDH1219	176.78	186	-76.86
DDH1219	182.88	185.57	-76.86
DDH1219	188.98	185.5	-76.8
DDH1219	195.07	185.22	-76.74
DDH1219	201.17	185.11	-76.72
DDH1219	207.26	184.92	-76.66
DDH1219	213.36	184.56	-76.66
DDH1219	219.46	184.47	-76.62
DDH1219	225.55	184.43	-76.57
DDH1219	231.65	184.04	-76.52
DDH1219	237.74	184.38	-76.52
DDH1219	243.84	184.33	-76.5
DDH1219	249.94	184.08	-76.47
DDH1219	256.03	183.83	-76.46
DDH1219	262.13	183.66	-76.39
DDH1219	268.22	183.48	-76.34
DDH1219	274.32	183.26	-76.32
DDH1219	280.42	182.87	-76.31
DDH1219	286.51	182.98	-76.28
DDH1219	292.61	182.88	-76.26
DDH1219	298.7	182.82	-76.23
DDH1219	304.8	183	-76.22
DDH1219	310.9	183.1	-76.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1219	316.99	182.99	-76.15
DDH1219	323.09	182.79	-76.11
DDH1219	329.18	182.98	-76.1
DDH1219	335.28	182.95	-76.14
DDH1219	341.38	182.89	-76.17
DDH1219	347.47	182.89	-76.19
DDH1219	353.57	182.72	-76.25
DDH1219	359.66	182.66	-76.31
DDH1219	365.76	181.8	-76.27
DDH1219	371.86	180.46	-76.26
DDH1219	377.95	179.85	-76.24
DDH1219	384.05	179.22	-76.18
DDH1219	390.14	179.11	-76.12
DDH1219	394.34	179.02	-76.1
DDH1220	0	168.34	-78.88
DDH1220	6	167.99	-78.97
DDH1220	12	167.1	-78.97
DDH1220	18	167.11	-79.04
DDH1220	24	166.93	-79.07
DDH1220	30	166.5	-78.99
DDH1220	36	166.48	-79.01
DDH1220	42	166.14	-78.86
DDH1220	48	166.16	-78.75
DDH1220	54	165.7	-78.56
DDH1220	60	165.9	-78.44
DDH1220	66	166.12	-78.28
DDH1220	72	165.28	-78.14
DDH1220	78	164.84	-78.09
DDH1220	84	164.98	-77.97
DDH1220	90	165.4	-77.82
DDH1220	96	164.71	-77.59
DDH1220	102	164.6	-77.48
DDH1220	108	164.83	-77.43
DDH1220	114	164.57	-77.39
DDH1220	120	165.01	-77.34
DDH1220	126	165.22	-77.35
DDH1220	132	165.09	-77.25
DDH1220	138	164.96	-77.26
DDH1220	144	164.75	-77.27
DDH1220	150	164.57	-77.24
DDH1220	156	164.41	-77.16
DDH1220	162	164.48	-77.03
DDH1220	168	164.63	-76.92
DDH1220	174	164.51	-76.81
DDH1220	180	164.12	-76.68

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1220	186	163.99	-76.59
DDH1220	192	163.8	-76.59
DDH1220	198	163.54	-76.62
DDH1220	204	163.42	-76.55
DDH1220	210	163.13	-76.47
DDH1220	216	163.02	-76.45
DDH1220	222	163.02	-76.48
DDH1220	228	162.87	-76.45
DDH1220	234	162.71	-76.4
DDH1220	240	162.76	-76.34
DDH1220	246	163.02	-76.26
DDH1220	252	162.95	-76.19
DDH1220	258	162.75	-76.13
DDH1220	264	162.92	-76.09
DDH1220	270	162.73	-76.07
DDH1220	276	162.81	-76
DDH1220	282	162.84	-75.88
DDH1220	288	162.93	-75.83
DDH1220	294	163.06	-75.78
DDH1220	300	163.1	-75.77
DDH1220	306	162.88	-75.74
DDH1220	312	163.1	-75.75
DDH1220	318	163.11	-75.75
DDH1220	324	163.2	-75.75
DDH1220	330	162.87	-75.72
DDH1220	336	163.06	-75.72
DDH1220	342	163.02	-75.68
DDH1220	348	163.05	-75.62
DDH1220	354	162.89	-75.6
DDH1220	360	163.15	-75.55
DDH1220	366	162.86	-75.45
DDH1220	371.06	162.68	-75.4
DDH1221	0	87.47	-75.29
DDH1221	6.1	87.57	-74.94
DDH1221	12.19	88.05	-74.08
DDH1221	18.29	88.12	-73.78
DDH1221	24.38	87.93	-74.44
DDH1221	30.48	87.41	-74.44
DDH1221	36.58	87.09	-74.55
DDH1221	42.67	86.88	-74.59
DDH1221	48.77	87.15	-74.69
DDH1221	54.86	87.78	-74.77
DDH1221	60.96	88.22	-74.87
DDH1221	67.06	88.66	-74.96
DDH1221	73.15	89.11	-75.09

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1221	79.25	90.48	-75.1
DDH1221	85.34	91.08	-75.09
DDH1221	91.44	91.4	-75.1
DDH1221	97.54	91.61	-75.05
DDH1221	103.63	91.84	-74.97
DDH1221	109.73	91.75	-75.04
DDH1221	115.82	91.06	-74.93
DDH1221	121.92	91.06	-74.9
DDH1221	128.02	91.02	-74.88
DDH1221	134.11	91.07	-74.91
DDH1221	140.21	91.21	-74.92
DDH1221	146.3	91.57	-74.89
DDH1221	152.4	92.17	-74.83
DDH1221	158.5	92.8	-74.73
DDH1221	164.59	92.82	-74.72
DDH1221	170.69	93.14	-74.73
DDH1221	176.78	93.04	-74.74
DDH1221	182.88	93.53	-74.74
DDH1221	188.98	93.7	-74.62
DDH1221	195.07	93.72	-74.59
DDH1221	201.17	93.26	-74.67
DDH1221	207.26	93.74	-74.56
DDH1221	213.36	94.37	-74.42
DDH1221	219.46	95.02	-74.36
DDH1221	225.55	95.2	-74.31
DDH1221	231.65	95.69	-74.24
DDH1221	237.74	95.8	-74.26
DDH1221	243.84	95.74	-74.25
DDH1221	249.94	95.8	-74.22
DDH1221	256.03	95.4	-74.16
DDH1221	262.13	95.18	-73.95
DDH1221	268.22	95.38	-73.9
DDH1221	274.32	95.73	-73.84
DDH1221	280.42	95.83	-73.83
DDH1221	286.51	96.24	-73.77
DDH1221	292.61	96.28	-73.73
DDH1221	298.7	96.17	-73.77
DDH1221	304.8	96.35	-73.71
DDH1221	310.9	96.97	-73.52
DDH1221	316.99	97.23	-73.43
DDH1221	323.09	97.03	-73.37
DDH1221	329.18	97.79	-73.28
DDH1221	335.28	98.15	-73.2
DDH1221	341.38	98.96	-73.11
DDH1221	347.47	99.69	-73.03

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1221	353.57	100.74	-72.88
DDH1221	359.66	100.9	-72.84
DDH1221	365.76	101.65	-72.81
DDH1221	371.86	101.93	-72.79
DDH1221	377.95	102.18	-72.79
DDH1221	384.05	102.69	-72.79
DDH1221	390.14	103.62	-72.78
DDH1221	396.24	104.29	-72.78
DDH1221	400.6	104.3	-72.72

HOLEID	DEPTH (m)	AZIMUTH	DIP
--------	-----------	---------	-----

DDH1224	0	191.48	-84.27
DDH1224	15.29	189.64	-84.27
DDH1224	30.48	187.04	-83.9
DDH1224	45.9	185.95	-83.66
DDH1224	61.03	184.57	-83.64
DDH1224	76.43	182.22	-82.92
DDH1224	91.54	182.19	-82.4
DDH1224	106.72	180.1	-82.24
DDH1224	121.95	179.56	-82.03
DDH1224	137.25	178.87	-81.78
DDH1224	152.41	177.9	-81.34
DDH1224	167.71	176.81	-80.98
DDH1224	182.98	174.76	-80.78
DDH1224	198.15	174.03	-80.33
DDH1224	213.52	172.6	-80.34
DDH1224	228.73	171.8	-79.88
DDH1224	243.92	171.4	-80.04
DDH1224	259.13	172.43	-80.11
DDH1224	274.34	174.87	-79.99
DDH1224	289.64	174.21	-80.04
DDH1224	304.87	173.88	-79.97
DDH1224	320.05	174.59	-79.87
DDH1224	335.32	174.07	-79.92
DDH1224	350.54	172.93	-79.81
DDH1224	365.79	169.98	-79.8
DDH1224	372.79	169.13	-79.71
DDH1225	0	191.1	-72.9
DDH1225	6.1	191.45	-72.88
DDH1225	12.19	191.96	-72.98
DDH1225	18.29	193.09	-72.87
DDH1225	24.38	193.8	-72.97
DDH1225	30.48	193.92	-72.97
DDH1225	36.58	193.65	-73.04
DDH1225	42.67	193.68	-73.03
DDH1225	48.77	193.63	-73.04
DDH1225	54.86	193.5	-72.98
DDH1225	60.96	193.25	-72.92
DDH1225	67.06	193.27	-72.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1225	73.15	193.07	-72.93
DDH1225	79.25	193.27	-72.69
DDH1225	85.34	192.95	-72.61
DDH1225	91.44	192.83	-72.57
DDH1225	97.54	192.78	-72.53
DDH1225	103.63	192.62	-72.53
DDH1225	109.73	192.41	-72.48
DDH1225	115.82	192.69	-72.49
DDH1225	121.92	192.47	-72.34
DDH1225	128.02	192.67	-72.35
DDH1225	134.11	192.23	-72.34
DDH1225	140.21	192.17	-72.31
DDH1225	146.3	192.06	-72.31
DDH1225	152.4	191.88	-72.23
DDH1225	158.5	191.68	-72.26
DDH1225	164.59	191.47	-72.23
DDH1225	170.69	191.09	-72.18
DDH1225	176.78	190.72	-72.09
DDH1225	182.88	189.97	-71.74
DDH1225	188.98	189.71	-71.67
DDH1225	195.07	189.17	-71.54
DDH1225	201.17	188.72	-71.44
DDH1225	207.26	188.5	-71.38
DDH1225	213.36	188.28	-71.39
DDH1225	219.46	187.86	-71.26
DDH1225	225.55	187.54	-71.23
DDH1225	231.65	187.54	-71.2
DDH1225	237.74	187.4	-71.05
DDH1225	243.84	187.32	-70.92
DDH1225	249.94	187.42	-70.97
DDH1225	256.03	187.79	-70.93
DDH1225	262.13	187.75	-70.88
DDH1225	268.22	187.72	-70.89
DDH1225	274.32	187.72	-70.86
DDH1225	280.42	187.69	-70.88
DDH1225	286.51	187.52	-70.91
DDH1225	292.61	187.57	-70.88
DDH1225	298.7	187.56	-70.94
DDH1225	304.8	187.64	-70.98
DDH1225	310.9	187.52	-70.97
DDH1225	316.99	187.3	-71.01
DDH1225	323.09	187.43	-71.02
DDH1225	329.18	187.34	-71.01
DDH1225	335.28	187.51	-71.03
DDH1225	341.38	187.24	-71.05

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1225	347.47	187.46	-71.05
DDH1225	353.57	187.77	-71
DDH1225	359.66	187.16	-70.99
DDH1225	365.76	186.98	-71
DDH1225	371.86	186.47	-71.06
DDH1225	377.95	185.34	-71.21
DDH1225	384.05	184.6	-71.3
DDH1225	390.14	184.13	-71.35
DDH1225	396.41	184.12	-71.46
DDH1226	0	187.13	-76.48
DDH1226	15.39	187.98	-76.56
DDH1226	30.51	186.71	-76.44
DDH1226	45.87	187.2	-76.44
DDH1226	61.03	187.71	-76.49
DDH1226	76.2	185.97	-76.08
DDH1226	91.46	184.86	-75.96
DDH1226	106.7	185.14	-75.89
DDH1226	121.94	185.73	-75.79
DDH1226	137.19	185.75	-75.41
DDH1226	152.4	183.04	-75.22
DDH1226	167.67	183.29	-75.04
DDH1226	182.92	182.93	-74.71
DDH1226	198.14	182.51	-74.32
DDH1226	213.36	181.35	-74.07
DDH1226	228.66	180.76	-74.04
DDH1226	243.87	181.52	-74.2
DDH1226	259.1	182.12	-74.17
DDH1226	274.32	181.91	-74.07
DDH1226	289.69	181.96	-73.91
DDH1226	304.8	181.39	-73.73
DDH1226	320.06	181.34	-73.83
DDH1226	335.28	181.72	-74.07
DDH1226	350.53	181.44	-74.26
DDH1226	365.77	181.34	-74.33
DDH1226	381.01	180.65	-74.28
DDH1226	387.13	180.3	-74.27

HOLEID	DEPTH (m)	AZIMUTH	DIP
--------	-----------	---------	-----

DDH1228	0	189.68	-77.97
DDH1228	15.24	190.47	-78.04
DDH1228	30.49	191.23	-78.21
DDH1228	45.73	191.22	-77.82
DDH1228	60.99	193.28	-77.54
DDH1228	76.21	192.85	-77.27
DDH1228	91.46	190.43	-77.13
DDH1228	106.75	190.3	-76.95
DDH1228	121.99	189.46	-76.75
DDH1228	137.19	188.57	-76.63
DDH1228	152.5	189.44	-76.53
DDH1228	167.67	188.05	-76.43
DDH1228	182.97	186.76	-76.3
DDH1228	198.25	184.42	-75.71
DDH1228	213.45	183.09	-75.43
DDH1228	228.67	182.02	-75.27
DDH1228	244.03	180.92	-74.94
DDH1228	259.27	181.3	-74.88
DDH1228	274.44	179.74	-74.8
DDH1228	289.72	179.95	-74.78
DDH1228	304.99	180.78	-74.76
DDH1228	320.26	180.09	-74.68
DDH1228	335.39	179.79	-74.63
DDH1228	350.56	179.57	-74.54
DDH1228	365.97	180.75	-74.27
DDH1228	381.15	178.62	-74.2
DDH1228	390.2	179.28	-74.17
DDH1229	0	149.63	-81.09
DDH1229	15.25	148.19	-81.26
DDH1229	15.26	148.23	-81.12
DDH1229	30.5	148.75	-80.86
DDH1229	30.51	148.73	-80.66
DDH1229	45.72	148.92	-80.55
DDH1229	45.73	149	-80.84
DDH1229	60.97	149.22	-80.52
DDH1229	61.01	147.66	-80.65
DDH1229	76.2	149.45	-80.36
DDH1229	76.22	149.21	-80.52
DDH1229	91.44	148.68	-80.41
DDH1229	91.47	149.21	-80.24
DDH1229	106.68	148.65	-80.29
DDH1229	121.89	149.04	-80.24

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1229	121.93	149.48	-80.31
DDH1229	137.16	148.76	-80.14
DDH1229	137.18	149.38	-80.14
DDH1229	152.41	150.11	-79.89
DDH1229	152.47	149.37	-79.93
DDH1229	167.66	150.22	-79.77
DDH1229	167.7	148.83	-79.81
DDH1229	182.9	149.4	-79.64
DDH1229	198.13	150.7	-79.47
DDH1229	198.17	149.48	-79.51
DDH1229	213.39	150.55	-79.52
DDH1229	213.4	150.36	-79.5
DDH1229	228.64	150.37	-79.73
DDH1229	228.67	151.17	-79.78
DDH1229	243.86	150.56	-79.79
DDH1229	243.88	150.06	-79.78
DDH1229	259.1	149.06	-79.76
DDH1229	274.34	150.19	-79.59
DDH1229	274.37	149.57	-79.64
DDH1229	289.56	148.82	-79.55
DDH1229	289.6	148.19	-79.5
DDH1229	304.83	148.67	-79.44
DDH1229	304.88	149.4	-79.37
DDH1229	320.09	146.76	-79.08
DDH1229	335.35	148.75	-78.98
DDH1229	350.55	149.23	-78.91
DDH1229	365.79	149.47	-78.95
DDH1229	378.59	148.26	-78.44
DDH1229	381.02	149.17	-78.37
DDH1230	0	197.05	-77.31
DDH1230	15.37	196.1	-77.66
DDH1230	30.49	195.74	-77.31
DDH1230	45.76	195.06	-77.36
DDH1230	60.99	195.12	-76.87
DDH1230	76.2	194.15	-76.3
DDH1230	91.45	191.83	-75.81
DDH1230	106.76	190.17	-74.91
DDH1230	121.92	188.89	-74.25
DDH1230	137.29	188.14	-73.35
DDH1230	152.55	186.36	-72.05
DDH1230	167.66	186	-71.86
DDH1230	183.13	186.39	-71.9
DDH1230	198.18	184.41	-71.75
DDH1230	213.38	184.62	-71.76
DDH1230	228.78	184.89	-71.69

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1230	243.86	185.91	-71.79
DDH1230	259.2	184.56	-71.83
DDH1230	274.35	184.39	-71.6
DDH1230	289.67	183.99	-71.73
DDH1230	304.85	183.79	-71.55
DDH1230	320.05	183.57	-71.59
DDH1230	335.35	184.22	-71.73
DDH1230	350.6	183.15	-71.87
DDH1230	365.77	183.27	-71.88
DDH1230	375.76	183.08	-71.76
DDH1231	0	140.94	-61.26
DDH1231	6.1	140.65	-61.11
DDH1231	12.19	140.7	-61.21
DDH1231	18.29	140.61	-61.07
DDH1231	24.38	140.65	-60.87
DDH1231	30.48	140.75	-60.86
DDH1231	36.58	140.97	-60.76
DDH1231	42.67	141.69	-60.66
DDH1231	48.77	141.72	-60.49
DDH1231	54.86	141.98	-60.48
DDH1231	60.96	142.41	-60.39
DDH1231	67.06	142.53	-60.09
DDH1231	73.15	142.37	-59.97
DDH1231	79.25	142.45	-59.82
DDH1231	85.34	142.43	-59.71
DDH1231	91.44	142.63	-59.58
DDH1231	97.54	142.55	-59.56
DDH1231	103.63	142.74	-59.49
DDH1231	109.73	142.68	-59.29
DDH1231	115.82	142.79	-59.12
DDH1231	121.92	142.53	-58.93
DDH1231	128.02	142.91	-58.57
DDH1231	134.11	143.1	-58.43
DDH1231	140.21	143.06	-58.45
DDH1231	146.3	142.99	-58.26
DDH1231	152.4	142.95	-58.25
DDH1231	158.5	143.01	-58.27
DDH1231	164.59	143.05	-58.24
DDH1231	170.69	142.78	-58.18
DDH1231	176.78	143.08	-58.17
DDH1231	182.88	143.11	-58.08
DDH1231	188.98	143.16	-58.01
DDH1231	195.07	143.39	-57.94
DDH1231	201.17	143.44	-57.95
DDH1231	207.26	143.55	-57.94

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1231	213.36	143.61	-57.81
DDH1231	219.46	143.61	-57.72
DDH1231	225.55	143.68	-57.7
DDH1231	231.65	143.73	-57.63
DDH1231	237.74	143.82	-57.51
DDH1231	243.84	143.91	-57.38
DDH1231	249.94	144.03	-57.26
DDH1231	256.03	144.03	-57.08
DDH1231	262.13	144.03	-56.99
DDH1231	268.22	143.98	-56.85
DDH1231	274.32	143.96	-56.72
DDH1231	280.42	143.93	-56.63
DDH1231	286.51	143.79	-56.52
DDH1231	292.61	143.71	-56.43
DDH1231	298.7	143.77	-56.3
DDH1231	304.8	143.74	-56.23
DDH1231	310.9	143.74	-56.03
DDH1231	316.99	143.74	-55.96
DDH1231	323.09	144.05	-55.88
DDH1231	329.18	144.24	-55.87
DDH1231	335.28	144.42	-55.84
DDH1231	341.38	144.43	-55.81
DDH1231	347.47	144.52	-55.75
DDH1231	353.57	144.51	-55.78
DDH1231	359.66	144.6	-55.78
DDH1231	365.76	144.57	-55.84
DDH1231	371.86	144.57	-55.87
DDH1231	377.95	144.57	-55.86
DDH1231	384.05	144.59	-55.89
DDH1231	390.14	144.66	-55.86
DDH1231	396.24	144.78	-55.85
DDH1231	402.34	144.74	-55.9
DDH1231	406.75	144.61	-55.85
DDH1232	0	178	-63.42
DDH1232	6.1	178.37	-63.1
DDH1232	12.19	178.53	-63.12
DDH1232	18.29	178.51	-63.08
DDH1232	24.38	178.54	-63.01
DDH1232	30.48	178.54	-63.11
DDH1232	36.58	178.39	-63.06
DDH1232	42.67	178.22	-62.9
DDH1232	48.77	178.21	-62.64
DDH1232	54.86	178.1	-62.44
DDH1232	60.96	178.25	-62.21
DDH1232	67.06	178	-62.04

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1232	73.15	177.72	-61.73
DDH1232	79.25	177.23	-61.4
DDH1232	85.34	176.86	-61.12
DDH1232	91.44	176.68	-60.82
DDH1232	97.54	176.51	-60.75
DDH1232	103.63	176.61	-60.55
DDH1232	109.73	176.7	-60.59
DDH1232	115.82	176.8	-60.59
DDH1232	121.92	176.84	-60.55
DDH1232	128.02	176.74	-60.6
DDH1232	134.11	176.87	-60.52
DDH1232	140.21	176.73	-60.56
DDH1232	146.3	176.66	-60.6
DDH1232	152.4	176.39	-60.57
DDH1232	158.5	176.51	-60.46
DDH1232	164.59	176.41	-60.42
DDH1232	170.69	176.56	-60.4
DDH1232	176.78	176.68	-60.37
DDH1232	182.88	176.72	-60.37
DDH1232	188.98	176.79	-60.33
DDH1232	195.07	176.66	-60.49
DDH1232	201.17	176.61	-60.52
DDH1232	207.26	176.59	-60.51
DDH1232	213.36	176.49	-60.47
DDH1232	219.46	176.46	-60.42
DDH1232	225.55	176.53	-60.42
DDH1232	231.65	176.57	-60.4
DDH1232	237.74	176.46	-60.42
DDH1232	243.84	176.36	-60.32
DDH1232	249.94	176.38	-60.24
DDH1232	256.03	176.29	-60.19
DDH1232	262.13	176.45	-60.16
DDH1232	268.22	176.41	-60.13
DDH1232	274.32	176.41	-60.05
DDH1232	280.42	176.37	-59.99
DDH1232	286.51	176.18	-59.91
DDH1232	292.61	176.47	-59.83
DDH1232	298.7	176.51	-59.82
DDH1232	304.8	176.66	-59.8
DDH1232	310.9	176.56	-59.78
DDH1232	316.99	176.5	-59.75
DDH1232	323.09	176.38	-59.75
DDH1232	329.18	176.48	-59.76
DDH1232	335.28	176.37	-59.79
DDH1232	341.38	176.36	-59.74

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1232	347.47	176.51	-59.69
DDH1232	353.57	176.53	-59.75
DDH1232	359.66	176.53	-59.73
DDH1232	365.76	176.54	-59.7
DDH1232	371.86	176.7	-59.67
DDH1232	377.95	176.55	-59.74
DDH1232	384.05	176.77	-59.78
DDH1232	390.14	176.93	-59.73
DDH1232	396.24	176.93	-59.72
DDH1232	402.34	176.83	-59.72
DDH1232	408.43	176.99	-59.69
DDH1232	414.53	176.98	-59.63
DDH1232	417.1	177.18	-59.68
DDH1233	0	201.99	-74.3
DDH1233	6.1	201.98	-74.02
DDH1233	12.19	201.55	-73.76
DDH1233	18.29	200.59	-73.68
DDH1233	24.38	201.06	-73.54
DDH1233	30.48	200.46	-73.42
DDH1233	36.58	199.66	-73.24
DDH1233	42.67	198.37	-73.02
DDH1233	48.77	197.02	-72.69
DDH1233	54.86	196.27	-72.5
DDH1233	60.96	195.89	-72.12
DDH1233	67.06	194.4	-71.71
DDH1233	73.15	192.92	-71.31
DDH1233	79.25	191.66	-71.11
DDH1233	85.34	191.37	-70.98
DDH1233	91.44	191.3	-71
DDH1233	97.54	191.08	-70.9
DDH1233	103.63	191.08	-70.97
DDH1233	109.73	190.92	-70.9
DDH1233	115.82	191.07	-70.94
DDH1233	121.92	190.83	-70.87
DDH1233	128.02	190.76	-70.87
DDH1233	134.11	190.49	-70.81
DDH1233	140.21	190.32	-70.75
DDH1233	146.3	190.21	-70.75
DDH1233	152.4	189.96	-70.76
DDH1233	158.5	189.34	-70.73
DDH1233	164.59	189.06	-70.79
DDH1233	170.69	188.84	-70.73
DDH1233	176.78	188.1	-70.69
DDH1233	182.88	187.89	-70.72
DDH1233	188.98	187.68	-70.64

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1233	195.07	187.23	-70.62
DDH1233	201.17	186.81	-70.59
DDH1233	207.26	186.83	-70.61
DDH1233	213.36	186.75	-70.63
DDH1233	219.46	186.58	-70.69
DDH1233	225.55	185.96	-70.73
DDH1233	231.65	185.54	-70.69
DDH1233	237.74	185.1	-70.65
DDH1233	243.84	184.5	-70.59
DDH1233	249.94	184.06	-70.52
DDH1233	256.03	183.4	-70.41
DDH1233	262.13	182.89	-70.36
DDH1233	268.22	182.16	-70.21
DDH1233	274.32	181.63	-70.15
DDH1233	280.42	181.03	-70.13
DDH1233	286.51	180.05	-70.05
DDH1233	292.61	179.5	-70
DDH1233	298.7	178.97	-69.97
DDH1233	304.8	178.63	-69.91
DDH1233	310.9	178.42	-69.78
DDH1233	316.99	178.02	-69.74
DDH1233	323.09	177.72	-69.57
DDH1233	329.18	177.54	-69.4
DDH1233	335.28	177.52	-69.34
DDH1233	341.38	177.55	-69.07
DDH1233	347.47	177.44	-69.13
DDH1233	353.57	177.6	-69.07
DDH1233	359.66	177.56	-69.08
DDH1233	365.76	177.27	-69.09
DDH1233	371.86	176.77	-69.02
DDH1233	377.95	176.88	-68.77
DDH1233	384.05	176.47	-68.73
DDH1233	386.27	176.46	-68.73
DDH1234	0.03	173.32	-78.05
DDH1234	15.27	172.13	-78.02
DDH1234	30.61	172.48	-78.06
DDH1234	45.8	173.7	-78.16
DDH1234	61	175.14	-78.11
DDH1234	76.37	174.94	-78.05
DDH1234	91.51	174.34	-77.75
DDH1234	106.72	174.8	-77.57
DDH1234	121.96	174.44	-77.4
DDH1234	137.25	173.79	-77.12
DDH1234	152.42	173.55	-77.01
DDH1234	167.72	173.42	-77

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1234	182.89	173.74	-76.9
DDH1234	198.15	173.88	-76.91
DDH1234	213.37	173.13	-76.9
DDH1234	228.64	173.42	-76.74
DDH1234	243.91	173.31	-76.73
DDH1234	259.2	173.42	-76.67
DDH1234	274.33	173.18	-76.61
DDH1234	289.72	173.23	-76.53
DDH1234	304.81	173.08	-76.51
DDH1234	320.07	173.14	-76.55
DDH1234	335.33	174.17	-76.51
DDH1234	350.53	173.79	-76.47
DDH1234	365.77	173.26	-76.4
DDH1234	376.26	173.27	-76.34
DDH1235	0	128.52	-59.89
DDH1235	6.1	128.48	-60.03
DDH1235	12.19	128.07	-60.03
DDH1235	18.29	128.09	-59.83
DDH1235	24.38	128.01	-59.6
DDH1235	30.48	128.21	-59.36
DDH1235	36.58	128.43	-59.17
DDH1235	42.67	128.76	-59.13
DDH1235	48.77	129.24	-58.84
DDH1235	54.86	129.39	-58.91
DDH1235	60.96	129.55	-58.9
DDH1235	67.06	130.08	-58.73
DDH1235	73.15	130.63	-58.13
DDH1235	79.25	131.06	-57.46
DDH1235	85.34	131.31	-57.35
DDH1235	91.44	131.25	-57.32
DDH1235	97.54	131.34	-57.27
DDH1235	103.63	131.36	-57.19
DDH1235	109.73	131.27	-57.08
DDH1235	115.82	131.46	-57.06
DDH1235	121.92	131.42	-57.02
DDH1235	128.02	131.46	-56.84
DDH1235	134.11	131.8	-56.8
DDH1235	140.21	131.61	-56.73
DDH1235	146.3	131.72	-56.69
DDH1235	152.4	131.67	-56.63
DDH1235	158.5	131.65	-56.6
DDH1235	164.59	131.69	-56.59
DDH1235	170.69	131.91	-56.6
DDH1235	176.78	132.07	-56.56
DDH1235	182.88	132.04	-56.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1235	188.98	132.19	-56.54
DDH1235	195.07	132.4	-56.54
DDH1235	201.17	132.55	-56.49
DDH1235	207.26	132.82	-56.4
DDH1235	213.36	133.04	-56.4
DDH1235	219.46	133.15	-56.37
DDH1235	225.55	133.3	-56.37
DDH1235	231.65	133.36	-56.35
DDH1235	237.74	133.69	-56.27
DDH1235	243.84	133.84	-56.14
DDH1235	249.94	134.2	-56.1
DDH1235	256.03	134.5	-55.96
DDH1235	262.13	134.58	-55.81
DDH1235	268.22	134.51	-55.56
DDH1235	274.32	134.64	-55.32
DDH1235	280.42	134.55	-55.12
DDH1235	286.51	134.61	-54.98
DDH1235	292.61	134.88	-54.84
DDH1235	298.7	134.96	-54.73
DDH1235	304.8	135.2	-54.51
DDH1235	310.9	135.34	-54.3
DDH1235	316.99	135.39	-54.18
DDH1235	323.09	135.41	-54.07
DDH1235	329.18	135.48	-54.03
DDH1235	335.28	135.52	-53.98
DDH1235	341.38	135.49	-53.9
DDH1235	347.47	135.75	-53.85
DDH1235	353.57	136.21	-53.79
DDH1235	359.66	136.35	-53.77
DDH1235	365.76	136.38	-53.61
DDH1235	371.86	136.28	-53.54
DDH1235	377.95	136.21	-53.41
DDH1235	384.05	136.04	-53.2
DDH1235	390.14	135.98	-53.2
DDH1236	0	178.74	-76.5
DDH1236	15.3	182.26	-75.14
DDH1236	30.53	182.94	-75.27
DDH1236	45.74	182.34	-75.16
DDH1236	60.95	180.98	-75.06
DDH1236	76.22	181.24	-74.94
DDH1236	91.49	180.79	-74.88
DDH1236	106.76	180.11	-74.76
DDH1236	122.01	180.28	-74.49
DDH1236	131.08	179.78	-74.6
DDH1236	137.39	180.37	-74.49

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1236	152.43	180.16	-74.42
DDH1236	167.73	181.09	-74.58
DDH1236	182.99	180.27	-74.41
DDH1236	198.18	181.17	-74.65
DDH1236	213.42	180.61	-74.77
DDH1236	228.8	179.94	-74.86
DDH1236	243.94	180.23	-74.91
DDH1236	259.18	180.89	-74.66
DDH1236	274.5	179.64	-74.71
DDH1236	289.84	178.59	-74.59
DDH1236	304.9	179.31	-74.56
DDH1236	320.16	179.39	-74.72
DDH1236	335.29	180.18	-74.92
DDH1236	350.57	179.47	-74.8
DDH1236	365.79	179.49	-74.87
DDH1236	379.04	179	-74.83
DDH1237	0	164.71	-76.13
DDH1237	15.3	163.58	-76.18
DDH1237	30.56	163.17	-76.5
DDH1237	45.8	164.59	-76.69
DDH1237	60.97	164.59	-76.43
DDH1237	76.32	167.11	-75.91
DDH1237	91.54	167.7	-75.55
DDH1237	106.72	167.7	-75.54
DDH1237	121.99	168.01	-75.4
DDH1237	137.31	167.63	-75.22
DDH1237	152.43	167.19	-75.14
DDH1237	167.77	167.24	-75.14
DDH1237	182.95	167.75	-75.26
DDH1237	198.18	167.55	-75.27
DDH1237	213.46	167.41	-75.2
DDH1237	228.71	166.4	-75.07
DDH1237	244	166.82	-75.12
DDH1237	259.09	167.05	-75.08
DDH1237	274.36	166.26	-74.97
DDH1237	289.68	166.75	-74.89
DDH1237	304.82	167.22	-74.89
DDH1237	320.06	167.63	-74.82
DDH1237	335.41	167.73	-74.71
DDH1237	350.61	167.29	-74.71
DDH1237	365.92	166.87	-74.51
DDH1237	366.58	166.98	-74.51
DDH1238	0	177.11	-68.4
DDH1238	6.1	176.78	-68.09
DDH1238	12.19	176.87	-67.96

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1238	18.29	177	-67.69
DDH1238	24.38	177.09	-67.84
DDH1238	30.48	177.25	-67.93
DDH1238	36.58	177.28	-67.93
DDH1238	42.67	177.72	-67.58
DDH1238	48.77	178.02	-67.81
DDH1238	54.86	178.07	-67.76
DDH1238	60.96	177.6	-67.62
DDH1238	67.06	177.48	-67.35
DDH1238	73.15	177.17	-67.24
DDH1238	79.25	177.31	-67.16
DDH1238	85.34	177.19	-67.17
DDH1238	91.44	176.94	-67.17
DDH1238	97.54	177.12	-67.11
DDH1238	103.63	177.08	-67.11
DDH1238	109.73	176.77	-66.98
DDH1238	115.82	176.9	-66.99
DDH1238	121.92	176.85	-66.77
DDH1238	128.02	176.83	-66.88
DDH1238	134.11	177.21	-66.89
DDH1238	140.21	176.83	-66.88
DDH1238	146.3	176.7	-66.83
DDH1238	152.4	176.61	-66.69
DDH1238	158.5	176.69	-66.73
DDH1238	164.59	176.67	-66.73
DDH1238	170.69	176.58	-66.82
DDH1238	176.78	176.8	-66.8
DDH1238	182.88	176.97	-66.97
DDH1238	188.98	177.26	-67.02
DDH1238	195.07	177.64	-67.06
DDH1238	201.17	177.92	-67.13
DDH1238	207.26	178.22	-67.34
DDH1238	213.36	178.22	-67.38
DDH1238	219.46	178.38	-67.41
DDH1238	225.55	178.43	-67.41
DDH1238	231.65	178.69	-67.51
DDH1238	237.74	178.93	-67.56
DDH1238	243.84	178.8	-67.61
DDH1238	249.94	178.85	-67.67
DDH1238	256.03	178.99	-67.79
DDH1238	262.13	179.25	-67.87
DDH1238	268.22	179.05	-67.85
DDH1238	274.32	178.91	-67.85
DDH1238	280.42	178.56	-67.85
DDH1238	286.51	178.62	-67.78

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1238	292.61	178.29	-67.79
DDH1238	298.7	178.44	-67.82
DDH1238	304.8	178.46	-67.89
DDH1238	310.9	178.72	-67.92
DDH1238	316.99	178.86	-67.9
DDH1238	323.09	178.81	-67.95
DDH1238	329.18	179.09	-68.01
DDH1238	335.28	179.03	-67.93
DDH1238	341.38	178.98	-67.9
DDH1238	347.47	178.91	-67.95
DDH1238	353.57	179.23	-67.87
DDH1238	359.66	179.06	-67.94
DDH1238	365.76	179.02	-67.95
DDH1238	371.86	179.04	-67.89
DDH1238	377.95	179.03	-67.79
DDH1238	384.05	179.17	-67.87
DDH1238	390.14	178.94	-67.88
DDH1238	396.24	178.93	-67.88
DDH1238	401.94	179.07	-67.9
DDH1239	0	205.39	-82.78
DDH1239	15.27	209.85	-82.7
DDH1239	30.48	210.29	-82.81
DDH1239	45.75	212.57	-83.03
DDH1239	60.98	211.58	-83.16
DDH1239	76.21	211.27	-82.99
DDH1239	91.45	209.11	-82.86
DDH1239	106.69	206.9	-82.59
DDH1239	121.94	205.79	-82.49
DDH1239	137.2	206.28	-82.21
DDH1239	152.42	205.69	-82.17
DDH1239	167.67	203.9	-82.25
DDH1239	182.88	201.93	-82.22
DDH1239	198.12	200.88	-82.17
DDH1239	213.36	198.18	-81.96
DDH1239	228.66	198.52	-82.04
DDH1239	243.84	197.03	-82.01
DDH1239	259.22	195.45	-81.97
DDH1239	274.56	194.24	-81.84
DDH1239	289.71	193.74	-81.72
DDH1239	304.8	191.54	-81.49
DDH1239	320.04	190.47	-81.64
DDH1239	335.32	190.16	-81.5
DDH1239	350.55	190.37	-81.38
DDH1239	365.78	187.76	-81.13
DDH1239	381.03	184.48	-80.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1239	388.43	184.52	-80.81
DDH1240	0	181.71	-65.44
DDH1240	6.1	181.22	-65.86
DDH1240	12.19	181.12	-65.75
DDH1240	18.29	181.04	-65.71
DDH1240	24.38	181.23	-65.63
DDH1240	30.48	181.16	-65.68
DDH1240	36.58	181.34	-65.55
DDH1240	42.67	181.1	-65.65
DDH1240	48.77	181.02	-65.66
DDH1240	54.86	181.21	-65.53
DDH1240	60.96	180.95	-65.17
DDH1240	67.06	180.55	-65.22
DDH1240	73.15	180.68	-65.32
DDH1240	79.25	180.78	-65.22
DDH1240	85.34	180.7	-65.24
DDH1240	91.44	180.6	-65.28
DDH1240	97.54	180.57	-65.23
DDH1240	103.63	180.61	-65.18
DDH1240	109.73	180.65	-65.12
DDH1240	115.82	180.61	-65.07
DDH1240	121.92	180.53	-65.05
DDH1240	128.02	180.36	-65.04
DDH1240	134.11	180.44	-65
DDH1240	140.21	180.29	-64.98
DDH1240	146.3	180.49	-64.86
DDH1240	152.4	180.3	-64.88
DDH1240	158.5	179.96	-64.89
DDH1240	164.59	180.13	-64.91
DDH1240	170.69	180.51	-64.86
DDH1240	176.78	180.39	-64.8
DDH1240	182.88	180.47	-64.85
DDH1240	188.98	180.49	-64.84
DDH1240	195.07	180.51	-64.72
DDH1240	201.17	180.53	-64.82
DDH1240	207.26	180.51	-64.76
DDH1240	213.36	180.71	-64.73
DDH1240	219.46	180.39	-64.71
DDH1240	225.55	180.56	-64.63
DDH1240	231.65	180.48	-64.6
DDH1240	237.74	180.32	-64.47
DDH1240	243.84	180.44	-64.35
DDH1240	249.94	180.61	-64.25
DDH1240	256.03	180.61	-64.28
DDH1240	262.13	180.78	-64.42

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1240	268.22	181.02	-64.45
DDH1240	274.32	181.3	-64.53
DDH1240	280.42	181.5	-64.62
DDH1240	286.51	181.69	-64.66
DDH1240	292.61	181.41	-64.57
DDH1240	298.7	181.24	-64.55
DDH1240	304.8	181.11	-64.5
DDH1240	310.9	180.85	-64.39
DDH1240	316.99	180.99	-64.42
DDH1240	323.09	181	-64.3
DDH1240	327.95	181.18	-64.43
DDH1241	0	348.75	-84.23
DDH1241	15.25	347.82	-84.21
DDH1241	30.58	344.81	-84.48
DDH1241	45.73	343.62	-84.65
DDH1241	60.98	344.82	-85.06
DDH1241	76.22	343.73	-85.78
DDH1241	91.44	344.77	-86.24
DDH1241	106.82	343.55	-86.38
DDH1241	121.94	344.2	-86.8
DDH1241	137.17	344.83	-87.42
DDH1241	152.46	354.88	-87.84
DDH1241	167.74	0.75	-88.06
DDH1241	182.89	10.64	-88.68
DDH1241	198.17	20.71	-88.75
DDH1241	213.37	48.43	-88.94
DDH1241	228.77	58.41	-88.88
DDH1241	243.86	65.5	-88.6
DDH1241	259.1	78.09	-88.6
DDH1241	274.37	90.83	-88.5
DDH1241	289.83	102.26	-88.45
DDH1241	304.82	117.2	-88.3
DDH1241	320.1	127.01	-88.23
DDH1241	335.33	128.4	-88.26
DDH1241	350.54	130.27	-88.22
DDH1241	365.82	134.55	-87.9
DDH1241	369.23	135.08	-87.84

HOLEID	DEPTH (m)	AZIMUTH	DIP
--------	-----------	---------	-----

DDH1243	0	166.2	-61.81
DDH1243	6.1	166.32	-61.86
DDH1243	12.19	166.1	-61.11
DDH1243	18.29	166.17	-60.67
DDH1243	24.38	166.16	-61.36
DDH1243	30.48	166.24	-61.31
DDH1243	36.58	166.28	-61.32
DDH1243	42.67	166.31	-61.32
DDH1243	48.77	166.6	-61.3
DDH1243	54.86	166.62	-61.31
DDH1243	60.96	166.5	-61.19

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1243	67.06	166.42	-61.06
DDH1243	73.15	166.74	-60.94
DDH1243	79.25	166.67	-61.01
DDH1243	85.34	166.87	-61.09
DDH1243	91.44	166.9	-61.17
DDH1243	97.54	167.06	-61.2
DDH1243	103.63	167.27	-61.22
DDH1243	109.73	167.3	-61.24
DDH1243	115.82	167.06	-61.19
DDH1243	121.92	167.09	-61.12
DDH1243	128.02	167.14	-61.1
DDH1243	134.11	167.18	-61.22
DDH1243	140.21	167.34	-61.22
DDH1243	146.3	167.55	-61.18
DDH1243	152.4	167.43	-61.23
DDH1243	158.5	167.36	-61.21
DDH1243	164.59	167.5	-61.28
DDH1243	170.69	167.51	-61.26
DDH1243	176.78	167.37	-61.29
DDH1243	182.88	167.64	-61.19
DDH1243	188.98	168.07	-61.2
DDH1243	195.07	168.1	-61.16
DDH1243	201.17	168.19	-61.21
DDH1243	207.26	168.17	-61.11
DDH1243	213.36	168.09	-61.01
DDH1243	219.46	167.89	-60.97
DDH1243	225.55	167.69	-60.93
DDH1243	231.65	167.67	-60.86
DDH1243	237.74	167.39	-60.71
DDH1243	243.84	166.94	-60.65
DDH1243	249.94	166.92	-60.46
DDH1243	256.03	166.51	-60.32
DDH1243	262.13	166.24	-60.2
DDH1243	268.22	165.67	-59.93
DDH1243	274.32	165.47	-59.84
DDH1243	280.42	165.36	-59.72
DDH1243	286.51	165.21	-59.63
DDH1243	292.61	164.91	-59.59
DDH1243	298.7	164.8	-59.49
DDH1243	304.8	164.58	-59.39
DDH1243	310.9	164.42	-59.18
DDH1243	316.99	164.39	-59.09
DDH1243	323.09	164.27	-58.99
DDH1243	329.18	164.28	-59.07
DDH1243	335.28	164.39	-59.06

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1243	341.38	164.62	-58.88
DDH1243	347.47	164.99	-58.96
DDH1243	350.73	164.97	-58.91
DDH1244	0	172.12	-53.17
DDH1244	6.1	172.17	-53.79
DDH1244	12.19	172.33	-52.76
DDH1244	18.29	172.12	-51.68
DDH1244	24.38	171.91	-52.34
DDH1244	30.48	172.11	-52.52
DDH1244	36.58	172.03	-52.32
DDH1244	42.67	172	-52.32
DDH1244	48.77	171.86	-52.21
DDH1244	54.86	171.66	-52.01
DDH1244	60.96	171.53	-51.85
DDH1244	67.06	171.28	-51.65
DDH1244	73.15	171.13	-51.58
DDH1244	79.25	171.05	-51.6
DDH1244	85.34	170.81	-51.45
DDH1244	91.44	170.58	-51.39
DDH1244	97.54	170.46	-51.13
DDH1244	103.63	170.23	-51.14
DDH1244	109.73	170.18	-51.11
DDH1244	115.82	170.13	-51.08
DDH1244	121.92	170.09	-51
DDH1244	128.02	170.11	-50.98
DDH1244	134.11	170.21	-50.93
DDH1244	140.21	170.16	-50.9
DDH1244	146.3	170.07	-50.9
DDH1244	152.4	170.04	-50.85
DDH1244	158.5	169.9	-50.86
DDH1244	164.59	169.84	-50.87
DDH1244	170.69	169.91	-50.85
DDH1244	176.78	169.84	-50.77
DDH1244	182.88	169.75	-50.85
DDH1244	188.98	169.75	-50.78
DDH1244	195.07	169.56	-50.74
DDH1244	201.17	169.59	-50.63
DDH1244	207.26	169.57	-50.73
DDH1244	213.36	169.63	-50.94
DDH1244	219.46	169.96	-51.16
DDH1244	225.55	169.81	-51.22
DDH1244	231.65	169.79	-51.29
DDH1244	237.74	169.73	-51.41
DDH1244	243.84	169.43	-51.43
DDH1244	249.94	169.41	-51.56

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1244	256.03	169.63	-51.75
DDH1244	262.13	169.78	-52
DDH1244	268.22	169.74	-52.04
DDH1244	274.32	169.93	-52.16
DDH1244	280.42	170.01	-52.24
DDH1244	286.51	169.96	-52.3
DDH1244	292.61	169.99	-52.28
DDH1244	298.7	170.01	-52.34
DDH1244	304.8	169.83	-52.18
DDH1244	310.9	169.72	-52.19
DDH1244	316.99	169.48	-52.2
DDH1244	323.09	169.54	-52.24
DDH1244	329.18	169.59	-52.45
DDH1244	335.28	169.5	-52.5
DDH1244	341.38	169.78	-52.43
DDH1244	347.47	169.75	-52.42
DDH1244	353.57	169.81	-52.44
DDH1244	359.66	169.79	-52.44
DDH1244	365.76	169.9	-52.45
DDH1244	371.86	169.99	-52.38
DDH1244	377.95	170.04	-52.34
DDH1244	384.05	170.16	-52.35
DDH1244	390.14	170.18	-52.41
DDH1244	396.24	170.12	-52.32
DDH1244	402.34	170.09	-52.28
DDH1244	404.74	169.79	-52.33

HOLEID	DEPTH (m)	AZIMUTH	DIP
--------	-----------	---------	-----

HOLEID	DEPTH (m)	AZIMUTH	DIP
--------	-----------	---------	-----

DDH1246	0	173.98	-62.44
DDH1246	6.1	174.54	-62.27
DDH1246	12.19	174.44	-61.76
DDH1246	18.29	174.5	-61.3
DDH1246	24.38	174.41	-61.53
DDH1246	30.48	174.49	-61.53
DDH1246	36.58	174.42	-61.47
DDH1246	42.67	174.59	-61.61
DDH1246	48.77	174.51	-61.59
DDH1246	54.86	174.25	-61.57
DDH1246	60.96	174.16	-61.53
DDH1246	67.06	173.86	-61.59
DDH1246	73.15	173.83	-61.44
DDH1246	79.25	173.79	-61.47
DDH1246	85.34	173.71	-61.6
DDH1246	91.44	173.88	-61.7
DDH1246	97.54	174	-61.73
DDH1246	103.63	173.71	-61.81
DDH1246	109.73	173.91	-61.77
DDH1246	115.82	174.29	-61.8
DDH1246	121.92	173.74	-61.77
DDH1246	128.02	173.58	-61.87
DDH1246	134.11	173.22	-61.81
DDH1246	140.21	173.02	-61.71
DDH1246	146.3	172.82	-61.7
DDH1246	152.4	172.83	-61.7
DDH1246	158.5	172.85	-61.82
DDH1246	164.59	172.85	-61.88

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1246	170.69	172.76	-61.87
DDH1246	176.78	172.64	-61.97
DDH1246	182.88	172.51	-62.01
DDH1246	188.98	172.33	-62.05
DDH1246	195.07	172.03	-62.04
DDH1246	201.17	171.43	-61.81
DDH1246	207.26	171.32	-61.77
DDH1246	213.36	171.09	-61.72
DDH1246	219.46	170.88	-61.6
DDH1246	225.55	170.77	-61.65
DDH1246	231.65	170.54	-61.6
DDH1246	237.74	170.31	-61.54
DDH1246	243.84	170.02	-61.54
DDH1246	249.94	169.96	-61.54
DDH1246	256.03	169.63	-61.52
DDH1246	262.13	169.27	-61.45
DDH1246	268.22	168.98	-61.37
DDH1246	274.32	168.72	-61.31
DDH1246	280.42	168.47	-61.25
DDH1246	286.51	168.2	-61.19
DDH1246	292.61	168.02	-61.19
DDH1246	298.7	167.88	-61.16
DDH1246	304.8	167.8	-61.15
DDH1246	310.9	167.76	-61.08
DDH1246	316.99	167.76	-60.99
DDH1246	323.09	167.21	-60.73
DDH1246	329.18	166.87	-60.59
DDH1246	335.28	167.07	-60.66
DDH1246	341.38	167.11	-60.67
DDH1246	347.47	167.22	-60.64
DDH1246	353.57	167.42	-60.62
DDH1246	359.66	167.54	-60.63
DDH1246	365.76	167.73	-60.62
DDH1246	371.86	167.87	-60.61
DDH1246	377.95	167.82	-60.54
DDH1246	384.05	168.2	-60.57
DDH1246	390.14	168.21	-60.52
DDH1246	396.24	168.4	-60.54
DDH1246	402.34	168.52	-60.54
DDH1246	408.43	168.03	-60.57
DDH1246	412.49	168.11	-60.58
UGD0027	-0.02	76	-56.34
UGD0027	0	76	-56
UGD0027	0	76	-56.34
UGD0027	0.93	76.05	-56.37

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0027	1.86	76.08	-56.38
UGD0027	2.79	76.15	-56.39
UGD0027	3.72	76.26	-56.37
UGD0027	4.65	76.36	-56.34
UGD0027	5.57	76.47	-56.32
UGD0027	6.5	76.6	-56.33
UGD0027	7.43	76.73	-56.34
UGD0027	8.36	76.7	-56.36
UGD0027	9.29	76.77	-56.4
UGD0027	10.22	76.92	-56.44
UGD0027	11.15	77.08	-56.5
UGD0027	12.08	77.23	-56.52
UGD0027	13.01	77.6	-56.53
UGD0027	13.94	77.78	-56.5
UGD0027	14.87	77.87	-56.47
UGD0027	15.79	77.99	-56.43
UGD0027	16.72	78.09	-56.4
UGD0027	17.65	78.14	-56.38
UGD0027	18.58	78.22	-56.36
UGD0027	19.51	78.3	-56.36
UGD0027	20.44	78.32	-56.36
UGD0027	21.37	78.39	-56.35
UGD0027	22.3	78.41	-56.33
UGD0027	23.23	78.47	-56.33
UGD0027	24.16	78.52	-56.34
UGD0027	25.09	78.55	-56.33
UGD0027	26.01	78.59	-56.3
UGD0027	26.94	78.57	-56.28
UGD0027	27.87	78.59	-56.28
UGD0027	28.8	78.67	-56.28
UGD0027	29.73	78.76	-56.25
UGD0027	30.66	78.75	-56.23
UGD0027	31.59	78.82	-56.23
UGD0027	32.52	78.9	-56.23
UGD0027	33.45	78.99	-56.22
UGD0027	34.38	79.04	-56.21
UGD0027	35.3	79.1	-56.2
UGD0027	36.23	79.17	-56.19
UGD0027	37.16	79.25	-56.18
UGD0027	38.09	79.36	-56.16
UGD0027	39.02	79.41	-56.14
UGD0027	39.95	79.49	-56.13
UGD0027	40.88	79.61	-56.1
UGD0027	41.81	79.65	-56.07
UGD0027	42.74	79.69	-56.07

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0027	43.67	79.76	-56.09
UGD0027	44.59	79.85	-56.09
UGD0027	45.52	79.95	-56.06
UGD0027	46.45	80.07	-56.03
UGD0027	47.38	80.13	-56.02
UGD0027	48.31	80.3	-56
UGD0027	49.24	80.45	-55.95
UGD0027	50.17	80.48	-55.92
UGD0027	51.1	80.55	-55.9
UGD0027	52.03	80.61	-55.91
UGD0027	52.96	80.72	-55.88
UGD0027	53.88	80.8	-55.84
UGD0027	54.81	80.89	-55.81
UGD0027	55.74	81.02	-55.79
UGD0027	56.67	81.08	-55.76
UGD0027	57.6	81.09	-55.74
UGD0027	58.53	81.14	-55.73
UGD0027	59.46	81.24	-55.72
UGD0027	60.39	81.3	-55.7
UGD0027	61.32	81.34	-55.67
UGD0027	62.25	81.29	-55.64
UGD0027	63.17	81.42	-55.62
UGD0027	64.1	81.54	-55.59
UGD0027	65.03	81.6	-55.57
UGD0027	65.96	81.66	-55.57
UGD0027	66.89	81.67	-55.56
UGD0027	67.82	81.69	-55.54
UGD0027	68.75	81.8	-55.47
UGD0027	69.68	81.83	-55.4
UGD0027	70.61	81.82	-55.36
UGD0027	71.54	81.85	-55.34
UGD0027	72.46	81.91	-55.32
UGD0027	73.39	81.96	-55.3
UGD0027	74.32	81.99	-55.32
UGD0027	75.25	82.02	-55.37
UGD0027	76.18	82.19	-55.39
UGD0027	77.11	82.26	-55.32
UGD0027	78.04	82.23	-55.25
UGD0027	78.97	82.28	-55.23
UGD0027	79.9	82.38	-55.2
UGD0027	80.83	82.49	-55.17
UGD0027	81.75	82.57	-55.13
UGD0027	82.68	82.62	-55.13
UGD0027	83.61	82.68	-55.14
UGD0027	84.54	82.7	-55.12

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0027	85.47	82.74	-55.08
UGD0027	86.4	82.84	-55.04
UGD0027	87.33	82.89	-55
UGD0027	88.26	83	-54.96
UGD0027	89.19	83.06	-54.93
UGD0027	90.12	83.08	-54.92
UGD0027	91.04	83.13	-54.92
UGD0027	91.97	83.17	-54.88
UGD0027	92.9	83.23	-54.86
UGD0027	93.83	83.28	-54.84
UGD0027	94.76	83.27	-54.83
UGD0027	95.69	83.33	-54.83
UGD0027	96.62	83.39	-54.83
UGD0027	97.55	83.41	-54.85
UGD0027	98.48	83.41	-54.89
UGD0027	99.41	83.5	-54.93
UGD0027	100.33	83.53	-54.95
UGD0027	101.26	83.61	-54.94
UGD0027	102.19	83.72	-54.93
UGD0027	103.12	83.67	-54.93
UGD0027	104.05	83.7	-54.91
UGD0027	104.98	83.79	-54.86
UGD0027	105.91	83.87	-54.79
UGD0027	106.84	83.92	-54.76
UGD0027	107.77	83.96	-54.75
UGD0027	108.7	84.06	-54.75
UGD0027	109.62	84.16	-54.76
UGD0027	110.55	84.23	-54.77
UGD0027	111.48	84.32	-54.8
UGD0027	112.41	84.4	-54.82
UGD0027	113.34	84.41	-54.82
UGD0027	114.27	84.47	-54.81
UGD0027	115.2	84.53	-54.8
UGD0027	116.13	84.57	-54.81
UGD0027	117.06	84.64	-54.81
UGD0027	117.99	84.74	-54.83
UGD0027	118.91	84.77	-54.88
UGD0027	119.84	84.82	-54.91
UGD0027	120.77	84.89	-54.93
UGD0027	121.7	84.95	-54.95
UGD0027	122.63	84.98	-54.94
UGD0027	123.56	85.02	-54.9
UGD0027	124.49	85.11	-54.82
UGD0027	125.42	85.16	-54.76
UGD0027	126.35	85.23	-54.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0027	127.28	85.29	-54.65
UGD0027	128.2	85.36	-54.6
UGD0027	129.13	85.45	-54.6
UGD0027	130.06	85.55	-54.62
UGD0027	130.99	85.64	-54.64
UGD0027	131.92	85.72	-54.65
UGD0027	132.85	85.79	-54.68
UGD0027	133.78	85.88	-54.7
UGD0027	134.71	85.96	-54.71
UGD0027	135.64	86.02	-54.72
UGD0027	136.57	86.1	-54.75
UGD0027	137.5	86.21	-54.78
UGD0027	138.42	86.28	-54.81
UGD0027	139.35	86.3	-54.81
UGD0027	140.28	86.35	-54.82
UGD0027	141.21	86.37	-54.81
UGD0027	142.14	86.35	-54.79
UGD0027	143.07	86.37	-54.78
UGD0027	144	86.46	-54.75
UGD0027	144.93	86.57	-54.73
UGD0027	145.86	86.67	-54.72
UGD0027	146.79	86.65	-54.75
UGD0027	147.72	86.64	-54.78
UGD0027	148.64	86.68	-54.8
UGD0027	149.57	86.75	-54.82
UGD0027	150.5	86.81	-54.84
UGD0027	151.43	86.84	-54.85
UGD0027	152.36	86.88	-54.82
UGD0027	153.29	86.97	-54.77
UGD0027	154.22	87	-54.72
UGD0027	155.15	86.99	-54.69
UGD0027	156.08	87.08	-54.66
UGD0027	157.01	87.18	-54.64
UGD0027	157.94	87.24	-54.64
UGD0027	158.86	87.27	-54.66
UGD0027	159.79	87.3	-54.68
UGD0027	160.72	87.36	-54.68
UGD0027	161.65	87.5	-54.67
UGD0027	162.58	87.61	-54.65
UGD0027	163.51	87.67	-54.63
UGD0027	164.44	87.72	-54.64
UGD0027	165.37	87.81	-54.64
UGD0027	166.3	87.84	-54.63
UGD0027	167.23	87.97	-54.6
UGD0027	168.16	88.02	-54.57

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0027	169.08	88.01	-54.56
UGD0027	170.01	88.07	-54.52
UGD0027	170.94	88.07	-54.49
UGD0027	171.87	88.12	-54.49
UGD0027	172.8	88.21	-54.49
UGD0027	173.73	88.26	-54.48
UGD0027	174.66	88.3	-54.49
UGD0027	175.59	88.31	-54.5
UGD0027	176.52	88.3	-54.5
UGD0027	177.45	88.35	-54.5
UGD0027	178.38	88.41	-54.51
UGD0027	179.3	88.4	-54.51
UGD0027	180.23	88.39	-54.49
UGD0027	181.16	88.44	-54.46
UGD0027	182.09	88.49	-54.44
UGD0027	183.02	88.48	-54.41
UGD0027	183.95	88.5	-54.39
UGD0027	184.88	88.52	-54.39
UGD0027	185.81	88.58	-54.42
UGD0027	186.74	88.63	-54.42
UGD0027	187.67	88.65	-54.42
UGD0027	188.6	88.64	-54.43
UGD0027	189.52	88.69	-54.43
UGD0027	190.45	88.77	-54.41
UGD0027	191.38	88.84	-54.37
UGD0027	192.31	88.84	-54.36
UGD0027	193.24	88.87	-54.38
UGD0027	194.17	88.93	-54.37
UGD0027	195.1	89	-54.36
UGD0027	196.03	89.1	-54.37
UGD0027	196.96	89.22	-54.38
UGD0027	197.89	89.31	-54.39
UGD0027	198.81	89.37	-54.39
UGD0027	199.74	89.45	-54.4
UGD0027	200.67	89.53	-54.37
UGD0027	201.6	89.59	-54.3
UGD0027	202.53	89.63	-54.23
UGD0027	203.46	89.68	-54.15
UGD0027	204.39	89.69	-54.09
UGD0027	205.32	89.73	-54.05
UGD0027	206.25	89.8	-54.05
UGD0027	207.18	89.81	-54.08
UGD0027	208.1	89.8	-54.14
UGD0027	209.03	89.8	-54.19
UGD0027	209.96	89.86	-54.26

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0027	210.89	89.9	-54.31
UGD0027	211.82	89.94	-54.34
UGD0027	212.75	89.98	-54.36
UGD0027	213.68	90.03	-54.35
UGD0027	214.61	90.12	-54.34
UGD0027	215.54	90.24	-54.33
UGD0027	216.47	90.34	-54.29
UGD0027	217.39	90.43	-54.23
UGD0027	218.32	90.55	-54.17
UGD0027	219.25	90.66	-54.12
UGD0027	220.18	90.75	-54.09
UGD0027	221.11	90.83	-54.06
UGD0027	222.04	90.91	-54.08
UGD0027	222.97	90.99	-54.09
UGD0027	223.9	91.06	-54.13
UGD0027	224.83	91.11	-54.17
UGD0027	225.76	91.15	-54.15
UGD0027	226.68	91.18	-54.12
UGD0027	227.61	91.19	-54.1
UGD0027	228.54	91.22	-54.08
UGD0027	229.47	91.24	-54.06
UGD0027	230.4	91.22	-54.03
UGD0027	231.33	91.23	-54
UGD0027	232.26	91.25	-53.98
UGD0027	233.19	91.29	-53.99
UGD0027	234.12	91.32	-54
UGD0027	235.05	91.35	-54
UGD0027	235.97	91.39	-54
UGD0027	236.9	91.41	-54.02
UGD0027	237.83	91.44	-54.05
UGD0027	238.76	91.48	-54.08
UGD0027	239.69	91.53	-54.09
UGD0027	240.62	91.58	-54.08
UGD0027	241.55	91.65	-54.07
UGD0027	242.48	91.71	-54.07
UGD0027	243.41	91.79	-54.09
UGD0027	244.34	91.87	-54.12
UGD0027	245.26	91.92	-54.13
UGD0027	246.19	91.96	-54.12
UGD0027	247.12	91.98	-54.1
UGD0027	248.05	92.03	-54.09
UGD0027	248.98	92.07	-54.04
UGD0027	249.91	92.1	-53.99
UGD0027	250.84	92.13	-53.96
UGD0027	251.77	92.17	-53.91

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0027	252.7	92.21	-53.88
UGD0027	253.63	92.26	-53.87
UGD0027	254.55	92.31	-53.87
UGD0027	255.48	92.34	-53.86
UGD0027	256.41	92.39	-53.82
UGD0027	257.34	92.44	-53.8
UGD0027	258.27	92.5	-53.83
UGD0027	259.2	92.59	-53.87
UGD0027	260.13	92.7	-53.89
UGD0027	261.06	92.84	-53.92
UGD0027	261.99	92.94	-53.97
UGD0027	262.92	93.04	-53.97
UGD0027	263.84	93.15	-53.94
UGD0027	264.77	93.2	-53.87
UGD0027	265.7	93.25	-53.81
UGD0027	266.63	93.31	-53.78
UGD0027	267.56	93.39	-53.75
UGD0027	268.49	93.44	-53.72
UGD0027	269.42	93.5	-53.71
UGD0027	270.35	93.57	-53.68
UGD0027	271.28	93.65	-53.63
UGD0027	272.21	93.75	-53.57
UGD0027	273.13	93.8	-53.5
UGD0027	274.06	93.85	-53.46
UGD0027	274.99	93.91	-53.44
UGD0027	275.92	93.96	-53.41
UGD0027	276.85	94	-53.44
UGD0027	277.78	94.05	-53.49
UGD0027	278.71	94.1	-53.52
UGD0027	279.64	94.14	-53.54
UGD0027	280.57	94.19	-53.55
UGD0027	281.5	94.24	-53.56
UGD0027	282.42	94.29	-53.57
UGD0027	283.35	94.34	-53.58
UGD0027	284.28	94.37	-53.57
UGD0027	285.21	94.4	-53.58
UGD0027	286.14	94.44	-53.59
UGD0027	287.07	94.48	-53.58
UGD0027	288	94.53	-53.56
UGD0027	288.93	94.51	-53.55
UGD0027	289.86	94.56	-53.55
UGD0027	290.79	94.66	-53.52
UGD0027	291.71	94.76	-53.46
UGD0027	292.64	94.77	-53.43
UGD0027	293.57	94.76	-53.42

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0027	294.5	94.76	-53.41
UGD0027	295.43	94.82	-53.4
UGD0027	296.36	94.9	-53.39
UGD0027	297.29	94.92	-53.37
UGD0027	298.22	94.94	-53.33
UGD0027	299.15	95.03	-53.31
UGD0027	300.08	95.13	-53.31
UGD0027	301.01	95.16	-53.3
UGD0027	301.93	95.19	-53.3
UGD0027	302.86	95.26	-53.35
UGD0027	303.79	95.37	-53.44
UGD0027	304.72	95.45	-53.48
UGD0027	305.65	95.53	-53.47
UGD0027	306.58	95.61	-53.48
UGD0027	307.51	95.73	-53.5
UGD0027	308.44	95.84	-53.49
UGD0027	309.37	95.95	-53.44
UGD0027	310.3	96.07	-53.39
UGD0027	311.23	96.19	-53.38
UGD0027	312.15	96.28	-53.35
UGD0027	313.08	96.3	-53.29
UGD0027	314.01	96.36	-53.27
UGD0027	314.94	96.45	-53.23
UGD0027	315.87	96.55	-53.22
UGD0027	316.8	96.65	-53.22
UGD0027	317.73	96.73	-53.24
UGD0027	318.66	96.76	-53.24
UGD0027	319.59	96.85	-53.21
UGD0027	320.52	96.95	-53.19
UGD0027	321.45	97.02	-53.19
UGD0027	322.37	97.08	-53.19
UGD0027	323.3	97.13	-53.17
UGD0027	324.23	97.22	-53.14
UGD0027	325.16	97.28	-53.09
UGD0027	326.09	97.32	-53.05
UGD0027	327.02	97.35	-53.05
UGD0027	327.95	97.42	-52.97
UGD0027	328.88	97.52	-52.89
UGD0027	329.81	97.55	-52.87
UGD0027	330.74	97.55	-52.9
UGD0027	331.67	97.55	-52.9
UGD0027	332.59	97.63	-52.88
UGD0027	333.52	97.68	-52.89
UGD0027	334.45	97.73	-52.92
UGD0027	335.38	97.76	-52.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0027	336.31	97.8	-52.85
UGD0027	337.24	97.85	-52.84
UGD0027	338.17	97.87	-52.83
UGD0027	339.1	97.87	-52.81
UGD0027	340.03	97.93	-52.8
UGD0027	340.96	98.07	-52.83
UGD0027	341.89	98.21	-52.89
UGD0027	342.81	98.31	-52.89
UGD0027	343.74	98.44	-52.86
UGD0027	344.67	98.59	-52.85
UGD0027	345.6	98.73	-52.84
UGD0027	346.53	98.85	-52.8
UGD0027	347.46	98.88	-52.75
UGD0027	348.39	99	-52.71
UGD0027	349.32	99.07	-52.68
UGD0027	350.25	99.09	-52.67
UGD0027	351.18	99.13	-52.64
UGD0027	352.1	99.17	-52.57
UGD0027	353.03	99.22	-52.49
UGD0027	353.96	99.26	-52.42
UGD0027	354.89	99.3	-52.38
UGD0027	355.82	99.33	-52.39
UGD0027	356.75	99.36	-52.41
UGD0027	357.68	99.42	-52.46
UGD0027	358.61	99.46	-52.55
UGD0027	359.54	99.51	-52.63
UGD0027	360.47	99.57	-52.69
UGD0027	361.39	99.65	-52.72
UGD0027	362.32	99.7	-52.74
UGD0027	363.25	99.76	-52.77
UGD0027	364.18	99.82	-52.77
UGD0027	365.11	99.89	-52.72
UGD0027	366.04	99.97	-52.72
UGD0027	366.97	100.05	-52.72
UGD0027	367.9	100.1	-52.69
UGD0027	368.83	100.15	-52.67
UGD0027	369.76	100.22	-52.67
UGD0027	370.68	100.29	-52.74
UGD0027	371.61	100.33	-52.78
UGD0027	372.54	100.41	-52.8
UGD0027	373.47	100.5	-52.83
UGD0027	374.4	100.58	-52.86
UGD0027	375.33	100.61	-52.88
UGD0027	376.26	100.68	-52.86
UGD0027	377.19	100.76	-52.82

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0027	378.12	100.81	-52.81
UGD0027	379.05	100.89	-52.81
UGD0027	379.97	101.02	-52.73
UGD0027	380.9	101.11	-52.67
UGD0027	381.83	101.16	-52.64
UGD0027	382.76	101.19	-52.66
UGD0027	383.69	101.23	-52.66
UGD0027	384.62	101.36	-52.64
UGD0027	385.55	101.47	-52.63
UGD0027	386.48	101.52	-52.63
UGD0027	387.41	101.55	-52.58
UGD0027	388.34	101.59	-52.49
UGD0027	389.26	101.65	-52.4
UGD0027	390.19	101.7	-52.33
UGD0027	391.12	101.78	-52.29
UGD0027	392.05	101.83	-52.28
UGD0027	392.98	101.89	-52.26
UGD0027	393.91	101.96	-52.25
UGD0027	394.84	102.02	-52.22
UGD0027	395.77	102.09	-52.17
UGD0027	396.7	102.17	-52.15
UGD0027	397.63	102.28	-52.12
UGD0027	398.55	102.36	-52.09
UGD0027	399.48	102.43	-52.06
UGD0027	400.41	102.5	-52.05
UGD0027	401.34	102.6	-52.03
UGD0027	402.27	102.7	-51.98
UGD0027	403.2	102.76	-51.91
UGD0027	404.13	102.8	-51.89
UGD0027	405.06	102.92	-51.89
UGD0027	405.99	103.01	-51.89
UGD0027	406.92	103.06	-51.89
UGD0027	407.84	103.09	-51.92
UGD0027	408.77	103.14	-51.98
UGD0027	409.7	103.16	-52
UGD0027	410.63	103.21	-51.97
UGD0027	411.56	103.3	-51.91
UGD0027	412.49	103.35	-51.87
UGD0027	413.42	103.41	-51.85
UGD0027	414.35	103.49	-51.8
UGD0027	415.28	103.55	-51.74
UGD0027	416.21	103.61	-51.67
UGD0027	417.13	103.63	-51.61
UGD0027	418.06	103.7	-51.58
UGD0027	418.99	103.76	-51.58

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0027	419.92	103.8	-51.61
UGD0027	420.85	103.83	-51.65
UGD0027	421.78	103.88	-51.7
UGD0027	422.71	103.93	-51.77
UGD0027	423.64	103.98	-51.86
UGD0027	424.57	104.06	-51.9
UGD0027	425.5	104.15	-51.91
UGD0027	426.42	104.15	-51.9
UGD0027	427.35	104.17	-51.89
UGD0027	428.28	104.25	-51.85
UGD0027	429.21	104.37	-51.79
UGD0027	430.14	104.47	-51.75
UGD0027	431.07	104.55	-51.74
UGD0027	432	104.6	-51.73
UGD0027	432.93	104.73	-51.71
UGD0027	433.86	104.91	-51.75
UGD0027	434.79	105.06	-51.81
UGD0027	435.71	105.19	-51.78
UGD0027	436.64	105.29	-51.74
UGD0027	437.57	105.38	-51.73
UGD0027	438.5	105.43	-51.74
UGD0027	439.43	105.51	-51.7
UGD0027	440.36	105.61	-51.63
UGD0027	441.29	105.69	-51.62
UGD0027	442.22	105.79	-51.71
UGD0027	443.15	105.85	-51.77
UGD0027	444.08	105.88	-51.78
UGD0027	445	105.92	-51.8
UGD0027	445.93	105.98	-51.87
UGD0027	446.86	106.02	-51.9
UGD0027	447.79	106.09	-51.85
UGD0027	448.72	106.19	-51.79
UGD0027	449.65	106.31	-51.75
UGD0027	450.58	106.4	-51.74
UGD0027	451.51	106.48	-51.74
UGD0027	452.44	106.54	-51.77
UGD0027	453.37	106.55	-51.81
UGD0027	453.76	106.55	-51.83
UGD0029	-0.39	84.87	-70.44
UGD0029	0	85	-70
UGD0029	0	85	-70.41
UGD0029	0.93	85.14	-70.36
UGD0029	1.86	85.27	-70.37
UGD0029	2.79	85.19	-70.38
UGD0029	3.72	85.22	-70.35

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0029	4.65	85.45	-70.32
UGD0029	5.57	85.6	-70.3
UGD0029	6.5	85.41	-70.28
UGD0029	7.43	85.55	-70.25
UGD0029	8.36	85.59	-70.2
UGD0029	9.29	85.72	-70.16
UGD0029	10.22	85.8	-70.14
UGD0029	11.15	85.56	-70.13
UGD0029	12.08	85.71	-70.11
UGD0029	13.01	85.76	-70.09
UGD0029	13.94	85.97	-70.07
UGD0029	14.87	86.12	-70.05
UGD0029	15.79	86.11	-70.05
UGD0029	16.72	86.06	-70.05
UGD0029	17.65	86.08	-70.05
UGD0029	18.58	86.1	-70.05
UGD0029	19.51	86.15	-70.04
UGD0029	20.44	86.17	-70.03
UGD0029	21.37	86.28	-70.03
UGD0029	22.3	86.6	-70.03
UGD0029	23.23	86.43	-70.01
UGD0029	24.16	86.37	-70
UGD0029	25.09	86.45	-69.98
UGD0029	26.01	86.63	-69.97
UGD0029	26.94	86.79	-69.95
UGD0029	27.87	87.16	-69.93
UGD0029	28.8	86.97	-69.9
UGD0029	29.73	87.02	-69.89
UGD0029	30.66	87.24	-69.87
UGD0029	31.59	87.66	-69.87
UGD0029	32.52	87.61	-69.87
UGD0029	33.45	87.42	-69.87
UGD0029	34.38	87.7	-69.86
UGD0029	35.3	88.1	-69.85
UGD0029	36.23	87.8	-69.83
UGD0029	37.16	87.84	-69.82
UGD0029	38.09	88.13	-69.81
UGD0029	39.02	88.04	-69.8
UGD0029	39.95	87.92	-69.79
UGD0029	40.88	88.1	-69.77
UGD0029	41.81	88.41	-69.75
UGD0029	42.74	88.61	-69.74
UGD0029	43.67	88.45	-69.73
UGD0029	44.59	88.57	-69.72
UGD0029	45.52	88.69	-69.73

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0029	46.45	88.58	-69.74
UGD0029	47.38	88.84	-69.76
UGD0029	48.31	89.06	-69.77
UGD0029	49.24	89.25	-69.77
UGD0029	50.17	88.93	-69.75
UGD0029	51.1	89.01	-69.71
UGD0029	52.03	89.39	-69.67
UGD0029	52.96	89.12	-69.62
UGD0029	53.88	89.17	-69.57
UGD0029	54.81	89.39	-69.52
UGD0029	55.74	89.38	-69.47
UGD0029	56.67	89.41	-69.43
UGD0029	57.6	89.55	-69.4
UGD0029	58.53	89.65	-69.37
UGD0029	59.46	89.87	-69.36
UGD0029	60.39	89.74	-69.37
UGD0029	61.32	89.66	-69.37
UGD0029	62.25	89.88	-69.38
UGD0029	63.17	90.25	-69.39
UGD0029	64.1	90.04	-69.37
UGD0029	65.03	90.08	-69.33
UGD0029	65.96	90.05	-69.29
UGD0029	66.89	90.02	-69.26
UGD0029	67.82	90.15	-69.23
UGD0029	68.75	90.29	-69.21
UGD0029	69.68	90.32	-69.2
UGD0029	70.61	90.32	-69.19
UGD0029	71.54	90.46	-69.18
UGD0029	72.46	90.61	-69.16
UGD0029	73.39	90.33	-69.15
UGD0029	74.32	90.4	-69.14
UGD0029	75.25	90.54	-69.11
UGD0029	76.18	90.87	-69.07
UGD0029	77.11	90.67	-69.04
UGD0029	78.04	90.73	-69
UGD0029	78.97	90.8	-68.95
UGD0029	79.9	90.99	-68.9
UGD0029	80.83	91.08	-68.86
UGD0029	81.75	90.93	-68.83
UGD0029	82.68	91.01	-68.81
UGD0029	83.61	91.1	-68.81
UGD0029	84.54	91.21	-68.81
UGD0029	85.47	91.32	-68.82
UGD0029	86.4	91.46	-68.84
UGD0029	87.33	91.76	-68.84

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0029	88.26	91.84	-68.82
UGD0029	89.19	92	-68.79
UGD0029	90.12	92.02	-68.76
UGD0029	91.04	92.12	-68.74
UGD0029	91.97	92.24	-68.71
UGD0029	92.9	92.36	-68.7
UGD0029	93.83	92.59	-68.69
UGD0029	94.76	92.73	-68.7
UGD0029	95.69	92.67	-68.7
UGD0029	96.62	92.58	-68.69
UGD0029	97.55	92.71	-68.66
UGD0029	98.48	92.85	-68.65
UGD0029	99.41	93.09	-68.65
UGD0029	100.33	92.75	-68.66
UGD0029	101.26	92.91	-68.63
UGD0029	102.19	93.1	-68.58
UGD0029	103.12	93.22	-68.56
UGD0029	104.05	93.1	-68.54
UGD0029	104.98	93.3	-68.48
UGD0029	105.91	93.39	-68.42
UGD0029	106.84	93.45	-68.38
UGD0029	107.77	93.52	-68.39
UGD0029	108.7	93.61	-68.41
UGD0029	109.62	93.67	-68.44
UGD0029	110.55	93.71	-68.47
UGD0029	111.48	93.77	-68.51
UGD0029	112.41	93.78	-68.53
UGD0029	113.34	93.93	-68.54
UGD0029	114.27	94.13	-68.52
UGD0029	115.2	94.32	-68.47
UGD0029	116.13	94.09	-68.41
UGD0029	117.06	94.05	-68.36
UGD0029	117.99	94.14	-68.32
UGD0029	118.91	94.27	-68.3
UGD0029	119.84	94.36	-68.29
UGD0029	120.77	94.37	-68.28
UGD0029	121.7	94.36	-68.26
UGD0029	122.63	94.41	-68.23
UGD0029	123.56	94.49	-68.2
UGD0029	124.49	94.52	-68.17
UGD0029	125.42	94.51	-68.13
UGD0029	126.35	94.63	-68.08
UGD0029	127.28	94.75	-68.06
UGD0029	128.2	94.74	-68.05
UGD0029	129.13	94.74	-68.06

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0029	130.06	94.83	-68.06
UGD0029	130.99	94.94	-68.05
UGD0029	131.92	94.97	-68.06
UGD0029	132.85	94.97	-68.07
UGD0029	133.78	95.04	-68.09
UGD0029	134.71	95.13	-68.1
UGD0029	135.64	95.17	-68.09
UGD0029	136.57	95.21	-68.07
UGD0029	137.5	95.25	-68.05
UGD0029	138.42	95.26	-68.04
UGD0029	139.35	95.27	-68.02
UGD0029	140.28	95.37	-68.01
UGD0029	141.21	95.44	-68
UGD0029	142.14	95.49	-68.02
UGD0029	143.07	95.55	-68.06
UGD0029	144	95.57	-68.08
UGD0029	144.93	95.59	-68.1
UGD0029	145.86	95.65	-68.1
UGD0029	146.79	95.76	-68.08
UGD0029	147.72	95.87	-68.06
UGD0029	148.64	95.96	-68.03
UGD0029	149.57	96.02	-68
UGD0029	150.5	96.11	-67.96
UGD0029	151.43	96.24	-67.92
UGD0029	152.36	96.38	-67.86
UGD0029	153.29	96.45	-67.81
UGD0029	154.22	96.5	-67.78
UGD0029	155.15	96.56	-67.76
UGD0029	156.08	96.59	-67.75
UGD0029	157.01	96.7	-67.74
UGD0029	157.94	96.68	-67.74
UGD0029	158.86	96.73	-67.75
UGD0029	159.79	96.77	-67.75
UGD0029	160.72	96.81	-67.75
UGD0029	161.65	96.86	-67.75
UGD0029	162.58	96.91	-67.75
UGD0029	163.51	96.94	-67.77
UGD0029	164.44	96.97	-67.77
UGD0029	165.37	96.94	-67.76
UGD0029	166.3	96.88	-67.75
UGD0029	167.23	96.84	-67.74
UGD0029	168.16	96.87	-67.72
UGD0029	169.08	96.94	-67.71
UGD0029	170.01	97	-67.71
UGD0029	170.94	97.03	-67.71

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0029	171.87	97.06	-67.73
UGD0029	172.8	97.09	-67.73
UGD0029	173.73	97.11	-67.73
UGD0029	174.66	97.13	-67.71
UGD0029	175.59	97.23	-67.69
UGD0029	176.52	97.38	-67.68
UGD0029	177.45	97.51	-67.67
UGD0029	178.38	97.62	-67.66
UGD0029	179.3	97.7	-67.63
UGD0029	180.23	97.74	-67.62
UGD0029	181.16	97.77	-67.61
UGD0029	182.09	97.84	-67.6
UGD0029	183.02	97.92	-67.57
UGD0029	183.95	98	-67.54
UGD0029	184.88	98.06	-67.52
UGD0029	185.81	98.07	-67.51
UGD0029	186.74	98.1	-67.5
UGD0029	187.67	98.16	-67.47
UGD0029	188.6	98.19	-67.44
UGD0029	189.52	98.22	-67.41
UGD0029	190.45	98.26	-67.38
UGD0029	191.38	98.28	-67.34
UGD0029	192.31	98.31	-67.32
UGD0029	193.24	98.35	-67.31
UGD0029	194.17	98.36	-67.33
UGD0029	195.1	98.43	-67.35
UGD0029	196.03	98.52	-67.34
UGD0029	196.96	98.61	-67.35
UGD0029	197.89	98.69	-67.34
UGD0029	198.81	98.72	-67.29
UGD0029	199.74	98.75	-67.21
UGD0029	200.67	98.78	-67.12
UGD0029	201.6	98.8	-67.05
UGD0029	202.53	98.86	-67.01
UGD0029	203.46	98.95	-66.99
UGD0029	204.39	99.06	-66.97
UGD0029	205.32	99.17	-66.95
UGD0029	206.25	99.25	-66.95
UGD0029	207.18	99.26	-66.96
UGD0029	207.82	99.94	-67.3
UGD0029	208.1	99.36	-66.99
UGD0029	209.03	99.48	-66.98
UGD0029	209.96	99.65	-66.94
UGD0029	210.89	99.79	-66.89
UGD0029	211.82	99.86	-66.86

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0029	212.75	99.92	-66.82
UGD0029	213.68	100.01	-66.76
UGD0029	214.61	100.09	-66.69
UGD0029	215.54	100.17	-66.64
UGD0029	216.47	100.29	-66.61
UGD0029	217.39	100.42	-66.6
UGD0029	218.32	100.44	-66.58
UGD0029	219.25	100.5	-66.56
UGD0029	220.18	100.53	-66.53
UGD0029	221.11	100.57	-66.49
UGD0029	222.04	100.68	-66.45
UGD0029	222.97	100.8	-66.39
UGD0029	223.9	100.91	-66.29
UGD0029	224.83	100.98	-66.1
UGD0029	225.76	101.04	-65.89
UGD0029	226.68	101.11	-65.79
UGD0029	227.61	101.17	-65.74
UGD0029	228.54	101.26	-65.69
UGD0029	229.47	101.32	-65.66
UGD0029	230.4	101.3	-65.7
UGD0029	231.33	101.23	-65.81
UGD0029	232.26	101.29	-65.9
UGD0029	233.19	101.4	-65.91
UGD0029	234.12	101.55	-65.88
UGD0029	235.05	101.7	-65.88
UGD0029	235.97	101.78	-65.9
UGD0029	236.9	101.8	-65.9
UGD0029	237.83	101.79	-65.87
UGD0029	238.76	101.82	-65.82
UGD0029	239.69	101.86	-65.79
UGD0029	240.62	102.01	-65.76
UGD0029	241.55	102.16	-65.71
UGD0029	242.48	102.27	-65.63
UGD0029	243.41	102.35	-65.55
UGD0029	244.34	102.45	-65.48
UGD0029	245.26	102.54	-65.41
UGD0029	246.19	102.62	-65.34
UGD0029	247.12	102.68	-65.28
UGD0029	248.05	102.74	-65.25
UGD0029	248.98	102.82	-65.23
UGD0029	249.91	102.89	-65.24
UGD0029	250.84	102.96	-65.26
UGD0029	251.77	103.02	-65.29
UGD0029	252.7	103.06	-65.3
UGD0029	253.63	103.1	-65.29

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0029	254.55	103.14	-65.27
UGD0029	255.48	103.2	-65.23
UGD0029	256.41	103.25	-65.19
UGD0029	257.34	103.26	-65.12
UGD0029	258.27	103.29	-65.04
UGD0029	259.2	103.34	-64.97
UGD0029	260.13	103.4	-64.91
UGD0029	261.06	103.45	-64.85
UGD0029	261.99	103.46	-64.81
UGD0029	262.92	103.44	-64.78
UGD0029	263.84	103.45	-64.78
UGD0029	264.77	103.5	-64.79
UGD0029	265.7	103.59	-64.81
UGD0029	266.63	103.64	-64.83
UGD0029	267.56	103.66	-64.84
UGD0029	268.49	103.7	-64.86
UGD0029	269.42	103.78	-64.85
UGD0029	270.35	103.81	-64.84
UGD0029	271.28	103.79	-64.82
UGD0029	272.21	103.8	-64.84
UGD0029	273.13	103.87	-64.86
UGD0029	274.06	103.94	-64.84
UGD0029	274.99	103.95	-64.8
UGD0029	275.92	103.95	-64.79
UGD0029	276.85	103.96	-64.75
UGD0029	277.78	104.01	-64.68
UGD0029	278.71	104.03	-64.6
UGD0029	279.64	104.08	-64.57
UGD0029	280.57	104.15	-64.6
UGD0029	281.5	104.2	-64.61
UGD0029	282.42	104.23	-64.6
UGD0029	283.35	104.27	-64.61
UGD0029	284.28	104.31	-64.62
UGD0029	285.21	104.36	-64.62
UGD0029	286.14	104.46	-64.62
UGD0029	287.07	104.52	-64.6
UGD0029	288	104.57	-64.62
UGD0029	288.93	104.6	-64.62
UGD0029	289.86	104.64	-64.61
UGD0029	290.79	104.73	-64.63
UGD0029	291.71	104.84	-64.64
UGD0029	292.64	104.89	-64.63
UGD0029	293.57	104.92	-64.59
UGD0029	294.5	105	-64.57
UGD0029	295.43	105.1	-64.54

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0029	296.36	105.19	-64.52
UGD0029	297.29	105.28	-64.46
UGD0029	298.22	105.34	-64.4
UGD0029	299.15	105.41	-64.36
UGD0029	300.08	105.44	-64.32
UGD0029	301.01	105.51	-64.3
UGD0029	301.93	105.59	-64.28
UGD0029	302.86	105.59	-64.25
UGD0029	303.79	105.58	-64.2
UGD0029	304.72	105.62	-64.16
UGD0029	305.65	105.71	-64.16
UGD0029	306.58	105.8	-64.17
UGD0029	307.51	105.84	-64.17
UGD0029	308.44	105.86	-64.15
UGD0029	309.37	105.88	-64.14
UGD0029	310.3	105.89	-64.15
UGD0029	311.23	105.93	-64.16
UGD0029	312.15	106.02	-64.15
UGD0029	313.08	106.06	-64.13
UGD0029	314.01	106.1	-64.12
UGD0029	314.94	106.12	-64.11
UGD0029	315.87	106.12	-64.09
UGD0029	316.8	106.15	-64.07
UGD0029	317.73	106.22	-64.05
UGD0029	318.66	106.26	-64.02
UGD0029	319.59	106.29	-63.98
UGD0029	320.52	106.34	-63.95
UGD0029	321.45	106.45	-63.95
UGD0029	322.37	106.48	-63.95
UGD0029	323.3	106.46	-63.94
UGD0029	324.23	106.48	-63.94
UGD0029	325.16	106.52	-63.96
UGD0029	326.09	106.58	-63.99
UGD0029	327.02	106.62	-64.01
UGD0029	327.95	106.61	-64.01
UGD0029	328.88	106.65	-64
UGD0029	329.81	106.77	-63.99
UGD0029	330.74	106.8	-64
UGD0029	331.67	106.76	-64.02
UGD0029	332.59	106.8	-64.05
UGD0029	332.65	108.79	-64.27
UGD0029	333.52	106.86	-64.1
UGD0029	334.45	106.88	-64.13
UGD0029	335.38	106.92	-64.14
UGD0029	336.31	106.93	-64.12

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0029	337.24	106.91	-64.08
UGD0029	338.17	106.92	-64.02
UGD0029	339.1	106.95	-63.95
UGD0029	340.03	107.02	-63.88
UGD0029	340.96	107.1	-63.83
UGD0029	341.89	107.16	-63.8
UGD0029	342.81	107.19	-63.79
UGD0029	343.74	107.16	-63.82
UGD0029	344.67	107.09	-63.88
UGD0029	345.6	107.06	-63.95
UGD0029	346.53	107.11	-64.03
UGD0029	347.46	107.19	-64.1
UGD0029	348.39	107.2	-64.16
UGD0029	349.32	107.22	-64.19
UGD0029	350.25	107.25	-64.18
UGD0029	351.18	107.25	-64.13
UGD0029	352.1	107.2	-64.09
UGD0029	353.03	107.17	-64.07
UGD0029	353.96	107.22	-64.07
UGD0029	354.89	107.27	-64.05
UGD0029	355.82	107.29	-64.05
UGD0029	356.75	107.27	-64.1
UGD0029	357.68	107.31	-64.17
UGD0029	358.61	107.38	-64.2
UGD0029	359.54	107.45	-64.21
UGD0029	360.47	107.47	-64.22
UGD0029	361.39	107.4	-64.22
UGD0029	362.32	107.38	-64.2
UGD0029	363.25	107.37	-64.15
UGD0029	364.18	107.38	-64.1
UGD0029	365.11	107.38	-64.07
UGD0029	366.04	107.43	-64.06
UGD0029	366.97	107.49	-64.06
UGD0029	367.9	107.5	-64.08
UGD0029	368.83	107.49	-64.12
UGD0029	369.76	107.57	-64.16
UGD0029	370.68	107.66	-64.21
UGD0029	371.61	107.66	-64.26
UGD0029	372.54	107.54	-64.31
UGD0029	373.47	107.55	-64.35
UGD0029	374.4	107.67	-64.38
UGD0029	375.33	107.74	-64.41
UGD0029	376.26	107.76	-64.4
UGD0029	377.19	107.74	-64.36
UGD0029	378.12	107.73	-64.32

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0029	379.05	107.76	-64.28
UGD0029	379.97	107.79	-64.27
UGD0029	380.9	107.77	-64.27
UGD0029	381.83	107.75	-64.3
UGD0029	382.76	107.75	-64.35
UGD0029	383.69	107.8	-64.4
UGD0029	384.62	107.84	-64.45
UGD0029	385.55	107.85	-64.48
UGD0029	386.48	107.94	-64.49
UGD0029	387.41	108	-64.5
UGD0029	388.34	108.01	-64.51
UGD0029	389.26	107.98	-64.54
UGD0029	390.19	107.92	-64.57
UGD0029	391.12	107.84	-64.56
UGD0029	392.05	107.92	-64.52
UGD0029	392.98	107.92	-64.51
UGD0029	393.91	107.92	-64.52
UGD0029	394.84	107.97	-64.51
UGD0029	395.77	108.02	-64.49
UGD0029	396.7	108.05	-64.5
UGD0029	397.63	108.06	-64.55
UGD0029	398.55	108.11	-64.59
UGD0029	399.48	108.17	-64.6
UGD0029	400.41	108.18	-64.58
UGD0029	401.34	108.27	-64.55
UGD0029	402.27	108.43	-64.52
UGD0029	403.2	108.57	-64.5
UGD0029	404.13	108.73	-64.49
UGD0029	405.06	108.88	-64.47
UGD0029	405.85	108.97	-64.46
UGD0030	-0.94	98.51	-60.22
UGD0030	-0.93	98.51	-60.22
UGD0030	-0.37	98.93	-60.49
UGD0030	0	99	-60
UGD0030	0	99	-60.22
UGD0030	0.93	99.22	-60.34
UGD0030	1.86	99.41	-60.36
UGD0030	2.79	99.57	-60.34
UGD0030	3.72	99.67	-60.33
UGD0030	4.65	99.74	-60.33
UGD0030	5.57	99.75	-60.33
UGD0030	6.5	99.75	-60.31
UGD0030	7.43	99.84	-60.27
UGD0030	8.36	99.9	-60.25
UGD0030	9.29	99.93	-60.23

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0030	10.22	99.96	-60.19
UGD0030	11.15	100.01	-60.15
UGD0030	12.08	100.1	-60.1
UGD0030	13.01	100.15	-60.06
UGD0030	13.94	100.2	-60.01
UGD0030	14.87	100.22	-59.98
UGD0030	15.79	100.21	-59.97
UGD0030	16.72	100.26	-59.95
UGD0030	17.65	100.35	-59.95
UGD0030	18.58	100.42	-59.96
UGD0030	19.51	100.46	-59.98
UGD0030	20.44	100.47	-59.98
UGD0030	21.37	100.55	-59.97
UGD0030	22.3	100.59	-59.96
UGD0030	23.23	100.65	-59.94
UGD0030	24.16	100.71	-59.9
UGD0030	25.09	100.74	-59.85
UGD0030	26.01	100.73	-59.8
UGD0030	26.94	100.78	-59.75
UGD0030	27.87	100.81	-59.73
UGD0030	28.8	100.86	-59.75
UGD0030	29.73	100.93	-59.78
UGD0030	30.66	101	-59.79
UGD0030	31.59	101.04	-59.78
UGD0030	32.52	101.07	-59.77
UGD0030	33.45	101.11	-59.78
UGD0030	34.38	101.22	-59.77
UGD0030	35.3	101.27	-59.7
UGD0030	36.23	101.4	-59.63
UGD0030	37.16	101.42	-59.6
UGD0030	38.09	101.43	-59.6
UGD0030	39.02	101.47	-59.59
UGD0030	39.95	101.52	-59.53
UGD0030	40.88	101.57	-59.49
UGD0030	41.81	101.67	-59.48
UGD0030	42.74	101.74	-59.47
UGD0030	43.67	101.77	-59.46
UGD0030	44.59	101.82	-59.46
UGD0030	45.52	101.96	-59.45
UGD0030	46.45	102.03	-59.42
UGD0030	47.38	102.07	-59.42
UGD0030	48.31	102.12	-59.41
UGD0030	49.24	102.17	-59.39
UGD0030	50.17	102.25	-59.32
UGD0030	51.1	102.4	-59.24

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0030	52.03	102.43	-59.19
UGD0030	52.96	102.39	-59.16
UGD0030	53.88	102.49	-59.09
UGD0030	54.81	102.55	-59.03
UGD0030	55.74	102.58	-59.01
UGD0030	56.67	102.61	-59
UGD0030	57.6	102.65	-58.95
UGD0030	58.53	102.69	-58.9
UGD0030	59.46	102.78	-58.86
UGD0030	60.39	102.74	-58.85
UGD0030	61.32	102.76	-58.82
UGD0030	62.25	102.91	-58.75
UGD0030	63.17	102.92	-58.7
UGD0030	64.1	102.9	-58.68
UGD0030	65.03	102.95	-58.67
UGD0030	65.96	103.04	-58.62
UGD0030	66.89	103.13	-58.57
UGD0030	67.82	103.17	-58.56
UGD0030	68.75	103.2	-58.57
UGD0030	69.68	103.22	-58.59
UGD0030	70.61	103.25	-58.61
UGD0030	71.54	103.28	-58.61
UGD0030	72.46	103.35	-58.61
UGD0030	73.39	103.4	-58.59
UGD0030	74.32	103.44	-58.56
UGD0030	75.25	103.61	-58.51
UGD0030	76.18	103.67	-58.45
UGD0030	77.11	103.69	-58.37
UGD0030	78.04	103.74	-58.31
UGD0030	78.97	103.85	-58.27
UGD0030	79.9	104.01	-58.22
UGD0030	80.83	104.27	-58.14
UGD0030	81.75	104.51	-58.07
UGD0030	82.68	104.64	-58.04
UGD0030	83.61	104.89	-58.03
UGD0030	84.54	105.11	-58.04
UGD0030	85.47	105.27	-58.04
UGD0030	86.4	105.38	-58.03
UGD0030	87.33	105.49	-58.03
UGD0030	88.26	105.66	-58.03
UGD0030	89.19	105.76	-57.98
UGD0030	90.12	105.84	-57.92
UGD0030	91.04	105.93	-57.87
UGD0030	91.97	106.03	-57.84
UGD0030	92.9	106.1	-57.83

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0030	93.83	106.15	-57.82
UGD0030	94.76	106.19	-57.83
UGD0030	95.69	106.21	-57.82
UGD0030	96.62	106.27	-57.79
UGD0030	97.55	106.32	-57.75
UGD0030	98.48	106.35	-57.7
UGD0030	99.41	106.47	-57.62
UGD0030	100.33	106.48	-57.55
UGD0030	101.26	106.49	-57.48
UGD0030	102.19	106.49	-57.42
UGD0030	103.12	106.53	-57.38
UGD0030	104.05	106.58	-57.36
UGD0030	104.98	106.6	-57.37
UGD0030	105.91	106.65	-57.37
UGD0030	106.84	106.71	-57.36
UGD0030	107.77	106.76	-57.36
UGD0030	108.7	106.78	-57.36
UGD0030	109.62	106.79	-57.35
UGD0030	110.55	106.8	-57.34
UGD0030	111.48	106.88	-57.35
UGD0030	112.41	106.95	-57.39
UGD0030	113.34	106.99	-57.42
UGD0030	114.27	106.97	-57.44
UGD0030	115.2	106.99	-57.45
UGD0030	116.13	107.02	-57.45
UGD0030	117.06	107.06	-57.47
UGD0030	117.99	107.08	-57.47
UGD0030	118.91	107.11	-57.45
UGD0030	119.84	107.17	-57.42
UGD0030	120.77	107.23	-57.39
UGD0030	121.7	107.27	-57.34
UGD0030	122.63	107.26	-57.3
UGD0030	123.56	107.28	-57.26
UGD0030	124.49	107.32	-57.22
UGD0030	125.42	107.38	-57.18
UGD0030	126.35	107.38	-57.14
UGD0030	127.28	107.41	-57.14
UGD0030	128.2	107.49	-57.16
UGD0030	129.13	107.52	-57.18
UGD0030	130.06	107.55	-57.19
UGD0030	130.99	107.62	-57.23
UGD0030	131.92	107.66	-57.3
UGD0030	132.85	107.69	-57.36
UGD0030	133.78	107.7	-57.39
UGD0030	134.71	107.69	-57.38

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0030	135.64	107.72	-57.36
UGD0030	136.57	107.76	-57.34
UGD0030	137.5	107.83	-57.32
UGD0030	138.42	107.83	-57.3
UGD0030	139.35	107.82	-57.28
UGD0030	140.28	107.87	-57.26
UGD0030	141.21	107.91	-57.23
UGD0030	141.28	108.4	-57.17
UGD0030	142.14	107.92	-57.18
UGD0030	143.07	107.94	-57.04
UGD0030	144	107.97	-56.86
UGD0030	144.93	108	-56.77
UGD0030	145.86	108.04	-56.72
UGD0030	146.79	108.09	-56.71
UGD0030	147.72	108.11	-56.72
UGD0030	148.64	108.14	-56.81
UGD0030	149.57	108.18	-56.95
UGD0030	150.5	108.26	-57.07
UGD0030	151.43	108.31	-57.12
UGD0030	152.36	108.34	-57.14
UGD0030	153.29	108.37	-57.15
UGD0030	154.22	108.4	-57.16
UGD0030	155.15	108.42	-57.16
UGD0030	156.08	108.43	-57.16
UGD0030	157.01	108.46	-57.18
UGD0030	157.94	108.51	-57.2
UGD0030	158.86	108.57	-57.19
UGD0030	159.79	108.64	-57.17
UGD0030	160.72	108.69	-57.13
UGD0030	161.65	108.71	-57.08
UGD0030	162.58	108.7	-57.01
UGD0030	163.51	108.69	-56.94
UGD0030	164.44	108.73	-56.89
UGD0030	165.37	108.84	-56.85
UGD0030	166.3	108.91	-56.84
UGD0030	167.23	108.93	-56.85
UGD0030	168.16	108.85	-56.86
UGD0030	169.08	108.92	-56.84
UGD0030	170.01	108.99	-56.8
UGD0030	170.94	109.03	-56.78
UGD0030	171.87	109.09	-56.76
UGD0030	172.8	109.15	-56.75
UGD0030	173.73	109.19	-56.76
UGD0030	174.66	109.22	-56.78
UGD0030	175.59	109.33	-56.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0030	176.52	109.49	-56.83
UGD0030	177.45	109.46	-56.87
UGD0030	178.38	109.49	-56.9
UGD0030	179.3	109.5	-56.91
UGD0030	180.23	109.49	-56.91
UGD0030	181.16	109.54	-56.9
UGD0030	182.09	109.57	-56.87
UGD0030	183.02	109.6	-56.81
UGD0030	183.95	109.61	-56.74
UGD0030	184.88	109.63	-56.68
UGD0030	185.81	109.67	-56.64
UGD0030	186.74	109.71	-56.59
UGD0030	187.67	109.69	-56.55
UGD0030	188.6	109.7	-56.53
UGD0030	189.52	109.76	-56.52
UGD0030	190.45	109.72	-56.52
UGD0030	191.38	109.69	-56.49
UGD0030	192.31	109.72	-56.44
UGD0030	193.24	109.81	-56.42
UGD0030	194.17	109.86	-56.44
UGD0030	195.1	109.86	-56.46
UGD0030	196.03	109.95	-56.45
UGD0030	196.96	110	-56.43
UGD0030	197.89	110.02	-56.42
UGD0030	198.81	110.07	-56.43
UGD0030	199.74	110.13	-56.41
UGD0030	200.67	110.18	-56.38
UGD0030	201.6	110.24	-56.34
UGD0030	202.53	110.28	-56.32
UGD0030	203.46	110.29	-56.31
UGD0030	204.39	110.33	-56.28
UGD0030	205.32	110.36	-56.23
UGD0030	206.25	110.39	-56.18
UGD0030	207.18	110.43	-56.15
UGD0030	208.1	110.47	-56.13
UGD0030	209.03	110.47	-56.11
UGD0030	209.96	110.49	-56.08
UGD0030	210.89	110.54	-56.07
UGD0030	211.82	110.58	-56.08
UGD0030	212.75	110.63	-56.06
UGD0030	213.68	110.69	-56.01
UGD0030	214.61	110.72	-55.97
UGD0030	215.54	110.74	-55.96
UGD0030	216.47	110.77	-55.97
UGD0030	217.39	110.82	-55.99

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0030	218.32	110.84	-56
UGD0030	219.25	110.84	-56.02
UGD0030	220.18	110.88	-56.04
UGD0030	221.11	110.9	-56.07
UGD0030	222.04	110.94	-56.09
UGD0030	222.97	110.99	-56.06
UGD0030	223.9	111.02	-56.05
UGD0030	224.83	111	-56.06
UGD0030	225.76	110.99	-56.05
UGD0030	226.68	111.04	-56.02
UGD0030	227.61	111.11	-55.98
UGD0030	228.54	111.15	-55.94
UGD0030	229.47	111.23	-55.94
UGD0030	230.4	111.28	-55.96
UGD0030	231.33	111.31	-55.97
UGD0030	232.26	111.37	-55.98
UGD0030	233.19	111.4	-56
UGD0030	234.12	111.46	-56.04
UGD0030	235.05	111.48	-56.06
UGD0030	235.97	111.51	-56.02
UGD0030	236.9	111.54	-55.98
UGD0030	237.83	111.56	-55.98
UGD0030	238.76	111.57	-56.01
UGD0030	239.69	111.6	-56.02
UGD0030	240.62	111.63	-56.02
UGD0030	241.55	111.7	-56.01
UGD0030	242.48	111.76	-56
UGD0030	243.41	111.8	-56
UGD0030	244.34	111.84	-56
UGD0030	245.26	111.89	-55.99
UGD0030	246.19	111.96	-56.01
UGD0030	247.12	111.99	-56.06
UGD0030	248.05	112.03	-56.12
UGD0030	248.98	112.06	-56.14
UGD0030	249.91	112.1	-56.11
UGD0030	250.84	112.14	-56.08
UGD0030	251.77	112.19	-56.05
UGD0030	252.7	112.26	-55.98
UGD0030	253.63	112.32	-55.88
UGD0030	254.55	112.34	-55.81
UGD0030	255.48	112.32	-55.79
UGD0030	256.41	112.35	-55.79
UGD0030	257.34	112.43	-55.8
UGD0030	258.27	112.46	-55.83
UGD0030	259.2	112.48	-55.89

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0030	260.13	112.49	-55.94
UGD0030	261.06	112.52	-55.97
UGD0030	261.99	112.57	-56.01
UGD0030	262.92	112.57	-56.04
UGD0030	263.84	112.57	-56.03
UGD0030	264.77	112.61	-55.98
UGD0030	265.7	112.68	-55.94
UGD0030	266.63	112.75	-55.91
UGD0030	267.56	112.75	-55.87
UGD0030	268.49	112.7	-55.82
UGD0030	269.42	112.68	-55.8
UGD0030	270.35	112.7	-55.8
UGD0030	271.28	112.72	-55.83
UGD0030	272.21	112.76	-55.88
UGD0030	273.13	112.76	-55.94
UGD0030	274.06	112.76	-55.99
UGD0030	274.99	112.83	-56.03
UGD0030	275.92	112.93	-56.12
UGD0030	276.85	112.96	-56.22
UGD0030	277.78	112.98	-56.25
UGD0030	278.71	113.01	-56.23
UGD0030	279.64	113.01	-56.18
UGD0030	280.57	113.05	-56.14
UGD0030	281.5	113.08	-56.06
UGD0030	282.42	113.1	-55.96
UGD0030	283.35	113.13	-55.87
UGD0030	283.8	113.62	-56.03
UGD0030	284.28	113.13	-55.84
UGD0030	285.21	113.15	-55.86
UGD0030	286.14	113.18	-55.9
UGD0030	287.07	113.18	-55.96
UGD0030	288	113.19	-56
UGD0030	288.93	113.2	-56.02
UGD0030	289.86	113.23	-56.02
UGD0030	290.79	113.26	-56.02
UGD0030	291.71	113.28	-56
UGD0030	292.64	113.3	-55.96
UGD0030	293.57	113.32	-55.92
UGD0030	294.5	113.3	-55.88
UGD0030	295.43	113.28	-55.88
UGD0030	296.36	113.31	-55.89
UGD0030	297.29	113.37	-55.91
UGD0030	298.22	113.39	-55.9
UGD0030	299.15	113.4	-55.89
UGD0030	300.08	113.42	-55.89

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0030	301.01	113.43	-55.88
UGD0030	301.93	113.43	-55.89
UGD0030	302.86	113.45	-55.89
UGD0030	303.79	113.5	-55.88
UGD0030	304.72	113.54	-55.88
UGD0030	305.65	113.55	-55.89
UGD0030	306.58	113.55	-55.9
UGD0030	307.51	113.56	-55.9
UGD0030	308.44	113.6	-55.88
UGD0030	309.37	113.65	-55.87
UGD0030	310.3	113.7	-55.85
UGD0030	311.23	113.65	-55.84
UGD0030	312.15	113.65	-55.85
UGD0030	313.08	113.7	-55.86
UGD0030	314.01	113.77	-55.85
UGD0030	314.94	113.85	-55.82
UGD0030	315.87	113.91	-55.8
UGD0030	316.8	113.96	-55.82
UGD0030	317.73	114.02	-55.83
UGD0030	318.66	114.1	-55.83
UGD0030	319.59	114.16	-55.82
UGD0030	320.52	114.19	-55.83
UGD0030	321.45	114.21	-55.85
UGD0030	322.37	114.22	-55.84
UGD0030	323.3	114.24	-55.79
UGD0030	324.23	114.28	-55.73
UGD0030	325.16	114.32	-55.66
UGD0030	326.09	114.34	-55.61
UGD0030	327.02	114.38	-55.59
UGD0030	327.95	114.39	-55.64
UGD0030	328.88	114.39	-55.67
UGD0030	329.81	114.41	-55.7
UGD0030	330.74	114.45	-55.73
UGD0030	331.67	114.5	-55.78
UGD0030	332.59	114.54	-55.8
UGD0030	333.52	114.56	-55.76
UGD0030	334.45	114.57	-55.69
UGD0030	335.38	114.59	-55.65
UGD0030	336.31	114.65	-55.65
UGD0030	337.24	114.69	-55.65
UGD0030	338.17	114.73	-55.63
UGD0030	339.1	114.77	-55.64
UGD0030	340.03	114.8	-55.66
UGD0030	340.96	114.83	-55.67
UGD0030	341.89	114.88	-55.66

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0030	342.81	114.93	-55.65
UGD0030	343.74	114.96	-55.65
UGD0030	344.67	114.99	-55.64
UGD0030	345.6	115.06	-55.62
UGD0030	346.53	115.17	-55.59
UGD0030	347.46	115.28	-55.57
UGD0030	348.39	115.4	-55.55
UGD0030	349.32	115.53	-55.51
UGD0030	350.25	115.74	-55.44
UGD0030	351.18	115.99	-55.35
UGD0030	352.1	116.21	-55.27
UGD0030	353.03	116.43	-55.16
UGD0030	353.96	116.69	-55.02
UGD0030	354.89	116.91	-54.87
UGD0030	355.82	117.12	-54.7
UGD0030	356.75	117.34	-54.54
UGD0030	357.68	117.63	-54.37
UGD0030	358.61	117.91	-54.2
UGD0030	359.54	118.15	-54
UGD0030	360.47	118.36	-53.77
UGD0030	361.39	118.57	-53.53
UGD0030	362.32	118.81	-53.3
UGD0030	363.25	119.09	-53.1
UGD0030	364.18	119.31	-52.91
UGD0030	365.11	119.49	-52.76
UGD0030	366.04	119.66	-52.64
UGD0030	366.97	119.85	-52.58
UGD0030	367.9	120.01	-52.54
UGD0030	368.83	120.11	-52.51
UGD0030	369.76	120.18	-52.47
UGD0030	370.68	120.27	-52.42
UGD0030	371.61	120.32	-52.33
UGD0030	372.54	120.41	-52.23
UGD0030	373.47	120.47	-52.14
UGD0030	374.4	120.53	-52.06
UGD0030	375.33	120.59	-51.95
UGD0030	376.26	120.71	-51.85
UGD0030	377.19	120.84	-51.78
UGD0030	378.12	120.94	-51.74
UGD0030	379.05	121.03	-51.69
UGD0030	379.97	121.11	-51.63
UGD0030	380.9	121.19	-51.58
UGD0030	381.83	121.3	-51.54
UGD0030	382.76	121.4	-51.5
UGD0030	383.69	121.47	-51.44

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0030	384.62	121.54	-51.4
UGD0030	385.55	121.6	-51.36
UGD0030	386.48	121.66	-51.34
UGD0030	387.41	121.73	-51.35
UGD0030	388.34	121.77	-51.37
UGD0030	389.26	121.82	-51.4
UGD0030	390.19	121.88	-51.43
UGD0030	391.12	121.93	-51.44
UGD0030	392.05	121.97	-51.43
UGD0030	392.98	121.98	-51.4
UGD0030	393.91	122	-51.36
UGD0030	394.84	122.03	-51.3
UGD0030	395.77	122.06	-51.28
UGD0030	396.7	122.07	-51.28
UGD0030	397.63	122.11	-51.29
UGD0030	398.55	122.17	-51.29
UGD0030	399.48	122.23	-51.29
UGD0030	400.41	122.25	-51.29
UGD0030	401.34	122.25	-51.29
UGD0030	402.27	122.29	-51.27
UGD0030	403.2	122.34	-51.24
UGD0030	404.13	122.37	-51.21
UGD0030	405.06	122.37	-51.21
UGD0030	405.99	122.38	-51.24
UGD0030	406.92	122.4	-51.24
UGD0030	407.84	122.44	-51.24
UGD0030	408.77	122.48	-51.23
UGD0030	409.7	122.48	-51.23
UGD0030	410.63	122.49	-51.22
UGD0030	411.56	122.53	-51.2
UGD0030	412.49	122.57	-51.17
UGD0030	413.42	122.59	-51.15
UGD0030	414.35	122.6	-51.13
UGD0030	415.28	122.62	-51.13
UGD0030	416.21	122.63	-51.14
UGD0030	417.13	122.63	-51.13
UGD0030	418.06	122.61	-51.14
UGD0030	418.99	122.58	-51.18
UGD0030	419.92	122.61	-51.23
UGD0030	420.85	122.66	-51.25
UGD0030	421.78	122.7	-51.23
UGD0030	422.71	122.73	-51.19
UGD0030	423.64	122.77	-51.17
UGD0030	424.57	122.76	-51.16
UGD0030	425.5	122.75	-51.15

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0030	426.42	122.78	-51.17
UGD0030	427.35	122.79	-51.2
UGD0030	428.28	122.81	-51.24
UGD0030	429.21	122.81	-51.29
UGD0030	430.14	122.8	-51.32
UGD0030	431.07	122.87	-51.33
UGD0030	432	122.93	-51.33
UGD0030	432.93	122.94	-51.33
UGD0030	433.86	122.94	-51.36
UGD0030	434.79	122.92	-51.39
UGD0030	435.71	122.9	-51.39
UGD0030	436.64	122.88	-51.39
UGD0030	437.57	122.83	-51.38
UGD0030	438.5	122.9	-51.37
UGD0030	439.43	122.97	-51.36
UGD0030	440.36	123.03	-51.35
UGD0030	441.29	123.09	-51.34
UGD0030	442.22	123.1	-51.35
UGD0030	443.15	123.15	-51.38
UGD0030	444.08	123.16	-51.4
UGD0030	444.65	123.15	-51.42
UGD0037	-2.8	154.96	-85.78
UGD0037	-0.08	153.95	-85.76
UGD0037	0	154	-85
UGD0037	0	154	-85.24
UGD0037	1.52	155.01	-85.52
UGD0037	3.05	152.35	-84.83
UGD0037	4.57	155.59	-85
UGD0037	6.1	151.67	-84.14
UGD0037	7.62	156.89	-84.37
UGD0037	9.14	151.55	-83.68
UGD0037	10.67	157.99	-83.8
UGD0037	12.19	150.82	-83.38
UGD0037	13.72	158.63	-83.47
UGD0037	15.24	150.65	-83.18
UGD0037	16.76	159.19	-83.26
UGD0037	18.29	150.32	-83
UGD0037	19.81	159.83	-83.09
UGD0037	21.34	149.98	-82.78
UGD0037	22.86	160.17	-82.89
UGD0037	24.38	149.99	-82.55
UGD0037	25.91	160.84	-82.62
UGD0037	27.43	149.16	-82.28
UGD0037	28.96	161.77	-82.35
UGD0037	30.48	147.98	-82.02

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0037	32	161.91	-82.14
UGD0037	33.53	147.56	-81.82
UGD0037	35.05	162.23	-81.95
UGD0037	36.58	147.15	-81.7
UGD0037	38.1	162.4	-81.82
UGD0037	39.62	147.33	-81.58
UGD0037	41.15	163.36	-81.68
UGD0037	42.67	147.17	-81.33
UGD0037	44.2	164	-81.43
UGD0037	45.72	147.1	-81
UGD0037	47.24	164.96	-81.15
UGD0037	48.77	147.03	-80.74
UGD0037	50.29	166.34	-80.89
UGD0037	51.82	146.77	-80.5
UGD0037	53.34	166.85	-80.62
UGD0037	54.86	146.8	-80.21
UGD0037	56.39	166.95	-80.36
UGD0037	57.91	146.76	-79.96
UGD0037	59.44	166.96	-80.11
UGD0037	60.96	146.76	-79.79
UGD0037	62.48	166.51	-79.94
UGD0037	64.01	146.34	-79.63
UGD0037	65.53	166.65	-79.79
UGD0037	67.06	146.59	-79.42
UGD0037	68.58	166.64	-79.59
UGD0037	70.1	146.61	-79.12
UGD0037	71.63	166.5	-79.38
UGD0037	73.15	146.34	-78.95
UGD0037	74.68	166.8	-79.22
UGD0037	76.2	146.58	-78.83
UGD0037	77.72	166.91	-79.06
UGD0037	79.25	146.77	-78.59
UGD0037	80.77	166.77	-78.81
UGD0037	82.3	146.74	-78.34
UGD0037	83.82	166.66	-78.49
UGD0037	85.34	146.73	-78.03
UGD0037	86.87	166.71	-78.13
UGD0037	88.39	146.86	-77.66
UGD0037	89.92	166.82	-77.8
UGD0037	91.44	147.04	-77.29
UGD0037	92.04	167.01	-77.6
UGD0037	94.49	147.09	-76.89
UGD0037	97.54	147.04	-76.53
UGD0037	100.58	147.01	-76.3
UGD0037	103.63	146.84	-76.15

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0037	106.68	147.05	-76.02
UGD0037	109.73	147.19	-75.95
UGD0037	112.78	146.79	-75.81
UGD0037	115.82	147.05	-75.56
UGD0037	118.87	147.14	-75.43
UGD0037	121.92	147.37	-75.35
UGD0037	124.97	147.09	-75.21
UGD0037	128.02	147.4	-75.11
UGD0037	131.06	147.6	-74.95
UGD0037	134.11	147.24	-74.69
UGD0037	137.16	147.33	-74.44
UGD0037	140.21	147.49	-74.14
UGD0037	143.26	147.19	-73.88
UGD0037	146.3	147.26	-73.69
UGD0037	149.35	147.27	-73.46
UGD0037	152.4	147.06	-73.24
UGD0037	155.45	146.95	-73.06
UGD0037	158.5	146.87	-72.87
UGD0037	161.54	146.82	-72.65
UGD0037	164.59	146.64	-72.42
UGD0037	167.64	146.56	-72.17
UGD0037	170.69	146.7	-71.91
UGD0037	173.74	146.83	-71.76
UGD0037	176.78	146.84	-71.68
UGD0037	179.83	147.01	-71.58
UGD0037	182.88	147.21	-71.47
UGD0037	185.93	147.19	-71.34
UGD0037	188.98	147.22	-71.21
UGD0037	192.02	147.26	-71.18
UGD0037	195.07	147.37	-71.13
UGD0037	198.12	147.39	-70.98
UGD0037	201.17	147.47	-70.84
UGD0037	204.22	147.67	-70.62
UGD0037	207.26	147.86	-70.51
UGD0037	210.31	148.07	-70.51
UGD0037	213.36	148.42	-70.45
UGD0037	216.41	148.71	-70.46
UGD0037	219.46	148.75	-70.49
UGD0037	222.5	148.85	-70.54
UGD0037	225.55	148.9	-70.59
UGD0037	228.6	148.8	-70.56
UGD0037	231.65	148.73	-70.46
UGD0037	234.7	148.99	-70.44
UGD0037	237.74	149.3	-70.46
UGD0037	240.79	149.18	-70.45

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0037	243.84	149.42	-70.42
UGD0037	246.89	149.34	-70.3
UGD0037	249.94	149.47	-70.27
UGD0037	252.98	149.46	-70.32
UGD0037	256.03	149.57	-70.2
UGD0037	259.08	149.64	-70.02
UGD0037	262.13	149.65	-69.91
UGD0037	265.18	149.8	-69.7
UGD0037	268.22	150.14	-69.47
UGD0037	271.27	150.46	-69.42
UGD0037	274.32	150.82	-69.37
UGD0037	277.37	151.26	-69.2
UGD0037	280.42	151.58	-68.75
UGD0037	283.46	152.01	-68.25
UGD0037	286.51	152.17	-67.99
UGD0037	289.56	152.5	-67.76
UGD0037	292.61	152.49	-67.41
UGD0037	295.66	152.75	-67.05
UGD0037	298.7	152.9	-66.87
UGD0037	301.75	152.97	-66.75
UGD0037	304.8	153.03	-66.57
UGD0037	307.85	153.1	-66.41
UGD0037	310.9	153.25	-66.13
UGD0037	313.94	153.48	-65.79
UGD0037	316.99	153.68	-65.64
UGD0037	320.04	153.87	-65.55
UGD0037	323.09	154.02	-65.45
UGD0037	326.14	154.14	-65.31
UGD0037	329.18	154.08	-65.09
UGD0037	332.23	154.03	-64.89
UGD0037	335.28	154.03	-64.85
UGD0037	338.33	154.05	-64.83
UGD0037	341.38	154.14	-64.76
UGD0037	344.42	154.17	-64.68
UGD0037	347.47	154.17	-64.48
UGD0037	350.52	154.14	-64.24
UGD0037	353.57	153.94	-64.13
UGD0037	356.62	153.82	-64.15
UGD0037	359.66	153.91	-64.1
UGD0037	362.71	154.27	-64.14
UGD0037	365.76	154.72	-64.32
UGD0037	367.31	154.78	-64.35
UGD0046	0	264	-25
UGD0046	0	266.73	-26.12
UGD0046	6.1	266.47	-26.03

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0046	12.19	266.29	-25.95
UGD0046	18.29	266.1	-25.82
UGD0046	24.38	265.91	-25.69
UGD0046	30.48	265.71	-25.57
UGD0046	36.58	265.51	-25.41
UGD0046	42.67	265.41	-25.26
UGD0046	48.77	265.26	-25.13
UGD0046	54.86	265.02	-24.95
UGD0046	60.96	264.77	-24.8
UGD0046	67.06	264.56	-24.75
UGD0046	73.15	264.29	-24.63
UGD0046	79.25	264.09	-24.38
UGD0046	85.34	263.96	-24.31
UGD0046	91.44	263.76	-24.15
UGD0046	97.54	263.52	-23.83
UGD0046	103.63	263.26	-23.52
UGD0046	109.73	263.14	-23.34
UGD0046	115.82	262.94	-23.14
UGD0046	121.92	262.81	-22.91
UGD0046	128.02	265.42	-22.75
UGD0046	134.11	265.61	-22.53
UGD0046	140.21	265.87	-22.25
UGD0046	146.3	266.2	-21.93
UGD0046	152.4	266.25	-21.73
UGD0046	158.5	266.46	-21.55
UGD0046	164.59	266.42	-21.55
UGD0046	170.69	266.35	-21.59
UGD0046	176.78	266.39	-21.64
UGD0046	182.88	266.54	-21.47
UGD0046	188.98	266.57	-21.35
UGD0046	195.07	266.74	-21.22
UGD0046	201.17	266.88	-21.14
UGD0046	207.26	267.06	-21.05
UGD0046	213.36	267.16	-21
UGD0046	219.46	267.29	-20.84
UGD0046	225.55	267.28	-20.72
UGD0046	231.65	267.2	-20.59
UGD0046	237.74	267.25	-20.55
UGD0046	243.84	267.38	-20.52
UGD0046	249.94	267.48	-20.52
UGD0046	253.59	267.49	-20.43
UGD0048	0	102	-77
UGD0048	0	103.43	-77.16
UGD0048	3.05	104.78	-76.71
UGD0048	6.1	104.43	-76.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0048	9.14	105.46	-76.55
UGD0048	12.19	104.88	-76.68
UGD0048	15.24	105.38	-76.53
UGD0048	18.29	105.81	-76.58
UGD0048	21.34	106	-76.3
UGD0048	24.38	106.53	-76.5
UGD0048	27.43	106.42	-76.14
UGD0048	30.48	106.93	-76.4
UGD0048	33.53	107.25	-75.92
UGD0048	36.58	107.06	-76.3
UGD0048	39.62	107.61	-75.79
UGD0048	42.67	107.3	-76.15
UGD0048	45.72	108.28	-75.68
UGD0048	48.77	107.84	-76.09
UGD0048	51.82	108.82	-75.69
UGD0048	54.86	108.6	-75.95
UGD0048	57.91	109.66	-75.39
UGD0048	60.96	109.32	-75.77
UGD0048	64.01	110.55	-75.12
UGD0048	67.06	109.9	-75.6
UGD0048	70.1	111.37	-74.98
UGD0048	73.15	110.4	-75.43
UGD0048	76.2	112.32	-74.81
UGD0048	79.25	110.95	-75.18
UGD0048	82.3	113.41	-74.64
UGD0048	85.34	111.66	-74.88
UGD0048	88.39	114.02	-74.49
UGD0048	91.44	112.4	-74.79
UGD0048	94.49	114.82	-74.48
UGD0048	97.54	113.12	-74.7
UGD0048	100.58	115.67	-74.26
UGD0048	103.03	115.86	-74.2
UGD0048	103.63	113.9	-74.54
UGD0048	109.73	113.99	-74.38
UGD0048	115.82	114.12	-74.19
UGD0048	121.92	114.69	-74.03
UGD0048	128.02	114.95	-73.91
UGD0048	134.11	115.17	-73.98
UGD0048	140.21	115.55	-73.92
UGD0048	146.3	115.61	-73.89
UGD0048	152.4	115.64	-73.82
UGD0048	158.5	115.72	-73.59
UGD0048	164.59	116.28	-73.22
UGD0048	170.69	117.19	-72.81
UGD0048	176.78	118.12	-72.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0048	182.88	118.84	-72.41
UGD0048	188.98	119.8	-72.29
UGD0048	195.07	120.54	-72.16
UGD0048	201.17	120.92	-72.08
UGD0048	207.26	121.03	-71.93
UGD0048	213.36	121.71	-71.73
UGD0048	219.46	121.83	-71.49
UGD0048	225.55	122.17	-71.31
UGD0048	231.65	122.79	-71.14
UGD0048	237.74	123.29	-70.98
UGD0048	243.84	123.86	-70.83
UGD0048	249.94	124.36	-70.64
UGD0048	256.03	124.53	-70.51
UGD0048	262.13	125.13	-70.35
UGD0048	268.22	125.6	-70.26
UGD0048	274.32	125.92	-70.2
UGD0048	280.42	126.28	-70.09
UGD0048	286.51	127.15	-69.94
UGD0048	292.61	127.49	-69.84
UGD0048	298.7	127.93	-69.77
UGD0048	304.8	128.71	-69.53
UGD0048	307.25	127.21	-69.73
UGD0048	310.9	129.37	-69.21
UGD0048	316.99	129.85	-69.02
UGD0048	323.09	130.23	-68.72
UGD0048	329.18	130.51	-68.45
UGD0048	335.28	130.43	-68.09
UGD0048	341.38	130.43	-67.78
UGD0048	347.47	130.68	-67.53
UGD0048	353.57	130.88	-67.36
UGD0048	359.66	130.99	-67
UGD0048	365.76	130.99	-66.53
UGD0048	371.86	131.06	-66.18
UGD0048	377.95	131.19	-66.11
UGD0048	384.05	131.26	-66.03
UGD0048	390.14	131.42	-66
UGD0048	396.24	131.57	-65.94
UGD0048	402.34	131.52	-65.73
UGD0048	408.43	131.6	-65.42
UGD0048	414.53	131.64	-65.23
UGD0048	420.62	131.93	-65.05
UGD0048	426.72	132.59	-64.85
UGD0048	432.82	133.24	-64.77
UGD0048	435.89	133.64	-64.79
UGD0049	0	140	-77

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0049	0	143.35	-77.33
UGD0049	3.05	143.1	-77.05
UGD0049	6.1	143.15	-76.64
UGD0049	9.14	142.83	-76.53
UGD0049	12.19	142.46	-76.32
UGD0049	15.24	142.81	-76.29
UGD0049	18.29	142.27	-76.31
UGD0049	21.34	142.61	-76.13
UGD0049	24.38	142.67	-76.09
UGD0049	27.43	142.36	-76.04
UGD0049	30.48	142.75	-75.95
UGD0049	33.53	142.82	-76.02
UGD0049	36.58	142.45	-76.01
UGD0049	39.62	142.66	-75.99
UGD0049	42.67	142.29	-75.99
UGD0049	45.72	142.27	-75.84
UGD0049	48.77	142.63	-75.79
UGD0049	51.82	142.35	-75.66
UGD0049	54.86	142.85	-75.58
UGD0049	57.91	142.98	-75.63
UGD0049	60.96	142.92	-75.54
UGD0049	64.01	143.26	-75.55
UGD0049	67.06	143.07	-75.5
UGD0049	70.1	143.13	-75.39
UGD0049	73.15	143.48	-75.39
UGD0049	76.2	143.31	-75.3
UGD0049	79.25	143.75	-75.17
UGD0049	82.3	143.88	-75.23
UGD0049	85.34	143.63	-75.17
UGD0049	88.39	143.5	-74.94
UGD0049	91.44	143.79	-74.82
UGD0049	94.49	143.47	-74.68
UGD0049	97.54	143.37	-74.55
UGD0049	100.58	143.53	-74.4
UGD0049	103.63	143.71	-74.35
UGD0049	106.68	143.69	-74.19
UGD0049	109.73	143.64	-73.99
UGD0049	112.78	144.03	-73.92
UGD0049	115.82	143.79	-74.02
UGD0049	118.87	143.77	-73.95
UGD0049	121.92	143.6	-73.89
UGD0049	124.97	143.61	-73.81
UGD0049	128.02	143.62	-73.76
UGD0049	131.06	143.75	-73.68
UGD0049	134.11	143.81	-73.59

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0049	137.16	144.13	-73.53
UGD0049	140.21	144.34	-73.53
UGD0049	143.26	144.25	-73.51
UGD0049	146.3	144.29	-73.43
UGD0049	149.35	144.6	-73.4
UGD0049	152.4	144.6	-73.32
UGD0049	155.45	144.7	-73.25
UGD0049	158.5	144.74	-73.14
UGD0049	161.54	144.96	-73.02
UGD0049	164.59	145.02	-72.95
UGD0049	167.64	145.23	-72.87
UGD0049	170.69	145.32	-72.85
UGD0049	173.74	145.37	-72.81
UGD0049	176.78	145.13	-72.68
UGD0049	179.83	145.29	-72.68
UGD0049	182.88	145.39	-72.66
UGD0049	185.93	145.74	-72.7
UGD0049	188.98	146.17	-72.67
UGD0049	192.02	146.46	-72.58
UGD0049	195.07	146.62	-72.48
UGD0049	198.12	146.76	-72.38
UGD0049	201.17	146.82	-72.22
UGD0049	204.22	147.12	-72.14
UGD0049	207.26	147	-72.04
UGD0049	210.31	146.94	-71.95
UGD0049	213.36	147.33	-71.88
UGD0049	216.41	147.37	-71.77
UGD0049	219.46	147.32	-71.66
UGD0049	222.5	147.46	-71.46
UGD0049	225.55	147.61	-71.35
UGD0049	228.6	147.72	-71.24
UGD0049	231.65	147.57	-71.21
UGD0049	234.7	147.4	-71.17
UGD0049	237.74	147.42	-71.1
UGD0049	240.79	147.28	-71
UGD0049	243.84	147.29	-70.85
UGD0049	246.89	147.33	-70.62
UGD0049	249.94	147.42	-70.46
UGD0049	252.98	147.64	-70.32
UGD0049	256.03	147.74	-70.17
UGD0049	259.08	147.91	-70.04
UGD0049	262.13	148.08	-69.99
UGD0049	265.18	148.13	-69.85
UGD0049	268.22	147.97	-69.75
UGD0049	271.27	147.98	-69.63

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0049	274.32	148.05	-69.5
UGD0049	277.37	148	-69.39
UGD0049	280.42	148.22	-69.23
UGD0049	283.46	148.18	-69.08
UGD0049	286.51	148.3	-68.89
UGD0049	289.56	148.53	-68.8
UGD0049	292.61	148.58	-68.66
UGD0049	295.66	148.7	-68.54
UGD0049	298.7	148.82	-68.41
UGD0049	301.75	148.73	-68.27
UGD0049	304.8	148.77	-68.13
UGD0049	306.4	149.75	-67.85
UGD0049	307.85	148.93	-68.04
UGD0049	310.9	148.9	-67.92
UGD0049	313.94	148.76	-67.84
UGD0049	316.99	148.76	-67.76
UGD0049	320.04	148.83	-67.71
UGD0049	323.09	148.8	-67.62
UGD0049	326.14	148.79	-67.53
UGD0049	329.18	148.72	-67.45
UGD0049	332.23	148.85	-67.33
UGD0049	335.28	148.7	-67.15
UGD0049	338.33	148.85	-66.97
UGD0049	341.38	148.77	-66.84
UGD0049	344.42	148.79	-66.66
UGD0049	347.47	148.75	-66.57
UGD0049	350.52	148.89	-66.4
UGD0049	353.57	148.92	-66.25
UGD0049	356.62	148.97	-66.07
UGD0049	359.66	148.76	-65.91
UGD0049	362.71	148.77	-65.7
UGD0049	365.76	148.87	-65.61
UGD0049	368.81	148.96	-65.58
UGD0049	371.86	148.77	-65.61
UGD0049	374.9	148.57	-65.57
UGD0049	377.95	148.26	-65.5
UGD0049	381	147.98	-65.5
UGD0049	382.3	148.04	-65.51
UGD0050	0	95	-76
UGD0050	0	96.84	-76.22
UGD0050	6.1	98.46	-75.92
UGD0050	12.19	98.84	-75.86
UGD0050	18.29	99.76	-75.68
UGD0050	24.38	101.01	-75.48
UGD0050	30.48	100.82	-75.52

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0050	36.58	100.55	-75.27
UGD0050	42.67	101.06	-75.02
UGD0050	48.77	102.02	-75.14
UGD0050	54.86	102.32	-75
UGD0050	60.96	103.22	-74.74
UGD0050	67.06	104.45	-74.43
UGD0050	73.15	105.27	-74.25
UGD0050	79.25	105.6	-74.04
UGD0050	85.34	106.01	-73.63
UGD0050	86.64	106.61	-73.46
UGD0050	91.44	107.83	-73.25
UGD0050	97.54	110.79	-72.71
UGD0050	103.63	111.79	-72.11
UGD0050	109.73	112.21	-71.85
UGD0050	115.82	112.58	-71.64
UGD0050	121.92	113.23	-71.49
UGD0050	128.02	113.78	-71.29
UGD0050	134.11	114.47	-71.13
UGD0050	140.21	114.73	-70.96
UGD0050	146.3	115.27	-70.78
UGD0050	152.4	115.97	-70.53
UGD0050	158.5	116.42	-70.26
UGD0050	164.59	116.8	-70.06
UGD0050	170.69	117.18	-69.96
UGD0050	176.78	117.62	-69.78
UGD0050	182.88	117.91	-69.59
UGD0050	185.01	118.45	-69.89
UGD0050	188.98	118.47	-69.4
UGD0050	195.07	118.6	-69.2
UGD0050	201.17	118.99	-68.89
UGD0050	207.26	119.42	-68.68
UGD0050	213.36	119.87	-68.41
UGD0050	219.46	120.4	-68.3
UGD0050	225.55	121.17	-68.19
UGD0050	231.65	121.93	-67.94
UGD0050	237.74	122.64	-67.69
UGD0050	243.84	123.24	-67.45
UGD0050	249.94	124.05	-67.23
UGD0050	256.03	124.55	-66.93
UGD0050	262.13	125.01	-66.71
UGD0050	268.22	125.43	-66.44
UGD0050	274.32	125.6	-66.33
UGD0050	280.42	126.11	-66.1
UGD0050	286.51	126.79	-65.84
UGD0050	292.61	127.43	-65.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0050	298.7	128.09	-65.4
UGD0050	304.8	128.47	-65.17
UGD0050	309.07	127.06	-65.13
UGD0050	310.9	128.98	-64.94
UGD0050	316.99	129.36	-64.7
UGD0050	323.09	130.01	-64.51
UGD0050	329.18	130.36	-64.16
UGD0050	335.28	131.01	-63.64
UGD0050	341.38	131.96	-63.05
UGD0050	347.47	132.13	-62.73
UGD0050	353.57	132.53	-62.34
UGD0050	359.66	132.8	-62.01
UGD0050	365.76	133.56	-61.39
UGD0050	371.86	134.84	-60.57
UGD0050	377.95	135.23	-60.15
UGD0050	384.05	135.49	-59.86
UGD0050	390.14	135.92	-59.79
UGD0050	396.24	136.4	-59.71
UGD0050	402.34	136.51	-59.49
UGD0050	408.43	136.75	-59.41
UGD0050	414.53	137.05	-59.28
UGD0050	420.62	137.39	-59.08
UGD0050	426.72	137.65	-58.96
UGD0050	432.82	137.95	-58.98
UGD0050	438.91	138.38	-59.26
UGD0050	445.01	138.9	-59.46
UGD0051	0	90	-83
UGD0051	0	88.76	-83.14
UGD0051	1.52	91.21	-82.94
UGD0051	3.05	88.74	-82.9
UGD0051	4.57	92.23	-82.87
UGD0051	6.1	90.79	-82.93
UGD0051	7.62	93.14	-82.78
UGD0051	9.14	91.06	-82.94
UGD0051	10.67	94.36	-82.71
UGD0051	11.28	94.54	-82.69
UGD0051	12.19	91.23	-82.83
UGD0051	15.24	92.24	-82.66
UGD0051	18.29	93.8	-82.61
UGD0051	21.34	95.12	-82.62
UGD0051	24.38	94.98	-82.69
UGD0051	27.43	94.44	-82.49
UGD0051	30.48	95.46	-82.25
UGD0051	33.53	96.67	-82.22
UGD0051	36.58	97.26	-82.34

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0051	39.62	96.9	-82.43
UGD0051	42.67	96.8	-82.34
UGD0051	45.72	97.24	-82.32
UGD0051	48.77	97.1	-82.36
UGD0051	51.82	97.18	-82.34
UGD0051	54.86	97.83	-82.25
UGD0051	57.91	99.09	-82.22
UGD0051	60.96	99.73	-82.36
UGD0051	64.01	99.21	-82.49
UGD0051	67.06	98.37	-82.38
UGD0051	70.1	99.02	-82.16
UGD0051	73.15	100.65	-82.13
UGD0051	76.2	101.63	-82.26
UGD0051	79.25	101.96	-82.31
UGD0051	82.3	102.46	-82.18
UGD0051	85.34	103.02	-82.02
UGD0051	88.39	103.62	-82.01
UGD0051	89.31	103.98	-81.92
UGD0051	91.44	103.63	-81.93
UGD0051	94.49	104.24	-81.87
UGD0051	97.54	105.11	-81.74
UGD0051	100.58	105.52	-81.83
UGD0051	103.63	105.67	-81.84
UGD0051	106.68	104.66	-81.85
UGD0051	109.73	105.21	-81.65
UGD0051	112.78	106.76	-81.55
UGD0051	115.82	108.31	-81.55
UGD0051	118.87	108.13	-81.67
UGD0051	121.92	108.04	-81.57
UGD0051	124.97	108.59	-81.48
UGD0051	128.02	109.17	-81.44
UGD0051	131.06	109.56	-81.43
UGD0051	134.11	109.82	-81.41
UGD0051	137.16	110.14	-81.33
UGD0051	140.21	110.99	-81.31
UGD0051	143.26	110.87	-81.42
UGD0051	146.3	110.99	-81.37
UGD0051	149.35	110.91	-81.17
UGD0051	152.4	111.78	-81.02
UGD0051	155.45	113.32	-80.96
UGD0051	158.5	113.81	-81.05
UGD0051	161.54	113.23	-81.15
UGD0051	164.59	112.66	-80.94
UGD0051	167.64	113.37	-80.73
UGD0051	170.69	113.98	-80.68

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0051	173.74	115.06	-80.74
UGD0051	176.78	116.14	-80.55
UGD0051	179.83	117.3	-80.54
UGD0051	182.88	118.23	-80.51
UGD0051	185.93	117.98	-80.7
UGD0051	188.98	117.88	-80.85
UGD0051	192.02	117.34	-80.79
UGD0051	194.46	117.82	-80.44
UGD0051	195.07	117.85	-80.6
UGD0051	198.12	119.19	-80.4
UGD0051	201.17	120.83	-80.39
UGD0051	204.22	122.39	-80.34
UGD0051	207.26	123.38	-80.41
UGD0051	210.31	123.13	-80.48
UGD0051	213.36	122.22	-80.52
UGD0051	216.41	120.71	-80.47
UGD0051	219.46	119.8	-80.26
UGD0051	222.5	119.51	-80.1
UGD0051	225.55	119.95	-79.95
UGD0051	228.6	120.56	-79.82
UGD0051	231.65	120.93	-79.72
UGD0051	234.7	121.59	-79.76
UGD0051	237.74	121.54	-79.76
UGD0051	240.79	121.26	-79.67
UGD0051	243.84	121.22	-79.74
UGD0051	246.89	121.47	-79.72
UGD0051	249.94	121.41	-79.79
UGD0051	252.98	120.99	-79.79
UGD0051	256.03	120.82	-79.75
UGD0051	259.08	120.81	-79.65
UGD0051	262.13	121.36	-79.63
UGD0051	265.18	122.11	-79.62
UGD0051	268.22	122.8	-79.62
UGD0051	271.27	123.11	-79.65
UGD0051	274.32	123.57	-79.55
UGD0051	277.37	124.18	-79.48
UGD0051	280.42	124.92	-79.41
UGD0051	283.46	125.04	-79.37
UGD0051	286.51	125.66	-79.36
UGD0051	289.56	125.5	-79.3
UGD0051	292.61	125.2	-79.21
UGD0051	295.66	125.52	-79.09
UGD0051	298.7	126.13	-79.03
UGD0051	301.75	127.12	-78.92
UGD0051	304.8	127.33	-78.88

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0051	307.85	128.02	-78.77
UGD0051	310.9	127.74	-78.55
UGD0051	313.94	127.87	-78.49
UGD0051	316.99	128.2	-78.45
UGD0051	320.04	128.46	-78.5
UGD0051	323.09	127.91	-78.53
UGD0051	326.14	127.79	-78.4
UGD0051	329.18	127.19	-78.36
UGD0051	332.23	127.29	-78.16
UGD0051	335.28	128.12	-78.03
UGD0051	338.33	129.01	-77.91
UGD0051	341.38	129.76	-77.67
UGD0051	344.42	129.22	-77.31
UGD0051	346.86	128.8	-76.56
UGD0051	347.47	129.72	-76.94
UGD0051	350.52	130.42	-76.73
UGD0051	353.57	130.78	-76.72
UGD0051	356.62	131.03	-76.73
UGD0051	359.66	131.15	-76.58
UGD0051	362.71	131.86	-76.42
UGD0051	365.76	132.51	-76.19
UGD0051	368.81	133.74	-75.93
UGD0051	371.98	134.65	-75.78
UGD0052	0	275	-15
UGD0052	0	275.2	-15.53
UGD0052	6.1	275.06	-15.16
UGD0052	12.19	274.98	-15.09
UGD0052	18.29	275.1	-14.99
UGD0052	24.38	275.22	-14.95
UGD0052	30.48	275.19	-15.02
UGD0052	36.58	275.24	-14.96
UGD0052	42.67	275.25	-15
UGD0052	48.77	274.97	-14.73
UGD0052	54.86	274.97	-14.63
UGD0052	60.96	274.93	-14.57
UGD0052	67.06	274.98	-14.54
UGD0052	73.15	275.04	-14.39
UGD0052	79.25	275.09	-14.2
UGD0052	85.34	275.25	-14.17
UGD0052	91.44	275.33	-13.76
UGD0052	97.54	275.34	-13.55
UGD0052	103.63	275.35	-13.24
UGD0052	109.73	275.35	-13.13
UGD0052	115.82	275.4	-12.87
UGD0052	121.92	275.49	-12.65

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0052	128.02	275.64	-12.57
UGD0052	134.11	275.7	-12.39
UGD0052	140.21	275.68	-12.29
UGD0052	146.3	275.63	-12.15
UGD0052	152.4	275.69	-11.99
UGD0052	158.5	275.72	-11.86
UGD0052	164.59	275.88	-11.54
UGD0052	170.69	276.2	-11.13
UGD0052	176.45	277.21	-10.36
UGD0052	176.78	276.64	-10.49
UGD0052	182.88	276.9	-9.9
UGD0052	188.98	276.98	-9.72
UGD0052	195.07	277.02	-9.61
UGD0052	201.17	277.05	-9.68
UGD0052	207.26	277.07	-9.58
UGD0052	213.36	277.19	-9.46
UGD0052	219.46	277.27	-9.25
UGD0052	225.55	277.4	-8.98
UGD0052	231.65	277.55	-8.78
UGD0052	237.74	277.58	-8.42
UGD0052	243.84	277.58	-8.19
UGD0052	249.94	277.62	-7.98
UGD0052	256.03	277.67	-7.89
UGD0052	262.13	277.75	-7.67
UGD0052	268.22	277.88	-7.48
UGD0052	274.32	277.99	-7.28
UGD0052	280.42	278.09	-7.17
UGD0052	286.51	278.2	-7.02
UGD0052	292.61	278.3	-6.81
UGD0052	298.7	278.37	-6.63
UGD0052	299.74	278.72	-6.3
UGD0052	304.8	278.51	-6.43
UGD0052	310.9	278.69	-6.32
UGD0052	316.99	278.75	-6.1
UGD0052	323.09	278.79	-5.92
UGD0052	329.18	279	-5.62
UGD0052	335.28	279.23	-5.38
UGD0052	341.38	279.33	-5.17
UGD0052	347.47	279.44	-4.69
UGD0052	353.57	279.4	-4.03
UGD0052	359.66	279.46	-2.79
UGD0052	365.76	279.45	-2.06
UGD0052	370.26	279.41	-1.8
UGD0053	0	287	-57
UGD0053	0	288.91	-57.22

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0053	1.52	286.1	-57.39
UGD0053	3.05	285.97	-57.44
UGD0053	4.57	285.8	-57.38
UGD0053	6.1	288.35	-57.41
UGD0053	7.62	285.68	-57.37
UGD0053	9.14	285.63	-57.34
UGD0053	10.67	285.66	-57.34
UGD0053	12.19	288.37	-57.46
UGD0053	13.72	285.65	-57.3
UGD0053	14.33	285.71	-57.29
UGD0053	18.29	288.43	-57.52
UGD0053	24.38	288.48	-57.53
UGD0053	30.48	288.47	-57.53
UGD0053	36.58	288.44	-57.49
UGD0053	42.67	288.48	-57.39
UGD0053	48.77	288.47	-57.48
UGD0053	54.86	288.41	-57.5
UGD0053	60.96	288.34	-57.49
UGD0053	67.06	288.29	-57.43
UGD0053	73.15	287.76	-57.27
UGD0053	79.25	287.5	-57.2
UGD0053	85.34	287.37	-57.18
UGD0053	91.44	287.62	-57.08
UGD0053	97.54	287.59	-57.09
UGD0053	103.63	287.71	-56.93
UGD0053	109.73	286.72	-56.89
UGD0053	115.82	286.04	-56.9
UGD0053	121.92	285.81	-57.01
UGD0053	128.02	285.33	-57.07
UGD0053	134.11	285.15	-57.05
UGD0053	140.21	285.44	-57.08
UGD0053	144.55	282.75	-56.41
UGD0053	146.3	285.27	-57.1
UGD0053	152.4	285.32	-57.11
UGD0053	158.5	285.45	-56.97
UGD0053	164.59	285.67	-56.81
UGD0053	170.69	285.78	-56.75
UGD0053	176.78	285.95	-56.73
UGD0053	182.88	286.1	-56.74
UGD0053	188.98	286.45	-56.68
UGD0053	195.07	286.58	-56.59
UGD0053	201.17	286.67	-56.52
UGD0053	207.26	286.74	-56.48
UGD0053	213.36	286.86	-56.29
UGD0053	219.46	286.88	-56.28

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0053	222.5	283.59	-55.86
UGD0053	225.55	286.9	-56.18
UGD0053	231.65	286.71	-56.1
UGD0053	237.74	286.42	-56.13
UGD0053	243.84	286.22	-56.12
UGD0053	249.94	285.97	-56.06
UGD0053	256.03	285.51	-56.06
UGD0053	262.13	285.3	-56
UGD0053	268.22	285.19	-55.95
UGD0053	274.32	285.4	-55.89
UGD0053	280.42	285.48	-55.83
UGD0053	286.51	285.55	-55.74
UGD0053	292.61	285.1	-55.72
UGD0053	298.7	284.53	-55.8
UGD0053	304.8	284.11	-55.73
UGD0053	310.59	283.55	-55.59
UGD0054	0	282	-21
UGD0054	0	282.47	-21
UGD0054	6.1	282.6	-20.89
UGD0054	12.19	282.7	-20.51
UGD0054	18.29	282.88	-20.13
UGD0054	24.38	283.05	-19.72
UGD0054	30.48	283.13	-19.43
UGD0054	36.58	283.17	-19.4
UGD0054	42.67	283.28	-19.36
UGD0054	48.77	283.36	-19.23
UGD0054	54.86	283.5	-19.12
UGD0054	60.96	283.64	-19.07
UGD0054	67.06	283.71	-19.07
UGD0054	73.15	283.92	-19.01
UGD0054	79.25	284.09	-18.8
UGD0054	85.34	284.33	-18.36
UGD0054	91.44	284.5	-18.08
UGD0054	97.54	284.69	-17.74
UGD0054	103.63	284.84	-17.52
UGD0054	109.73	285.09	-17.17
UGD0054	115.82	285.38	-16.98
UGD0054	121.92	285.58	-16.81
UGD0054	128.02	285.81	-16.59
UGD0054	134.11	286.02	-16.34
UGD0054	140.21	286.2	-16.17
UGD0054	146.3	286.45	-16.04
UGD0054	152.4	286.67	-15.94
UGD0054	158.5	286.92	-15.81
UGD0054	164.59	287.09	-15.63

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0054	170.69	287.21	-15.21
UGD0054	176.78	287.36	-15.06
UGD0054	182.88	287.57	-14.78
UGD0054	188.98	287.75	-14.38
UGD0054	195.07	287.77	-14.19
UGD0054	201.17	287.92	-14.13
UGD0054	207.26	288.09	-14.09
UGD0054	213.36	288.29	-13.96
UGD0054	219.46	288.48	-13.71
UGD0054	225.55	288.64	-13.61
UGD0054	231.65	288.69	-13.41
UGD0054	237.74	288.94	-13.22
UGD0054	243.84	289.25	-13.11
UGD0054	249.94	289.53	-12.81
UGD0054	256.03	289.74	-12.61
UGD0054	262.13	289.94	-12.44
UGD0054	268.22	290.13	-12.19
UGD0054	274.32	290.49	-11.91
UGD0054	280.42	290.84	-11.71
UGD0054	286.51	291.11	-11.41
UGD0054	292.61	291.32	-11.16
UGD0054	298.7	291.43	-10.45
UGD0054	304.8	291.59	-9.81
UGD0054	310.9	291.37	-9.52
UGD0054	314.87	284.08	-9.28
UGD0054	316.99	290.95	-9.34
UGD0054	323.09	290.65	-9.09
UGD0054	329.18	290.4	-8.9
UGD0054	335.28	290.06	-8.79
UGD0054	341.38	289.6	-8.71
UGD0054	347.47	289.25	-8.6
UGD0054	353.57	288.86	-8.5
UGD0054	359.66	288.5	-8.34
UGD0054	365.76	288.19	-8.18
UGD0054	371.86	287.78	-7.89
UGD0054	373.09	287.72	-7.83
UGD0055	0	301	-51
UGD0055	0	300.55	-51.05
UGD0055	3.05	299.78	-51.11
UGD0055	6.1	299.44	-51.15
UGD0055	9.14	299.35	-51.13
UGD0055	12.19	299.24	-51.06
UGD0055	15.24	299.15	-51.03
UGD0055	15.85	300.81	-50.9
UGD0055	18.29	299.18	-50.97

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0055	21.34	299.05	-50.94
UGD0055	24.38	299	-50.86
UGD0055	27.43	298.95	-50.84
UGD0055	30.48	298.97	-50.77
UGD0055	33.53	298.95	-50.72
UGD0055	36.58	298.95	-50.69
UGD0055	39.62	299.01	-50.67
UGD0055	42.67	299.06	-50.63
UGD0055	45.72	299.06	-50.61
UGD0055	48.77	299.09	-50.6
UGD0055	51.82	299.17	-50.55
UGD0055	54.86	299.15	-50.55
UGD0055	57.91	299.19	-50.52
UGD0055	60.96	299.15	-50.49
UGD0055	64.01	299.05	-50.38
UGD0055	67.06	298.94	-50.26
UGD0055	70.1	298.97	-50.2
UGD0055	73.15	298.96	-50.16
UGD0055	76.2	299.1	-50.12
UGD0055	79.25	299.11	-50.07
UGD0055	82.3	299.2	-50.03
UGD0055	85.34	299.24	-49.97
UGD0055	88.39	299.26	-49.93
UGD0055	89	298.28	-50.03
UGD0055	91.44	299.28	-49.87
UGD0055	94.49	299.26	-49.85
UGD0055	97.54	299.26	-49.86
UGD0055	100.58	299.31	-49.88
UGD0055	103.63	299.44	-49.86
UGD0055	106.68	299.41	-49.8
UGD0055	109.73	299.53	-49.76
UGD0055	112.78	299.49	-49.74
UGD0055	115.82	299.54	-49.7
UGD0055	118.87	299.5	-49.58
UGD0055	121.92	299.45	-49.63
UGD0055	124.97	299.34	-49.61
UGD0055	128.02	299.36	-49.56
UGD0055	131.06	299.37	-49.49
UGD0055	134.11	299.33	-49.45
UGD0055	137.16	299.2	-49.42
UGD0055	140.21	299.19	-49.34
UGD0055	143.26	299.09	-49.25
UGD0055	146.3	298.96	-49.16
UGD0055	149.35	298.67	-49.14
UGD0055	149.97	297.91	-49.14

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0055	152.4	298.73	-48.97
UGD0055	155.45	298.8	-48.96
UGD0055	158.5	298.86	-48.96
UGD0055	161.54	298.88	-49.04
UGD0055	164.59	298.94	-49.07
UGD0055	167.64	298.92	-49.11
UGD0055	170.69	298.99	-49.09
UGD0055	173.74	298.92	-49.04
UGD0055	176.78	298.86	-48.95
UGD0055	179.83	298.74	-48.61
UGD0055	182.88	298.74	-48.48
UGD0055	185.93	298.64	-48.48
UGD0055	188.98	298.56	-48.49
UGD0055	192.02	298.5	-48.5
UGD0055	195.07	298.48	-48.48
UGD0055	198.12	298.63	-48.56
UGD0055	201.17	298.63	-48.66
UGD0055	204.22	298.63	-48.78
UGD0055	207.26	298.63	-48.92
UGD0055	209.4	299.63	-49.07
UGD0055	210.31	298.58	-48.99
UGD0055	213.36	298.36	-48.81
UGD0055	216.41	297.99	-48.54
UGD0055	219.46	297.73	-48.45
UGD0055	222.5	297.64	-48.54
UGD0055	225.55	297.65	-48.5
UGD0055	228.6	297.58	-48.43
UGD0055	231.65	297.29	-48.44
UGD0055	234.7	297.07	-48.43
UGD0055	237.74	296.99	-48.48
UGD0055	240.79	296.73	-48.38
UGD0055	243.84	296.56	-48.45
UGD0055	246.89	296.45	-48.53
UGD0055	249.94	296.29	-48.47
UGD0055	252.98	296.17	-48.45
UGD0055	256.03	296.05	-48.48
UGD0055	259.08	295.84	-48.64
UGD0055	262.13	295.67	-48.72
UGD0055	265.18	295.68	-48.73
UGD0055	268.22	295.6	-48.69
UGD0055	271.27	295.35	-48.81
UGD0055	274.32	295.2	-48.81
UGD0055	277.37	295.12	-48.78
UGD0055	280.42	294.96	-48.84
UGD0055	283.46	294.77	-48.86

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0055	286.51	294.59	-48.85
UGD0055	289.56	294.4	-48.87
UGD0055	292.61	294.18	-48.85
UGD0055	295.66	294.07	-48.79
UGD0055	298.7	293.97	-48.63
UGD0055	301.75	293.79	-48.58
UGD0055	304.8	293.81	-48.51
UGD0055	307.85	293.68	-48.4
UGD0055	310.9	293.63	-48.42
UGD0055	313.94	293.5	-48.45
UGD0055	316.99	293.38	-48.41
UGD0055	320.04	293.27	-48.41
UGD0055	323.09	293.25	-48.38
UGD0055	326.14	293.18	-48.36
UGD0055	329.18	293.17	-48.35
UGD0055	332.23	293.17	-48.34
UGD0055	335.28	293.01	-48.36
UGD0055	338.33	292.92	-48.36
UGD0055	341.38	292.84	-48.34
UGD0055	342.41	292.81	-48.37
UGD0056	0	301	-45
UGD0056	0	300.98	-44.91
UGD0056	6.1	300.7	-44.93
UGD0056	12.19	300.74	-44.85
UGD0056	18.29	300.68	-44.74
UGD0056	24.38	300.65	-44.75
UGD0056	30.48	300.68	-44.66
UGD0056	36.58	300.7	-44.57
UGD0056	42.67	300.55	-44.49
UGD0056	48.77	300.45	-44.45
UGD0056	54.86	300.6	-44.41
UGD0056	60.96	300.73	-44.45
UGD0056	67.06	300.86	-44.4
UGD0056	73.15	300.98	-44.31
UGD0056	74.98	301.21	-44.14
UGD0056	79.25	301.03	-44.22
UGD0056	85.34	301.09	-44.04
UGD0056	91.44	301.21	-43.95
UGD0056	97.54	301.21	-43.84
UGD0056	103.63	301.32	-43.85
UGD0056	109.73	301.57	-43.77
UGD0056	115.82	301.87	-43.76
UGD0056	121.92	301.91	-43.72
UGD0056	128.02	301.9	-43.72
UGD0056	134.11	301.86	-43.67

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0056	140.21	301.6	-43.49
UGD0056	146.3	301.75	-43.55
UGD0056	152.4	301.68	-43.55
UGD0056	158.5	301.65	-43.53
UGD0056	164.59	301.69	-43.48
UGD0056	170.69	301.71	-43.43
UGD0056	176.78	301.8	-43.33
UGD0056	182.88	302.04	-43.2
UGD0056	188.98	302.26	-43.14
UGD0056	195.07	302.31	-43.03
UGD0056	201.17	302.34	-43.02
UGD0056	207.26	302.47	-42.88
UGD0056	213.36	302.61	-42.76
UGD0056	219.46	302.84	-42.67
UGD0056	225.55	302.93	-42.59
UGD0056	231.65	302.85	-42.52
UGD0056	237.74	302.8	-42.33
UGD0056	243.84	302.64	-42.39
UGD0056	249.94	302.55	-42.09
UGD0056	256.03	302.52	-41.94
UGD0056	262.13	302.63	-41.75
UGD0056	268.22	302.68	-41.6
UGD0056	274.32	302.49	-41.43
UGD0056	280.42	302.3	-41.31
UGD0056	286.51	302.03	-41.17
UGD0056	292.61	301.85	-41.1
UGD0056	298.7	301.61	-41
UGD0056	304.8	301.46	-40.88
UGD0057	0	298.05	-56.65
UGD0057	3.05	297.65	-57.02
UGD0057	6.1	298.07	-56.7
UGD0057	9.14	297.37	-56.8
UGD0057	12.19	297.75	-56.67
UGD0057	15.24	297.2	-56.68
UGD0057	18.29	297.64	-56.5
UGD0057	21.34	297.04	-56.68
UGD0057	24.38	297.25	-56.47
UGD0057	27.43	296.64	-56.66
UGD0057	30.48	296.75	-56.43
UGD0057	33.53	295.85	-56.66
UGD0057	36.58	296.03	-56.42
UGD0057	39.62	295.33	-56.73
UGD0057	42.67	295.75	-56.55
UGD0057	45.72	294.92	-56.79
UGD0057	48.77	295.5	-56.54

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0057	51.82	294.65	-56.74
UGD0057	54.86	295.3	-56.5
UGD0057	57.91	294.59	-56.67
UGD0057	60.96	295.39	-56.45
UGD0057	64.01	294.72	-56.66
UGD0057	67.06	295.66	-56.38
UGD0057	70.1	294.87	-56.62
UGD0057	73.15	295.94	-56.34
UGD0057	76.2	294.89	-56.6
UGD0057	78.34	295.06	-56.58
UGD0057	79.25	296.2	-56.3
UGD0057	85.34	296.16	-56.18
UGD0057	91.44	296.31	-56.11
UGD0057	97.54	296.5	-56.04
UGD0057	103.63	296.7	-56.01
UGD0057	109.73	296.79	-55.97
UGD0057	115.82	296.44	-55.82
UGD0057	121.92	296.48	-55.77
UGD0057	128.02	296.58	-55.62
UGD0057	134.11	296.65	-55.52
UGD0057	140.21	296.68	-55.4
UGD0057	146.3	296.71	-55.34
UGD0057	152.4	296.86	-55.37
UGD0057	158.5	296.89	-55.35
UGD0057	164.59	297.06	-55.33
UGD0057	170.69	297.12	-55.25
UGD0057	176.78	297.2	-55.19
UGD0057	182.88	297.22	-55.14
UGD0057	188.98	297.16	-55.05
UGD0057	195.07	297.23	-55.03
UGD0057	201.17	296.93	-55
UGD0057	207.26	296.26	-55.13
UGD0057	213.36	296.05	-55.31
UGD0057	219.46	295.74	-55.47
UGD0057	225.55	295.39	-55.58
UGD0057	231.65	295.21	-55.59
UGD0057	237.74	294.37	-55.71
UGD0057	243.84	294	-55.77
UGD0057	249.94	293.6	-55.8
UGD0057	256.03	293.3	-55.82
UGD0057	262.13	292.96	-55.9
UGD0057	268.22	293.02	-55.96
UGD0057	274.32	293.12	-56.09
UGD0057	280.42	293.01	-56.18
UGD0057	286.51	292.3	-55.79

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0057	292.61	291.07	-55.64
UGD0057	298.7	290.22	-55.6
UGD0057	304.8	289.16	-55.67
UGD0057	310.9	288.02	-55.8
UGD0057	316.99	287.22	-55.96
UGD0057	323.09	286.14	-55.97
UGD0057	329.18	285.19	-56.09
UGD0057	334.98	284.45	-56.09